


## Participant flow



**Baseline characteristics**

Variable		Total n (%)	Study Group n (%)	Control Group n (%)
Gender	Male	27 (42.18)	10 (29.4)	17 (56.7)
	Female	37 (57.8)	24 (70.6)	13 (43.3)
Academic Year	4 <sup>th</sup> Year	36 (56.25)	21 (61.8)	15 (50)
	5 <sup>th</sup> Year	6 (9.3)	3 (8.8)	3 (10)
	6 <sup>th</sup> Year	22 (34.3)	10 (29.4)	12 (40)
Marital Status	Single	61 (95.3)	31 (91.2)	30 (100)
	Married	3 (4.6)	3 (8.8)	0 (0)
Family Financial Status	Less than 5,000	6 (9.3)	4 (11.8)	2 (6.7)
	5,000 – 15,000	28 (43.7)	11 (32.4)	17 (56.7)
	More than 15,000	30 (46.8)	19 (55.9)	11 (36.7)
GPA	A	31 (48.4)	17 (50)	14 (46.7)
	B	27 (42.18)	15 (44.1)	12 (40)
	C	6 (9.3)	2 (5.9)	4 (13.3)

### Outcome measures

	Study group	Control group	
Knowledge	Mean (SD)	Mean (SD)	p-value
Difference between T1 to T2	1.441 (3.94)	1.500 (2.37)	0.942
Difference between T2 to T3	0.29 (2.83)	0.280 (2.44)	0.988
Difference between T1 to T3	-1.125 (3.74)	-1.32 (2.59)	0.834

### Adverse events

There were no adverse events associated with this trial