


Participant Flow



Households and Participants' Characteristics

Table 1. Sociodemographic and household characteristics of adolescent girls and family by participation in *Abriendo Futuros* and inclusion in impact evaluation analysis status.

	All participants (n=427)	<i>Abriendo Futuros</i> participants (n=174)	Non-participants (n=253)	<i>p</i> -value
Girls' survey				
Age in years (median (IQR)) ⁽⁺⁾	14 (13-16)	14 (13-15)	15 (13-16)	0.12
Girls ever-married or living with partner n (%) ^(*)	10 (2.34)	3 (1.72)	7 (2.77)	0.87
Age at marriage in years (median (IQR)) ⁽⁺⁾	16 (15-16)	15 (15-16)	16 (14-17)	0.33
Age in years of partner (median (IQR)) ⁽⁺⁾	19 (18-20)	18 (16-19)	19 (19-20)	0.07*
Motherhood status (has children) n (%) ^(*)	4 (0.94)	0 (0.0)	4 (1.58)	0.12
Age at first child (median (IQR))	17 (15-17)	-	17 (15-17)	-
Girls living with both their parents n (%) ^(*)	295 (69.09)	119 (68.39)	176 (69.57)	0.45
Household survey				
Age of girl's mothers in years (median (IQR)) ⁽⁺⁾	41 (37-46)	40 (37-45)	41 (37-46)	0.13
Illiteracy percentages among girl's mothers n (%) ^(*)	85 (19.95)	26 (14.94)	59 (23.41)	0.03**
Mother's age at marriage in years (median (min-max)) ⁽⁺⁾	18 (13-41)	19 (14-35)	18 (13-41)	0.006***
Mother's age at first child in years (median (min-max)) ⁽⁺⁾	20 (13-40)	21 (13-32)	20 (14-40)	0.39
Age of girl's fathers in years (median (IQR)) ⁽⁺⁾	43 (38-49)	43 (38-48)	44 (39-49)	0.09*
Illiteracy percentages among girl's fathers n (%) ^(*)	62 (14.52)	27 (15.52)	35 (13.83)	0.62
Houses where Mayan is the first language n (%) ^(*)	267 (62.68)	99 (57.23)	168 (66.40)	0.05*
Household size ¹ (median (IQR)) ⁽⁺⁾	6 (5-7)	5 (5-7)	6 (5-7)	0.02**
Households in the lowest wealth quintile n (%) ^(*)	83 (19.76)	23 (13.5)	60 (24.0)	0.008***

Notes: (1) IQR, interquartile range

*p-value<0.10; **p-value<0.05; ***p-value<0.01; (+) Mann-Whitney U test; (*) Fisher's exact; (**) Chi square test. The highlighted variables in each panel report a significant effect at p=.05 or better.

¹ Household size: number of people living in the same house.

Outcome measures

Table 2. Average Treatment Effect on the Treated (ATT) of the Abriendo Futuros Program. Impact Evaluation.

	N	Difference B vs C (ATT)	p-value		95% Confidence Interval: Lower - Upper	
Motherhood status (has children)²	425	-0.029	0.073	*	-0.060	0.003
Ever married or in a civil union	425	-0.011	0.527		-0.047	0.024
Education and Schooling						
Enrolled in current school year (2017-2018)	425	-0.055	0.089	*	-0.117	0.008
Educational attainment (school years)	425	-0.330	0.068	*	-0.686	0.025
Financial Literacy						
Reports having savings in the past three months	425	0.204	0.002	***	0.074	0.334
Identifies formal institutions as places where girls can save	421	0.058	0.119		-0.015	0.130
Gender Norms						
Desired age for first marriage	397	0.694	0.171		-0.300	1.689
Desired age for first birth	379	0.456	0.330		-0.461	1.374
Desired number of children	390	-0.112	0.257		-0.305	0.082
Gender equitable attitudes scale	395	0.195	0.679		-0.728	1.118
Sexual and Reproductive Health						
Puberty and development knowledge index	419	-0.076	0.589		-0.350	0.199
Pregnancy knowledge index	422	0.186	0.202		-0.100	0.472
Reports knowing of family planning methods	424	0.006	0.930		-0.122	0.133
Family planning knowledge index	418	0.340	0.056	*	-0.008	0.689
Reports knowing of STIs	423	-0.017	0.832		-0.176	0.142
Reports knowing of HIV/AIDS	423	-0.035	0.284		-0.098	0.029
Social Capital						
Social capital index	425	0.632	0.011	**	0.143	1.121
Exposure to Violence						
Exposure to physical violence index	425	-0.083	0.415		-0.284	0.117

Notes: (1) Standard errors are in parentheses. (2) Star values correspond to the following cutoff levels for significance *p=.10, **p=.05, *** p=.01 or better. The highlighted variables in each panel report a significant effect at p=.05 or better.

² Even though we are reporting the motherhood status in Table 2, since it was one of *Abriendo Futuros* primary outcomes, there was not a sufficient sample size to measure the program effects on this outcome, given that only four girls (0.94%) self-reported having a child.

Adverse events

There were no adverse events associated with this trial.