


Participant Flow



Baseline Characteristics

	Single dose antibiotics	3 days antibiotics
Age (years)	33 (22 – 51)	28 (20 – 56)
Gender	18	18
Male	7	7
Female		
BMI (kg/m2)	24,5 (18,25 – 30,50)	24,3 (18,0 – 35,68)
Diabetes Mellitus	0	0
Hypertension	0	0
Preoperative haemoglobin (g/dL)	14,3 (10 – 17)	14,6 (10,9 – 16,8)
Preoperative leucocyte (g/dL)	6.790 (5.070 – 9.870)	7.690 (5.800 – 9.450)
Length of stay (days)	4 (3 – 5)	4 (3 – 5)
Duration of surgery (minutes)	240 (180 – 301)	246 (175 – 303)
Intraoperative bleeding (mL)	100 (30 – 150)	100 (20 – 500)
PRC perioperative transfusion (mL)	0	0

Outcome Measures

Parameter	Single dose		3 days antibiotic	
	N	%	N	%
Local infection at the hospital				
No infection	25	100	25	100
Infection	0	0	0	0
Systemic sign of infection at the hospital				
No infection	24	96	25	100
Infection	1	4	0	0
Local infection at the follow up (10th days)				
No infection	25	100	25	100
Infection	0	0	0	0
Systemic sign of infection at the follow up (10th days)				
No infection	25	100	25	25
Infection	0	0	0	0

Adverse Events

No adverse events associated with this study