



Determining the feasibility of randomising children and young people to invasive and non-invasive urine sampling techniques

Why This Research? Urinary tract infections (UTI) are very common in children. Diagnosing UTI requires a urine test to be performed. There are different ways to collect a urine sample from children who cannot provide a urine sample on demand.

Methods include

Catching the urine sample in a pot. This non-invasive method is painless but may not be as accurate as other collection methods. This might mean misdiagnosis and unnecessary treatments.

Collecting the sample using a plastic catheter or needle into the bladder. These more invasive methods are highly accurate but are uncomfortable and carry a small risk of injury.

It is important to find out what method of urine sampling is most effective for children. Before we can conduct a trial to compare caught and collected samples, we need to find out whether the methods of conducting a larger study are acceptable and feasible.

What happens if I agree to the study?

Why have I been invited to take part?



Your child has been chosen as the doctors and nurses require a urine sample to check for possible UTI and your child cannot provide a urine sample themselves. The doctors and nurses think that either a caught or collected sample is suitable for your child.

What will happen if I agree to the FROG study?

1

We will put children/young people into different groups by chance. Each group will receive a different sampling method. This may be a caught sample in a dish or a collected sample by either a catheter or needle to collect urine from the bladder. This is called randomisation and makes sure groups are similar and reduces bias.



2

You can choose for your child not to be randomly put into a group to have their urine caught or collected by the different methods and still take part in the FROG study.



3

We will collect routine data on your child's hospital visit and urine testing and ask you to complete a questionnaire.



The following aspects of the study are optional

4

A researcher from the University of Liverpool may call you, a few weeks after your hospital visit, to discuss your experiences and thoughts on how a possible future trial should be designed.



5

You may also be invited to attend a meeting to discuss if a trial should go ahead and how it should be designed.



This study is funded by the National Institute for Health and Care Research (NIHR) Health Technology Assessment Programme.

The study is sponsored by Queen's University Belfast.

For questions regarding the study contact your research team by calling 023 8120 4989 and/or email FROG@NICTU.hscni.net

FUNDED BY

NIHR

National Institute for Health and Care Research