


Study Title: Evaluation of the Clinical Acceptance of Soft Contact Lenses for Myopia Control

Participants



Baseline Characteristics

Table 1 - Gender and Age of Study Population

	Overall
N	20
Gender	
Female	14 (70.0%)
Male	6 (30.0%)
Age	
Mean	14.5
Std. Dev	1.9

Outcome Measures

Primary Outcome Measure

Overall Visual Satisfaction

Table 2 – Overall Visual Satisfaction (100-point VAS)

	Overall Visual Satisfaction
CONTROL	
N	20
Mean	84.7
Median	86.0
Std. Deviation	14.0
TEST 1	
N	20
Mean	71.3
Median	81.0
Std. Deviation	27.2
TEST 2	
N	20
Mean	71.7
Median	82.5
Std. Deviation	31.0

Secondary Outcome Measure

Overall visual performance

Table 3 – Overall Visual Performance (logMAR)

	logMAR
CONTROL	
N	20
Mean	0.04
Median	0.04
Std. Deviation	0.07
TEST 1	
N	20
Mean	0.09
Median	0.07
Std. Deviation	0.08
TEST 2	
N	20
Mean	0.06
Median	0.06
Std. Deviation	0.07

Adverse Events

There were four adverse events reported during the study. One was ocular related and resolved within the study. None were serious adverse events.

Table 4 – Adverse Events

Number of participants affected	Event	Current status
1	Rash on hand	Resolved
1	Migraine	Resolved
1	Stye	Resolved
1	Intermittent Headaches	Resolved