


Study Title: Performance and Acceptance Study of Biofinity Multifocal Contact Lenses vs. Multifocal Pluto Contact Lenses

Participants



Baseline Characteristics

Table 1 - Gender and Age of Study Population

	Overall
N	45
Gender	
Female	31 (68.9%)
Male	14 (31.1%)
Age	
Mean	54.0
Std. Dev	53.0

Outcome Measures

Primary Outcome Measure – Visual Satisfaction

Table 2 – Visual Satisfaction (100-point VAS)

	Overall
CONTROL	
N	45
Mean	85.1
Median	88.5
TEST	
N	45
Mean	84.2
Median	87.0

Secondary Outcome Measure – Visual Performance

Table 3 – Visual Performance (logMAR)

	Overall
CONTROL	

N	45
Mean	0.16
Median	0.18
TEST	
N	45
Mean	0.15
Median	0.16

Secondary Outcome Measure – Number of Contact Lenses to Dispense Final Pair

Table 3 – Number of Contact Lenses to Dispense Final Pair

	One CL Change	Two CL Changes	Three CL Changes
CONTROL	5	1	0
TEST	4	1	0

Adverse Events

There were five adverse events reported during the study. All were non-ocular, none were serious and all were resolved.

Table 5 – Adverse Events

Number of participants affected	Event	Status
1	Asthma Attack	Resolved
1	Fever	Resolved
1	Skin Bacterial Infection	Resolved
1	Back Pain	Resolved
1	Intermittent Headaches	Resolved