


## Participant Flow



## Baseline Characteristics

	<b>Intervention (n=97)</b>	<b>Control (96)</b>	<b>Overall (193)</b>
<b>Gender:</b> Male, n(%)	52 (53.6%)	53 (55.2%)	105 (54.4%)
<b>Age:</b> Mean (SD)	69.6 (8.13)	70.5 (8.36)	70.1 (8.24)
<b>Ethnicity:</b> White, n(%)	86 (88.7%)	89 (92.7%)	175 (90.7%)
<b>BMI:</b> Mean (SD)	27.14 (5.03)	27.74 (5.78)	27.45 (5.41)
<b>Marital Status:</b> Married, n(%)	51 (52.6%)	53 (55.2%)	104 (53.9%)
<b>Employment Status:</b> n(%)	12 (12.4%)	9 (9.4%)	21 (10.9%)
Full-time	7 (7.2%)	7 (7.3%)	14 (7.3%)
Part-time	66 (68%)	71 (74%)	137 (71%)
Retired			
<b>FEV1:</b> Mean (SD)	1.69 (.56)	1.66 (.59)	1.67 (.57)
<b>FVC:</b> Mean (SD)	2.90 (.78)	2.84 (.89)	2.87 (.84)
<b>FEV1/FVC:</b> Mean (SD)	.58 (.10)	.58 (.11)	.58 (.10)
<b>Gold Stage:</b> n(%)		19 (19.8%)	38 (19.7%)
I	19 (19.6%)	57 (59.4%)	110 (57%)
II	53 (54.6%)	15 (15.6%)	30 (15.5%)
III	15 (15.5%)	2 (2.1%)	5 (2.6%)
IV	3 (3.1%)		
<b>MRC:</b> Mean (SD)	2.61 (2.31)	2.26 (.91)	2.43 (1.74)
<b>Smoking Status:</b> n(%)	13 (13.4%)	15 (15.6%)	28 (14.5%)
Current Smoker	67 (69.1%)	68 (70.8%)	135 (69.9%)
Ex-smoker	4 (4.1%)	8 (8.3%)	12 (6.2%)
Never smoked			
<b>Pack Years:</b> Mean (SD)	39.45 (25.70)	34.41 (26.99)	36.84 (26.42)
<b>Comorbidities:</b> n(%)	7 (7.2%)	10 (10.4%)	17 (8.8%)
Ischemic Heart Disease	41 (42.3%)	46 (47.9%)	87 (45.1%)
Hypertension	13 (13.4%)	13 (13.5%)	26 (13.5%)
Diabetes	1 (1.0%)	3 (3.1%)	4 (2.1%)
Heart Failure	24 (24.7%)	35 (36.5%)	59 (30.6%)
Arthritis	21 (21.6%)	22 (22.9%)	43 (22.3%)
Other	13 (13.4%)	11 (11.5%)	24 (12.4%)
None			

## Outcome Measures

Intervention	80	1.49 (0.53)	50	1.38 (0.53)	47	1.40 (0.54)
Control	89	1.36 (0.51)	70	1.43 (0.55)	71	1.35 (0.48)
Overall	169	1.42 (0.52)	120	1.41 (0.54)	118	1.37 (0.50)
<b>EQ5D Pain</b>						
Intervention	80	1.46 (0.53)	50	1.44 (0.50)	47	1.57 (0.62)
Control	89	1.44 (0.54)	70	1.44 (0.53)	71	1.41 (0.52)
Overall	169	1.45 (0.53)	120	1.44 (0.52)	118	1.47 (0.57)
<b>EQ5D Anxiety</b>						
Intervention	80	1.26 (0.44)	50	1.30 (0.46)	47	1.23 (0.43)
Control	89	1.24 (0.48)	70	1.31 (0.53)	71	1.25 (0.47)
Overall	169	1.25 (0.46)	120	1.31 (0.50)	118	1.25 (0.45)
<b>PAM Score</b>						
Intervention	67	59.60 (11.75)	50	63.63 (15.43)	46	65.04 (14.23)
Control	81	59.30 (10.67)	70	59.76 (11.40)	71	60.37 (13.28)
Overall	148	59.43 (11.13)	120	61.37 (13.31)	117	62.21 (13.79)
<b>PAM Level</b>						
Intervention	67	2.64 (0.85)	50	2.82 (0.87)	46	3.02 (1.02)
Control	81	2.73 (0.87)	70	2.69 (0.88)	71	2.68 (0.94)
Overall	148	2.69 (0.86)	120	2.74 (0.87)	117	2.81 (0.98)
<b>ISWT</b>						
Intervention	76	411.95 (155.65)	44	437.73 (162.77)	32	423.59 (177.57)
Control			58	383.10 (191.53)	61	396.07 (174.52)
Overall	76	411.95 (155.65)	102	406.67 (180.89)	93	405.54 (175.10)
<b>ESWT Seconds</b>						
Intervention	74	460.45 (384.76)	44	643.64 (452.63)	32	596.00 (427.44)
Control			57	471.75 (359.01)	60	524.30 (384.58)
Overall	74	460.45 (384.76)	101	546.63 (409.40)	92	549.24 (399.14)

### Serious Adverse Events

	Intervention Group (n=11)	Control Group (n=7)	Overall (n=18)
<b>Respiratory System</b>	5	2	7
<b>Cardiovascular System</b>	5	0	5
<b>Musculoskeletal System</b>	1	3	4
<b>Gastrointestinal System</b>	0	2	2