


Summary of basic results from the extended home visiting program

Participant flow



Baseline characteristics

	Intervention group		Comparison group		P-value
	%	N	%	N	
Families		97		104	
Children					
Girls	49.5	48	41.3	43	NS
Boys	50.5	49	58.7	61	
Parents		118		128	
Women	80.5	95	77.3	99	NS
Men	19.5	23	22.7	29	
Both parents participated (interview 1)	33.0	32	26.9	28	NS
Parents' age mean (min-max)	30.9 (20–54)		31.1 (20–40)		NS
Education (years) mean (min-max)	14.8 (8–22)		15.8 (8–23)		0.004
Region of birth¹					
Sweden	33.3	32	62.5	65	<0.001
Europe	17.7	17	17.3	18	
Asia	14.6	14	13.5	14	
MENA	17.7	17	*		
Africa south of Sahara	11.5	11	*		
South and Central America	*		*		
Years in Sweden for those born abroad, mean (min-max)	7.3 (0.5–31)		8.2 (0.8–34)		NS
Interview language					
Swedish	68.0	66	80.8	84	0.051
Other	32.0	31	19.2	20	
Interpreter	18.6	18	6.7	7	0.017

NS= Not significant

*n<5 are not reported

¹ Region of birth is missing for one participant in the intervention group

Primary outcome measures

	Intervention group		Comparison group		P-value
	Mean	Min-max	Mean	Min-max	
Parental self-efficacy	N=97		N=104		
Baseline	70.7	48-80	68.5	28-80	0.067
Follow-up	71.8	56-80	69.2	54-80	0.004
Difference between baseline and follow-up	1.1	-11.5-18	0.7	-15-28	NS
Parental health literacy	N=79		N=94		
Baseline	51.7	38.5-64	53.2	40-64	NS
Follow-up	51.0	36-64	51.7	40-64	NS
Difference between baseline and follow-up	-0.7	-18-11	-1.5	-14-12	NS