

Comparison of washed and unwashed allograft in revision hip replacement

Submission date 12/09/2003	Recruitment status No longer recruiting	<input type="checkbox"/> Prospectively registered
		<input type="checkbox"/> Protocol
Registration date 12/09/2003	Overall study status Completed	<input type="checkbox"/> Statistical analysis plan
		<input type="checkbox"/> Results
Last Edited 22/09/2014	Condition category Surgery	<input type="checkbox"/> Individual participant data
		<input type="checkbox"/> Record updated in last year

Plain English summary of protocol
Not provided at time of registration

Contact information

Type(s)
Scientific

Contact name
Mr John Timperley

Contact details
Royal Devon & Exeter Hospital (Wonford)
Barrack Road
Exeter, Devon
United Kingdom
EX2 5BW
+44 (0)1392 403544

Additional identifiers

Protocol serial number
N0203096531

Study information

Scientific Title

Study objectives

Does the use of washed morcellised allograft in revision surgery of the femoral component of a total hip replacement improve the clinical or radiological result when compared with the use of unwashed material?

Ethics approval required

Old ethics approval format

Ethics approval(s)

Not provided at time of registration

Study design

Randomised controlled trial

Primary study design

Interventional

Study type(s)

Treatment

Health condition(s) or problem(s) studied

Surgery: revision hip replacement

Interventions

Initial patient selection followed by consent to be included in trial. Randomisation by sealed envelope in theatre when condition of femur established and operative procedure decided upon. Tantalum balls to be inserted into femur. Adapted radiostereometric analysis (RSA) Exeter stems and distal plugs to be implanted.

Beads to be inserted in cement and in graft. Post-op RSA and plain X-rays. Routine Exeter post-op mobilization protocol to be followed. Routine follow-up at 6 weeks, 6 months, 1 year and then yearly for 5 years (this is the routine follow-up protocol). RSA films to be taken at each appointment. Routine standard anteroposterior (A-P) films to be taken bi-annually. Dual energy X-ray absorptiometry (DEXA) scan to be repeated at each routine post-op appointment until completion of trial.

Intervention Type

Procedure/Surgery

Phase

Not Applicable

Primary outcome(s)

To conduct a randomised trial to study the effect of washing the allograft bone used in impaction grafting at revision hip arthroplasty. Patients undergoing revision hip surgery will be randomised into two groups at the time of their operation. An identical surgical procedure will be carried out except that one group will have the morcellised allograft washed and the other group will have unwashed graft used as is the present practice. The patients will be followed up for 5 years.

Outcome measures include complications, clinical scores, bone healing as quantified on DEXA scanning and gross radiological appearances. In addition, movement of the construct at each interface will be assessed by the technique of RSA.

Study end points: life tables and survival curves with confidence limits for different definitions of failure including implant loosening and radiological evidence of failure including implant migration (as defined by RSA), excessive wear, radiolucencies, etc. Log rank comparison.

Key secondary outcome(s)

Not provided at time of registration

Completion date

30/06/2006

Eligibility

Key inclusion criteria

1. Patients requiring revision hip arthroplasty for aseptic femoral component loosening
2. Age less than 85
3. Femoral bone stock loss equivalent to Endoklinik 2 or 3 (loss of cancellous bone in the proximal femur, possible parosteal increase in dimension but essentially a cavitary defect only with no need for reconstruction meshes or long stems).

Participant type(s)

Patient

Healthy volunteers allowed

No

Age group

Adult

Sex

All

Key exclusion criteria

Not provided at time of registration

Date of first enrolment

04/06/2001

Date of final enrolment

30/06/2006

Locations

Countries of recruitment

United Kingdom

England

Study participating centre
Royal Devon & Exeter Hospital (Wonford)
Exeter, Devon
United Kingdom
EX2 5BW

Sponsor information

Organisation
Department of Health (UK)

Funder(s)

Funder type
Government

Funder Name
Royal Devon and Exeter NHS Trust (UK)

Results and Publications

Individual participant data (IPD) sharing plan

IPD sharing plan summary
Not provided at time of registration