Pulmonary Hypertension in the Intensive Care Unit (ICU) - Swiss Survey 1

Submission date	Recruitment status	Prospectively registered
06/09/2010	No longer recruiting	☐ Protocol
Registration date	Overall study status	Statistical analysis plan
28/10/2010	Completed	Results
Last Edited	Condition category	Individual participant data
28/10/2010	Circulatory System	Record updated in last year

Plain English summary of protocol

Not provided at time of registration

Contact information

Type(s)

Scientific

Contact name

Dr Urs Wenger

Contact details

University Hospital Zürich Rämistrasse 100 Zürich Switzerland 8091

Additional identifiers

EudraCT/CTIS number

IRAS number

ClinicalTrials.gov number

Secondary identifying numbers N/A

Study information

Scientific Title

A prospective multicentre study to investigate the prevalence, causes, diagnostic and therapeutic approach of pulmonary hypertension in the Intensive Care Unit (ICU)

Acronym

PHICUSS1

Study objectives

To investigate the prevalence, causes, diagnostic and therapeutic approach of pulmonary hypertension (PH) of any cause in the setting of surgical, medical or interdisciplinary Intensive Care Units (ICUs) of primary, secondary and tertiary Swiss hospitals.

Ethics approval required

Old ethics approval format

Ethics approval(s)

Ethics approval was not required for this study.

Study design

Prospective multicentre study

Primary study design

Observational

Secondary study design

Non randomised controlled trial

Study setting(s)

Hospital

Study type(s)

Screening

Participant information sheet

Not available in web format, please use the contact details below to request a patient information sheet

Health condition(s) or problem(s) studied

Pulmonary hypertension

Interventions

The current characteristics, local facilities, diagnostic and therapeutic attitude against PH of the participating ICUs are assessed prior to study beginning by a questionnaire (hospital form).

During the study period all consecutive patients admitted to ICU for any reason are screened for presence or suspicion of PH. If PH is present or suspected the most probable causes, diagnostic and therapeutic attitude, clinical, laboratory, haemodynamic data (if measured) and 30 days survival will be assessed by a questionnaire (patient form).

Participating centres are asked to complete the hospital form only once, before study begin. Thereafter, during the enrolment period all patients admitted to the participating ICU are screened by use of the patient from. Only if PH is present, suspected or disclosed at ICU admission, or if risk factors for PH were present, additional information will be requested.

Data collection will be performed online using an electronic form of the data collection sheet.

Intervention Type

Other

Phase

Not Applicable

Primary outcome measure

Prevalence of PH of any cause in the setting of surgical, medical or interdisciplinary ICUs. During the planned study period of 2 weeks enrolment of about 1000 patients is expected. It is a cross-sectional survey, only follow-up is 30 day mortality.

Secondary outcome measures

- 1. Causes of PH in the ICU setting
- 2. Diagnostic and therapeutic approach to PH by Swiss ICU physicians
- 3. 30 day outcome of patients admitted to ICU with suspected or confirmed PH

During the planned study period of 2 weeks enrolment of about 1000 patients is expected. It is a cross-sectional survey, only follow-up is 30 day mortality.

Overall study start date

01/09/2009

Completion date

30/09/2009

Eligibility

Key inclusion criteria

All consecutive patients (no age limit or gender restrictions) admitted to ICU for any reason

Participant type(s)

Patient

Age group

Adult

Sex

Both

Target number of participants

1000

Key exclusion criteria

Does not meet inclusion criteria

Date of first enrolment 01/09/2009

Date of final enrolment 30/09/2009

Locations

Countries of recruitment

Switzerland

Study participating centre University Hospital Zürich Zürich Switzerland 8091

Sponsor information

Organisation

Swiss Society of Pulmonary Hypertension (Switzerland)

Sponsor details

c/o Institut für Medizin und Kommunikation (IMK) AG Münsterberg 1 Basel Switzerland 4001

Sponsor type

Research organisation

Website

http://www.imk.ch/Intro/WebHome

ROR

https://ror.org/02c518c71

Funder(s)

Funder type

Research organisation

Funder Name

Swiss Society of Intensive Care Medicine (Switzerland)

Funder Name

Actelion Pharma Schweiz AG (Switzerland)

Funder Name

Lung League Ticino (Switzerland)

Results and Publications

Publication and dissemination plan

Not provided at time of registration

Intention to publish date

Individual participant data (IPD) sharing plan

IPD sharing plan summary

Not provided at time of registration