# Prevention of post-cataract surgery macula oedema with prophylactic ketorolac

Submission date	Recruitment status	<ul><li>Prospectively registered</li></ul>
06/07/2008	Stopped	☐ Protocol
Registration date	Overall study status	Statistical analysis plan
22/07/2008	Stopped	☐ Results
Last Edited	Condition category	Individual participant data
10/05/2016	Eye Diseases	Record updated in last year

### Plain English summary of protocol

Not provided at time of registration

# **Contact information**

### Type(s)

Scientific

#### Contact name

Mrs Geeta Menon

#### Contact details

Frimley Park Hospital NHS Foundation Trust Portsmouth Road Frimley United Kingdom GU16 7UJ

# Additional identifiers

### Protocol serial number

1.2

# Study information

#### Scientific Title

Prevention of pseudophakic cystoid macula oedema with pre- and post-operative ketorolac

### Study objectives

To assess whether patients treated with ketorolac 3 days pre- and 3 weeks post-operatively in combination with post-operative steroid drops have a lower incidence of cystoid macula oedema

(CMO) following cataract surgery than those receiving standard clinical care (pre-operative topical flurbiprofen 1 hour prior to surgery and post-operative steroid drops).

### Ethics approval required

Old ethics approval format

### Ethics approval(s)

Ethics approval pending as of 07/07/2008. London-Surrey Borders ethics committee will be meeting on 9th July 2008.

### Study design

Single-blind randomised controlled trial

### Primary study design

Interventional

### Study type(s)

Treatment

### Health condition(s) or problem(s) studied

Cystoid macular oedema (CMO)

#### Interventions

- 1. Intervention: ketorolac eye drops (0.4%) 1 eye drop 4 times a day for 3 days before the operation and 3 weeks after the operation
- 2. Control arm: usual clinical care 1 drop of flurbiprofen eye drop 1 hour before surgery and Maxidex® eye drop three times a day for 3 weeks post-cataract surgery

### Intervention Type

Drug

#### Phase

**Not Specified** 

### Drug/device/biological/vaccine name(s)

Ketorolac

### Primary outcome(s)

Central macula thickness as measured on optical coherence tomography at baseline (prior to surgery), 1 month after surgery, 2 months after surgery and 3 months after surgery.

### Key secondary outcome(s))

- 1. Logarithmic minimal angle of resolution (LogMAR) visual acuity
- 2. Contrast sensitivity
- 3. Adverse events

The secondary outcomes will be measured at baseline (prior to surgery), 1 month after surgery, 2 months after surgery and 3 months after surgery.

### Completion date

12/10/2009

### Reason abandoned (if study stopped)

Lack of funding/sponsorship

# Eligibility

### Key inclusion criteria

- 1. Patients undergoing routine cataract surgery without an additional procedure
- 2. Patients with risk factors for developing CMO, such as pre-existing diabetes
- 3. Aged 18 to 75 years, male and female

Patients with epiretinal membranes or age-related macular degeneration (ARMD) will be analysed separately.

### Participant type(s)

**Patient** 

### Healthy volunteers allowed

No

### Age group

**Not Specified** 

#### Sex

**Not Specified** 

### Key exclusion criteria

- 1. Patients who have previously had a reaction to ketorolac
- 2. Patients who are on systemic non-steroidal anti-inflammatories or steroids

### Date of first enrolment

12/07/2008

### Date of final enrolment

12/10/2009

# Locations

### Countries of recruitment

United Kingdom

England

# Study participating centre Frimley Park Hospital NHS Foundation Trust

Frimley United Kingdom GU16 7UJ

# Sponsor information

### Organisation

Frimley Park Hospital NHS Foundation Trust (UK)

### **ROR**

https://ror.org/00mrq3p58

# Funder(s)

### Funder type

Hospital/treatment centre

### **Funder Name**

Frimley Park Hospital NHS Foundation Trust (UK) - Ophthalmology Research Funding will cover any extra costs incurred

## **Results and Publications**

Individual participant data (IPD) sharing plan

## IPD sharing plan summary

Not provided at time of registration

### **Study outputs**

Output type Details Date created Date added Peer reviewed? Patient-facing?

Participant information sheet Participant information sheet 11/11/2025 No Yes