Ward assessment of Smart Ideas Project: bringing source isolation to the

Submission date	Recruitment status No longer recruiting	Prospectively registered		
12/05/2010		☐ Protocol		
Registration date 12/05/2010	Overall study status Completed	Statistical analysis plan		
		[X] Results		
Last Edited	Condition category	Individual participant data		
29/07/2013	Infections and Infestations			

Plain English summary of protocol

Background and study aims

Most UK hospitals do not have enough single rooms to isolate all infected patients. The aim of this study was to test the acceptability of temporary isolation rooms on general wards together with specifically designed portable sink units and toilets.

Who can participate?

Patients over the age of 18 who were admitted and who required isolation, but for whom no single room was available, could participate in this study.

What does the study involve?

A total of 53 patients were isolated, environmental samples were collected and staff hand hygiene was assessed. Questionnaires were offered to staff, patients and visitors covering ease of use and acceptability.

What are the possible benefits and risks of participating?

The possible benefits were protection of other patients or themselves from infection spread. The disadvantage was separation from other patients and a restricted environment.

Where is the study run from?

University College London Hospital (London, UK).

When is the study starting and how long is it expected to run for? The study ran for 6 months in 2009.

Who is funding the study?

The study was funded by the Health HCAI Technology Innovation Programme.

Who is the main contact? Prof Peter Wilson peter.wilson@uclh.nhs.uk

Contact information

Type(s)

Scientific

Contact name

Prof Andrew Peter R Wilson

Contact details

UCL Immunology and Molecular Pathology Windeyer Building 46 Cleveland Street London United Kingdom W1T 4JF

Additional identifiers

Protocol serial number 7623

Study information

Scientific Title

A single centre non-randomised interventional trial of the acceptability of three main designs of a temporary isolation facility in order to prevent the spread of infection in a ward

Acronym

Smart Ideas

Study objectives

Most UK hospitals lack sufficient single room accommodation to provide source isolation for all patients infected or colonised with multi-resistant organisms. Low risk carriers of MRSA are nursed on open wards or in cohorts that are rarely enforced sufficiently strictly to be effective. A means of providing temporary contact and airborne isolation in the general ward could be an effective means of reducing transmission in wards with a high prevalence of infection. A temporary isolation facility was designed by a multiprofessional committee. Full scale models were prepared, discussed and modified in an empty ward before working prototypes were produced. The purpose of this study was to assess the acceptability of three main designs to staff and patients and to determine ways in which design could be improved. The study was not powered to determine efficacy in preventing spread.

Ethics approval required

Old ethics approval format

Ethics approval(s)

Camden & Islington Community Local Research Ethics Committee approved on the 27Th October 2008 (ref: 08/H0722/89)

Study design

Single centre non-randomised interventional process of care trial

Primary study design

Interventional

Study type(s)

Quality of life

Health condition(s) or problem(s) studied

Topic: Infection; Subtopic: Infection (all Subtopics); Disease: Infectious diseases and microbiology

Interventions

The study was performed in wards at University College Hospital using 4 - 6 prototypes of a temporary isolation unit (TIU), LCD glass screens and plastic screens (KwickScreens). The TIU provided some airborne isolation and incorporated a fabric ceiling and HEPA filtered air blown across the entrance. All three systems provided barriers with respect to adjacent beds. Portable sinks were supplied for use with all TIU and some of the other systems. Portable toilets were provided for use with the TIU.

There was no follow up following discharge from the ward as this was only a pilot in use assessment.

Intervention Type

Other

Phase

Not Applicable

Primary outcome(s)

Patient acceptability of each system was assessed by questionnaire after 3 days use. A five point Likert scale was used.

Key secondary outcome(s))

No secondary outcome measures

Completion date

21/07/2009

Eligibility

Key inclusion criteria

All patients over the age of 18 who were admitted and who required isolation, but for whom no single room was available. Patients could be withdrawn from the study if patient care was affected.

Participant type(s)

Patient

Healthy volunteers allowed

No

Age group

Adult

Lower age limit

18 years

Sex

All

Key exclusion criteria

Does not meet inclusion criteria

Date of first enrolment

22/04/2009

Date of final enrolment

21/07/2009

Locations

Countries of recruitment

United Kingdom

England

Study participating centre

UCL Immunology and Molecular Pathology

London

United Kingdom

W1T 4JF

Sponsor information

Organisation

University College London Hospitals NHS Foundation Trust (UK)

ROR

https://ror.org/042fqyp44

Funder(s)

Funder type

Government

Funder Name

National Institute for Health Research (NIHR) (UK) - HCAI Technology Innovation Programme

Results and Publications

Individual participant data (IPD) sharing plan

IPD sharing plan summary

Not provided at time of registration

Study outputs

Output type	Details	Date created	l Date added	Peer reviewed?	Patient-facing?
Results article	results	01/10/2010		Yes	No
Participant information shee	Participant information sheet	11/11/2025	11/11/2025	No	Yes