

Evaluation of a manualised cognitive-behavioral intervention of work-related distress for outpatients with mental disorders

Submission date 20/03/2007	Recruitment status No longer recruiting	<input type="checkbox"/> Prospectively registered
Registration date 02/05/2007	Overall study status Completed	<input type="checkbox"/> Protocol
Last Edited 23/09/2021	Condition category Mental and Behavioural Disorders	<input type="checkbox"/> Statistical analysis plan
		<input type="checkbox"/> Results
		<input type="checkbox"/> Individual participant data
		<input type="checkbox"/> Record updated in last year

Plain English summary of protocol

Not provided at time of registration

Contact information

Type(s)

Scientific

Contact name

Prof Wolfgang Hiller

Contact details

Department of Clinical Psychology and Psychotherapy

Psychological Institute University of Mainz

Staudingerweg 9

Mainz

Germany

55099

-

hiller@uni-mainz.de

Additional identifiers

EudraCT/CTIS number

IRAS number

ClinicalTrials.gov number

Secondary identifying numbers

N/A

Study information

Scientific Title

Evaluation of a manualised cognitive-behavioral intervention of work-related distress for outpatients with mental disorders

Acronym

Arbeit: Frust oder Lust? (Work: Frustration or Enjoyment?)

Study objectives

Can an intervention focusing on work-related issues improve work satisfaction and mental health?

Ethics approval required

Old ethics approval format

Ethics approval(s)

The Ethics Commission of the German Society of Psychology, approved on 4 October 2006.

Study design

Randomised Controlled Trial

Primary study design

Interventional

Secondary study design

Randomised controlled trial

Study setting(s)

Not specified

Study type(s)

Not Specified

Participant information sheet

Health condition(s) or problem(s) studied

Mental disorders, vocational distress.

Interventions

All outpatients receive cognitive behavioral therapy. Subjects have indicated vocational problems at the beginning of their outpatients treatment. After randomised assignment, the intervention group receives four sessions of cognitive behavioral group therapy. This intervention focuses on how to improve coping with vocational distress, to develop more problem-solving strategies, establish social competence skills, and improve work-life balance.

Each cognitive behavioral group therapy consists of four sessions (100 minutes per session), one session per week, over 4 weeks. The subjects randomised into the control group must wait 6 - 8 weeks to start with the same intervention.

Intervention Type

Other

Phase

Not Specified

Primary outcome measure

The primary outcomes will be measured after receipt of informed consent, after treatment and at three-month follow-up in the intervention group. In the control group they will be measured after receipt of informed consent, before treatment (i.e. after having waited), after treatment and at three-month follow-up.

1. Increase of work-related satisfaction (questionnaire for assessment of job satisfaction)
2. Improvement of mental health (Brief Symptom Inventory [BSI])
3. Reduction of social stress at work (questionnaire for assessment of social stressors at work)
4. Improvement of coping strategies (AVEM questionnaire [Occupational stress and coping inventory])
5. Increase of motivation to deal with occupational distress during psychotherapeutic treatment (FBTM questionnaire, designed to assess work-related therapy motivation of inpatients)
6. Decrease of wish for pension (AVEM questionnaire [Occupational stress and coping inventory])

Secondary outcome measures

Improvement of general life satisfaction (AVEM questionnaire [Occupational stress and coping inventory]), measured after receipt of informed consent, after treatment and at three-month follow-up in the intervention group. In the control group this will be measured after receipt of informed consent, before treatment (i.e. after having waited), after treatment and at three-month follow-up.

Overall study start date

01/01/2007

Completion date

31/03/2008

Eligibility

Key inclusion criteria

1. Patients of the Outpatient Clinic, Psychological Institute, University of Mainz
2. Working part-time or full-time
3. Reported vocational distress
4. 18 - 65 years old
5. Indication for group intervention in addition to individual therapy
6. Informed consent

Participant type(s)

Patient

Age group

Adult

Lower age limit

18 Years

Sex

Not Specified

Target number of participants

80

Key exclusion criteria

1. Present or recent suicidal thoughts or behaviors
2. Current substance abuse
3. Acute psychotic or maniac symptoms
4. Dementia or neurodegenerative disorders

Date of first enrolment

01/01/2007

Date of final enrolment

31/03/2008

Locations

Countries of recruitment

Germany

Study participating centre

Department of Clinical Psychology and Psychotherapy

Mainz

Germany

55099

Sponsor information

Organisation

Outpatient Department of Psychotherapy, Psychological Institute University of Mainz (Germany)

Sponsor details

Outpatient Department of Psychotherapy

Psychological Institute University of Mainz

Staudingerweg 9
Mainz
Germany
D-55099
+49 (0) 6131 - 39 24621
hiller@uni-mainz.de

Sponsor type

University/education

ROR

<https://ror.org/023b0x485>

Funder(s)

Funder type

University/education

Funder Name

Outpatient Department of Psychotherapy of the Psychological Institute, University of Mainz (Germany)

Results and Publications

Publication and dissemination plan

Not provided at time of registration

Intention to publish date

Individual participant data (IPD) sharing plan

IPD sharing plan summary

Not provided at time of registration