

# Evaluation of a manualised cognitive-behavioral intervention of work-related distress for outpatients with mental disorders

<b>Submission date</b> 20/03/2007	<b>Recruitment status</b> No longer recruiting	<input type="checkbox"/> Prospectively registered
<b>Registration date</b> 02/05/2007	<b>Overall study status</b> Completed	<input type="checkbox"/> Protocol
<b>Last Edited</b> 23/09/2021	<b>Condition category</b> Mental and Behavioural Disorders	<input type="checkbox"/> Statistical analysis plan
		<input type="checkbox"/> Results
		<input type="checkbox"/> Individual participant data
		<input type="checkbox"/> Record updated in last year

## Plain English summary of protocol

Not provided at time of registration

## Contact information

### Type(s)

Scientific

### Contact name

Prof Wolfgang Hiller

### Contact details

Department of Clinical Psychology and Psychotherapy

Psychological Institute University of Mainz

Staudingerweg 9

Mainz

Germany

55099

-

hiller@uni-mainz.de

## Additional identifiers

EudraCT/CTIS number

IRAS number

ClinicalTrials.gov number

Secondary identifying numbers

N/A

## Study information

### Scientific Title

Evaluation of a manualised cognitive-behavioral intervention of work-related distress for outpatients with mental disorders

### Acronym

Arbeit: Frust oder Lust? (Work: Frustration or Enjoyment?)

### Study objectives

Can an intervention focusing on work-related issues improve work satisfaction and mental health?

### Ethics approval required

Old ethics approval format

### Ethics approval(s)

The Ethics Commission of the German Society of Psychology, approved on 4 October 2006.

### Study design

Randomised Controlled Trial

### Primary study design

Interventional

### Secondary study design

Randomised controlled trial

### Study setting(s)

Not specified

### Study type(s)

Not Specified

### Participant information sheet

### Health condition(s) or problem(s) studied

Mental disorders, vocational distress.

### Interventions

All outpatients receive cognitive behavioral therapy. Subjects have indicated vocational problems at the beginning of their outpatients treatment. After randomised assignment, the intervention group receives four sessions of cognitive behavioral group therapy. This intervention focuses on how to improve coping with vocational distress, to develop more problem-solving strategies, establish social competence skills, and improve work-life balance.

Each cognitive behavioral group therapy consists of four sessions (100 minutes per session), one session per week, over 4 weeks. The subjects randomised into the control group must wait 6 - 8 weeks to start with the same intervention.

## **Intervention Type**

Other

## **Phase**

Not Specified

## **Primary outcome measure**

The primary outcomes will be measured after receipt of informed consent, after treatment and at three-month follow-up in the intervention group. In the control group they will be measured after receipt of informed consent, before treatment (i.e. after having waited), after treatment and at three-month follow-up.

1. Increase of work-related satisfaction (questionnaire for assessment of job satisfaction)
2. Improvement of mental health (Brief Symptom Inventory [BSI])
3. Reduction of social stress at work (questionnaire for assessment of social stressors at work)
4. Improvement of coping strategies (AVEM questionnaire [Occupational stress and coping inventory])
5. Increase of motivation to deal with occupational distress during psychotherapeutic treatment (FBTM questionnaire, designed to assess work-related therapy motivation of inpatients)
6. Decrease of wish for pension (AVEM questionnaire [Occupational stress and coping inventory])

## **Secondary outcome measures**

Improvement of general life satisfaction (AVEM questionnaire [Occupational stress and coping inventory]), measured after receipt of informed consent, after treatment and at three-month follow-up in the intervention group. In the control group this will be measured after receipt of informed consent, before treatment (i.e. after having waited), after treatment and at three-month follow-up.

## **Overall study start date**

01/01/2007

## **Completion date**

31/03/2008

# **Eligibility**

## **Key inclusion criteria**

1. Patients of the Outpatient Clinic, Psychological Institute, University of Mainz
2. Working part-time or full-time
3. Reported vocational distress
4. 18 - 65 years old
5. Indication for group intervention in addition to individual therapy
6. Informed consent

## **Participant type(s)**

Patient

**Age group**

Adult

**Lower age limit**

18 Years

**Sex**

Not Specified

**Target number of participants**

80

**Key exclusion criteria**

1. Present or recent suicidal thoughts or behaviors
2. Current substance abuse
3. Acute psychotic or maniac symptoms
4. Dementia or neurodegenerative disorders

**Date of first enrolment**

01/01/2007

**Date of final enrolment**

31/03/2008

## **Locations**

**Countries of recruitment**

Germany

**Study participating centre**

**Department of Clinical Psychology and Psychotherapy**

Mainz

Germany

55099

## **Sponsor information**

**Organisation**

Outpatient Department of Psychotherapy, Psychological Institute University of Mainz (Germany)

**Sponsor details**

Outpatient Department of Psychotherapy

Psychological Institute University of Mainz

Staudingerweg 9  
Mainz  
Germany  
D-55099  
+49 (0) 6131 - 39 24621  
hiller@uni-mainz.de

**Sponsor type**

University/education

**ROR**

<https://ror.org/023b0x485>

## **Funder(s)**

**Funder type**

University/education

**Funder Name**

Outpatient Department of Psychotherapy of the Psychological Institute, University of Mainz (Germany)

## **Results and Publications**

**Publication and dissemination plan**

Not provided at time of registration

**Intention to publish date**

**Individual participant data (IPD) sharing plan**

**IPD sharing plan summary**

Not provided at time of registration