Effect of sucrose-sweetened mixed berry puree on postprandial glucose and insulin response

Submission date	Recruitment status	Prospectively registered
16/04/2010	No longer recruiting	Protocol
Registration date	Overall study status	Statistical analysis plan
27/05/2010	Completed	Results
Last Edited	Condition category	Individual participant data
27/05/2010	Nutritional, Metabolic, Endocrine	Record updated in last year

Plain English summary of protocol

Not provided at time of registration

Contact information

Type(s)

Scientific

Contact name

Prof Leo Niskanen

Contact details

Neulaniementie 2 L 6 Kuopio Finland 70210 leo.niskanen@kuh.fi

Additional identifiers

EudraCT/CTIS number

IRAS number

ClinicalTrials.gov number

Secondary identifying numbers

POFE2 4232

Study information

Scientific Title

Effect of sucrose-sweetened mixed berry puree on postprandial glucose and insulin response: A randomised, single-blind, placebo-controlled, cross-over single-centre study

Study objectives

The primary aim was to investigate the effect of mixed berry puree made from bilberries, blackcurrants, cranberries and strawberries on postprandial plasma glucose concentrations after a 35 g sucrose load in healthy subjects. The secondary aim was to investigate the effect of berry puree on postprandial insulin response.

Ethics approval required

Old ethics approval format

Ethics approval(s)

The Ethics Committee of the Hospital District of Northern Savo approved the study protocol 27 October 2009 (DNRO 106/2009)

Study design

Randomised single blind placebo controlled crossover single centre study

Primary study design

Interventional

Secondary study design

Randomised controlled trial

Study setting(s)

Other

Study type(s)

Treatment

Participant information sheet

Not available in web format, please use contact details below to request a patient information sheet

Health condition(s) or problem(s) studied

Postprandial glycaemia

Interventions

Test meal: 150 g of berry puree made from equal amounts of bilberries, blackcurrants, cranberries and strawberries with 35 g sucrose and 120 ml of tap water. Control meal: 250 ml of oral sucrose load with similar amounts of available carbohydrates (glucose, fructose and sucrose) than test meal.

Subjects participated in two 2-h meal tolerance tests in a random order, on separate days, with a washout period of at least 5 days. Subjects were tested at the same time of day under similar conditions and acting as their own controls. The experiment began in the morning after a 10-12 h overnight fast. Subjects were advised to consume the test meal steadily within 15 min. The study subjects were instructed to maintain their diet, body weight and living habits throughout the study, to refrain from intensive physical activity on the day before the test days and abstain from alcohol two days before the test days, and to avoid berries and chocolate in

the prior evening meal. In addition, in the evening before the test day each subject was told to consume a meal of choice and repeat that meal before the second test. Smoking was prohibited on the morning before the test and during the test meal.

Intervention Type

Other

Phase

Not Applicable

Primary outcome measure

Plasma glucose concentrations analysed from fingertip capillary and venous blood samples taken within 20 min before the ingestion of meal and at 15, 30, 45, 60, 90 and 120 min after starting the ingestion of meal.

Secondary outcome measures

- 1. Serum insulin concentrations analysed from venous blood samples taken within 20 min before the ingestion of meal and at 15, 30, 45, 60, 90 and 120 min after starting the ingestion of meal
- 2. Optionally, the following concentrations may be measured at the same time points:
- 2.1. Plasma cholecystokinin (CCK)
- 2.2. Glucose-dependent insulinotropic polypeptide (GIP)
- 2.3. Glugacon-like peptide 1 (GLP-1)
- 2.4. Peptide YY (PYY)
- 3. Body weight measured with calibrated digital scale at every study visit after 10-12 h overnight fasting

Overall study start date

28/10/2009

Completion date

03/12/2009

Eligibility

Key inclusion criteria

- 1. Provision of signed and dated consent prior to any study procedures
- 2. Men or women aged 18 to 70 years
- 3. Subject's laboratory evaluation at the screening visit must be within normal limits (with the exception of abnormalities considered as clinically insignificant in the opinion of the study physician)

Participant type(s)

Patient

Age group

Adult

Lower age limit

18 Years

Sex

Both

Target number of participants

12

Key exclusion criteria

- 1. Subject with type 1 diabetes
- 2. Subject with type 2 diabetes
- 3. Subject requiring antiglycemic medication
- 4. Subject with allergy or sensitivity to an ingredient of the test product
- 5. Subject with active hepatic, kidney or thyroid disease or disorder except the subjects on thyroid replacement therapy
- 6. Female subject who is pregnant or lactating
- 7. Subject with: haemoglobin < 100 g / l, fasting plasma glucose concentration > 7.0 mmol/l, plasma gamma-glutamyl transferase > 2 x upper limit of normal or plasma creatinine > 2 x upper limit of normal at the screening visit.
- 8. Subject with body mass index > 30
- 9. Subject who have had myocardial infarction within 6 months prior to screening
- 10. Subject with unstable angina pectoris
- 11. Subject who have history of temporal ischemic attack or stroke within six months prior to screening
- 12. Subject with malignancy within 5 years prior screening (except treated cutaneous basal cell or squamous cell cancer)

Date of first enrolment

28/10/2009

Date of final enrolment

03/12/2009

Locations

Countries of recruitment

Finland

Study participating centre Neulaniementie 2 L 6

Kuopio Finland 70210

Sponsor information

Organisation

Finnsugar Ltd (Finland)

Sponsor details

Sokeritehtaantie 20 Kantvik Finland 02460 kyllikki.kilpi@nordicsugar.com

Sponsor type

Industry

ROR

https://ror.org/02cnwya81

Funder(s)

Funder type

Industry

Funder Name

Finnsugar Ltd (Finland)

Results and Publications

Publication and dissemination plan

Not provided at time of registration

Intention to publish date

Individual participant data (IPD) sharing plan

IPD sharing plan summary

Not provided at time of registration $% \left(1\right) =\left(1\right) \left(1\right) \left($