# The COPE LBP trial: Cognitive Patient Education for Low Back Pain

Recruitment status  No longer recruiting	Prospectively registered	
	[X] Protocol	
Overall study status	Statistical analysis plan	
Completed	Results	
Condition category	☐ Individual participant data	
Musculoskeletal Diseases	Record updated in last year	
	Overall study status Completed Condition category	

### Plain English summary of protocol

Not provided at time of registration

# Contact information

### Type(s)

Scientific

### Contact name

Dr Margreth Grotle

#### Contact details

FORMI - Communication unit for musculoskeletal disorders Oslo University Hospital Oslo Norway 0407

# Additional identifiers

### Protocol serial number

N/A

# Study information

#### Scientific Title

The COPE LBP trial: Cognitive Patient Education for Low Back Pain - a cluster randomised controlled trial in primary care

### Acronym

**COPE** 

### **Study objectives**

Our main hypothesis is that this cognitive intervention will result in higher physical function as compared to usual care. We also hypothesise that the cognitive intervention results in more decreased pain, more satisfied patients, better quality-of life, and is more cost-effective than usual care.

### Ethics approval required

Old ethics approval format

### Ethics approval(s)

The Norwegian Regional Committee for Medical Research Ethics, Health Region South-East gave approval in January 2009 (ref: S-08362a, 2008/10435)

### Study design

Stratified cluster randomised controlled trial

### Primary study design

Interventional

### Study type(s)

Treatment

### Health condition(s) or problem(s) studied

Non-specific low back pain

#### **Interventions**

Stratified cluster randomised controlled trial with family doctors (GP) and physiotherapists (PT) as unit for randomisation. Follow-up after intervention at 4 - 5 weeks, and at 3, 6, and 12 months.

The professionals will be trained in the specific model of LBP treatment based on the biopsychosocial understanding of LBP and the "intensive neurophysiology education". They will thereafter provide their LBP patients in their normal clinical settings with a four-session treatment program consisting of this education program in addition to their normal treatment. The messages provided to the patients by their caregiver will be specifically according to the manual for the trial.

The "intensive neurophysiology education" is developed by a group of British and Australian researchers as an education program for patients with LBP. The cognitive elements of this program is basically an understanding of pain which differs somewhat from the traditional "injury model". The core of this theory is the neurophysiology of pain as sensitisation and neuronal response to inactivity and movement control.

Based on this, the education program has three basic elements:

- 1. Reduction of what the patient perceive as threatening inputs to the brain
- 2. Targeting the patients own understanding of the pain
- 3. Exposure to the threatening inputs

Previous studies have documented additional effect of the "intensive neurophysiology education" when combined with physiotherapy treatment. The treatment will be given in four

30-minute sessions once a week for four consecutive weeks. The treatment is specified in a manual for this trial and all intervention doctors and physiotherapists have attended the 18 lessons course. They are also provided with a written summary of the content of each session.

Each of the sessions has a specific content of education and discussion in the one-to-one setting between the provider and the patient. Initially the discussion concerns the thoughts and fears of the patients and their LBP. Eventually, the education program will be more and more dealing with exposure to movements and daily activities the patient more or less deliberately avoid of fear from provoking pain. The patients will be given lessons between the sessions, in addition to registrations on function, pain and work absence.

### Control group:

The providers of the two control groups will be asked to in a similar manner register and include all patients meeting the inclusion criteria. These patients will also answer on all questionnaires, and will meet their provider weekly for up to four weeks. These sessions have no defined content, but the providers will spend somewhat more time on these patients than the regular schedule asking more deeply what prevents the patient from resuming normal activity.

### Intervention Type

Other

#### Phase

Not Applicable

### Primary outcome(s)

Function (disability) assessed by the Roland Morris Disability Questionnaire (RMQ), a self-administered questionnaire with score 0 - 24, with 0 corresponding to no disability.

## Key secondary outcome(s))

- 1. Pain; measured on a numerical rating scale from 0 to 10
- 2. Return to work; reported as number of days from first visit to the health care provider until completely or partially return to work and as a total number of days absent from work the following year
- 3. Overall satisfaction; measured on a numerical rating scale from 0 to 10
- 4. Health related quality of life; assessed by the EuroQoL-5D and Patient-Generated Index (PGI)
- 5. A cost-effectiveness analysis will be carried out by using both the return-to work outcome and the EuroQoL 5D, and by estimating the total cost of all the four groups of doctors and physiotherapists in this trial

## Completion date

31/12/2011

# Eligibility

### Key inclusion criteria

Each practitioner will recruit up to 10 patients, aged 20 to 55 years (either sex), with non-specific subacute/chronic low back pain (LBP) of less than 1 year duration.

# Participant type(s)

Patient

### Healthy volunteers allowed

No

### Age group

Adult

#### Sex

All

### Key exclusion criteria

- 1. Provider's uncertainty of diagnosis
- 2. Possible nerve root pain or severe pathology
- 3. Signs of any 'red flags'
- 4. Particular interest or demand for a specific treatment

### Date of first enrolment

14/01/2009

### Date of final enrolment

31/12/2011

# Locations

### Countries of recruitment

Norway

# Study participating centre

FORMI - Communication unit for musculoskeletal disorders

Oslo

Norway

0407

# Sponsor information

### Organisation

Oslo University Hospital (Norway)

#### **ROR**

https://ror.org/00j9c2840

# Funder(s)

# Funder type

### Funder Name

Oslo University Hospital (Norway) - FORMI (Communication unit for musculoskeletal disorders) will defray costs until a formal funder has been found

# **Results and Publications**

Individual participant data (IPD) sharing plan

# IPD sharing plan summary

Not provided at time of registration

# **Study outputs**

Output type	Details	Date created Date added	Peer reviewed?	Patient-facing?
Protocol article	protocol	16/02/2010	Yes	No
Participant information sheet	Participant information sheet	11/11/2025 11/11/2025	No	Yes