

# HD14 for intermediate stage Hodgkin's disease: Quality assurance protocol to increase effectiveness in the first-line treatment of intermediate stage Hodgkin's disease

<b>Submission date</b> 12/09/2003	<b>Recruitment status</b> No longer recruiting	<input type="checkbox"/> Prospectively registered <input type="checkbox"/> Protocol
<b>Registration date</b> 29/10/2003	<b>Overall study status</b> Completed	<input type="checkbox"/> Statistical analysis plan <input checked="" type="checkbox"/> Results
<b>Last Edited</b> 11/07/2018	<b>Condition category</b> Cancer	<input type="checkbox"/> Individual participant data

**Plain English summary of protocol**  
Not provided at time of registration

## Contact information

**Type(s)**  
Scientific

**Contact name**  
Prof Volker Diehl

**Contact details**  
German Hodgkin's Lymphoma Study Group  
Herderstr. 52-54  
Cologne  
Germany  
50924  
+49 (0)221 478 3557 (3558)  
dhsg@biometrie.uni-koeln.de

## Additional identifiers

EudraCT/CTIS number

IRAS number

ClinicalTrials.gov number

## Secondary identifying numbers

N/A

# Study information

## Scientific Title

HD14 for intermediate stage Hodgkin's disease: Quality assurance protocol to increase effectiveness in the first-line treatment of intermediate stage Hodgkin's disease

## Acronym

HD14

## Study objectives

Not provided at time of registration

## Ethics approval required

Old ethics approval format

## Ethics approval(s)

Not provided at time of registration

## Study design

Multicentre randomised open labeled active controlled trial

## Primary study design

Interventional

## Secondary study design

Randomised controlled trial

## Study setting(s)

Not specified

## Study type(s)

Treatment

## Participant information sheet

## Health condition(s) or problem(s) studied

Hodgkin's disease

## Interventions

Primary objective: to increase effectiveness Arm A: 4 x ABVD + 30 Gy involved field radiotherapy  
Arm B: 2 x BEACOPPescalated + 2 x ABVD + 30 Gy involved field radiotherapy

## Intervention Type

Other

## Phase

Not Specified

**Primary outcome measure**

Freedom From Treatment Failure [FFTF]

**Secondary outcome measures**

Not provided at time of registration

**Overall study start date**

01/10/2003

**Completion date**

01/10/2004

**Eligibility****Key inclusion criteria**

1. Histologically confirmed Hodgkin's disease
2. Stages IA, IB, and IIA with one or more of the following risk factors:
  - 2.1. Massive mediastinal involvement (tumour one third or more of the maximum intrathoracic diameter)
  - 2.2. Extranodal involvement
  - 2.3. High erythrocyte sedimentation rate (ESR) (more than or equal to 50 mm; more than or equal to 30 mm in patients with B symptoms)
  - 2.4. Three or more involved lymph node areas; stage IIB and high ESR (more than or equal to 30 mm) and/or three or more involved lymph node areas
3. No prior therapy for Hodgkin's disease
4. Age: 18 to 60 years
5. No major organ dysfunction
6. Life expectancy more than three months
7. Written informed consent

**Participant type(s)**

Patient

**Age group**

Adult

**Lower age limit**

18 Years

**Sex**

Both

**Target number of participants**

Not provided at time of registration

**Key exclusion criteria**

1. Incomplete staging
2. Major organ dysfunction (Chronic Obstructive Pulmonary Disease [COPD] with respiratory insufficiency, symptomatic Coronary Heart Disease [CHD], cardiomyopathy or heart failure [ejection fraction less than 50%], severe hypertension, non-treatable infections, white blood

count less than 3000/mm<sup>3</sup> or platelets less than 100,000/mm<sup>3</sup>, creatinine clearance less than 60 ml/min, bilirubin more than 2 mg/dl, Glutamic-Oxaloacetic Transaminase [GOT]/Aspartate aminoTransferase [AST] more than 100 U/l, Glutamic-Pyruvic Transaminase [GPT]/Alanine aminoTransferase [ALT] more than 100 U/l, Human Immunodeficiency Virus [HIV]-infection)

3. Composite lymphoma

4. Prior chemotherapy or radiotherapy

5. Any history of another malignancy in the last five years (except for cervical carcinoma in situ and fully resected melanoma TNMpT1)

6. Pregnant or lactating women

7. World Health Organisation (WHO) performance status more than two

8. Long term use of corticosteroids (e.g. for arthritis) or antineoplastic substances (e.g. methotrexate)

9. Expected non compliance

10. Current therapy for epilepsy

11. Intolerabilities against study drugs

12. Inability to give truly informed consent

**Date of first enrolment**

01/10/2003

**Date of final enrolment**

01/10/2004

## **Locations**

**Countries of recruitment**

Germany

**Study participating centre**

**German Hodgkin's Lymphoma Study Group**

Cologne

Germany

50924

## **Sponsor information**

**Organisation**

German Hodgkin's Lymphoma Study Group (Germany)

**Sponsor details**

Herderstr. 52-54

Cologne

Germany

50924

+49 (0)221 478 3557 (3558)

dhsg@biometrie.uni-koeln.de

**Sponsor type**

Research organisation

## Funder(s)

**Funder type**

Research organisation

**Funder Name**

Deutsche Krebshilfe

**Alternative Name(s)**

Stiftung Deutsche Krebshilfe, German Cancer Aid

**Funding Body Type**

Private sector organisation

**Funding Body Subtype**

Other non-profit organizations

**Location**

Germany

## Results and Publications

**Publication and dissemination plan**

Not provided at time of registration

**Intention to publish date****Individual participant data (IPD) sharing plan****IPD sharing plan summary**

Not provided at time of registration

**Study outputs**

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
<a href="#">Results article</a>	results	01/09/2018		Yes	No