# Notched music against total tinnitus

Submission date 13/06/2013	<b>Recruitment status</b> No longer recruiting	[X] F [X] F	
Registration date 25/06/2013	<b>Overall study status</b> Completed	[] S [X] F	
Last Edited 21/03/2016	<b>Condition category</b> Ear, Nose and Throat	[] [	

#### ] Prospectively registered

- [] Protocol
- ] Statistical analysis plan
- ] Results
- ] Individual participant data

### Plain English summary of protocol

#### Background and study aims

Tinnitus is defined as the perception of noise without an external source. About 10 - 15% of the general population suffers from this symptom/syndrome. Despite its high prevalence (percentage of a population affected with disease in a given time), there is currently no effective standardized treatment for tinnitus. We developed a new treatment strategy, the tailor-made notched music training (TMNMT), to treat chronic tinnitus. In TMNMT the music is modified individually according to the patient's tinnitus frequency (the frequency which sounds like the tinnitus) by applying a filter which cancels out frequencies in the music corresponding to the tinnitus frequency. We hypothesize that this music modification results in an inhibition (blocks) of certain auditory neurons (nerve cells that process and transmit information through electrical and chemical signals) which are assumed to be involved in the tinnitus perception. This theory was strongly confirmed in two previous studies demonstrating that regular listening to tailor-made notched music reduces the tinnitus related cortical activity and perceived tinnitus loudness. The aim of this study is to transfer our previous results into clinical practice by investigating the treatment effect of TMNMT on a large number of tinnitus patients. Our data will verify more securely and reliably the effectiveness of this kind of completely non-invasive, and low-cost treatment on tonal tinnitus.

#### Who can participate?

Adult patients aged between 18 and 70 years with chronic tonal (i.e. peep- or whistle-like) tinnitus, and without severe hearing loss.

#### What does the study involve?

We will include 100 patients into the clinical trial and they will be randomly allocated to either a target or a control group. Participants in the target group will listen to tailor-made notched music, while the control group will receive placebo music. All participants will listen to the music (either tailor-made notched music or placebo) daily in a quiet environment through a supplied closed headphones with convenient loudness over the course of 3 months. Listening times and duration will be documented on a daily basis by a specially developed application.

#### What are the possible benefits and risks of participating?

The possible benefits of participating in the clinical trial are reductions in tinnitus loudness, and annoyance. There are no known risks, however, all participants in the trial are continuously monitored over the time of the trial.

Where is the study run from?

The study has been set up by the Interdisciplinary Center for Clinical Research (IZKF) of the Medical Faculty of the University of Münster, Germany.

When is the study starting and how long is it expected to run for? The patient recruitment will be completed by end of June 2013 and the study is scheduled to run one year.

Who is funding the study? Funding has been provided by Interdisciplinary Centre for Clinical Research Münster.

Who is the main contact? Univ.-Prof. Dr. Christo Pantev, pantev @uni-muenster.de Univ.-Prof. Dr. Claudia Rudack, rudack@ukmuenster.de Dipl. Psych. Alwina Stein, alwinastein@uni-muenster.de

## **Contact information**

**Type(s)** Scientific

**Contact name** Prof Christo Pantev

**Contact details** IBB, Malmedyweg 15 Münster Germany 48149

## Additional identifiers

EudraCT/CTIS number

**IRAS number** 

ClinicalTrials.gov number

Secondary identifying numbers CRA05

# Study information

### Scientific Title

Münster tinnitus randomized controlled clinical trial-2013 based on Tailor-Made Notched Music Treatment (TMNMT)

#### Acronym TMNMT

#### **Study objectives**

The null hypothesis of our clinical trial is that there will be no statistical significant difference between the target and placebo groups after TMNMT.

### Ethics approval required

Old ethics approval format

### Ethics approval(s)

Ethics Committee of the Medical Association of Westphalia-Lippe and the Medical Faculty of the University of Münster, 03/05/2011, Ref: 2011-109-fs

**Study design** Parallel-group double-blinded randomized controlled trial

# Primary study design

Interventional

## Secondary study design

Randomised parallel trial

#### **Study setting(s)** Other

## Study type(s)

Treatment

### Participant information sheet

Patient information can be found at http://campus.uni-muenster.de/4334.html

### Health condition(s) or problem(s) studied

Optimal individual matching of the TMNMT profile

#### Interventions

The choice of the intervention we are going to apply is based on two 'proof of concept' studies in humans and on a recent animal study.

Patients are randomised to two groups:

1. Target condition:

In the target condition, the frequency band centered at the individual tinnitus frequency of each tinnitus patient is removed from the music energy spectrum. The music that is delivered to both ears simultaneously is modified identically. The patients listen to their individually modified treatment music daily in a quiet environment via supplied closed headphones (model: Sennheiser HD 201) with convenient loudness over the course of 3 months. Listening times and duration are documented on a daily basis by a specially developed iOS application. The derived data are sent to the tinnitus research team as an email attachment.

2. Control (placebo) condition:

In the placebo condition, a moving notch filter having the same bandwidth as in the target condition but omitting the tinnitus frequency region is applied. The moving filter randomly chooses a frequency band outside of the tinnitus frequency region. After 5 seconds of filtering, the center frequency of the filter randomly jumps either 1/18 octave up or down and continues jumping in the same direction every 5 seconds until its lower or higher edge reaches a predefined border, at which point it changes direction.

#### **Intervention Type** Other

**Phase** Not Applicable

#### Primary outcome measure

 Visual Analogue Scale (VAS) total score (loudness, annoyance, awareness, and tinnitus handicap)
 Tinnitus Handicap Questionnaire (THQ) (total score)

These outcomes are measured after participants education and final pitch match, after three months of training and after one month follow-up.

#### Secondary outcome measures

- 1. Tinnitus Handicap Inventory (THI) score
- 2. Subscales THQ
- 3. Tinnitus Questionnaire (TQ)
- 4. VAS subscales

Overall study start date 01/07/2013

Completion date 30/06/2014

# Eligibility

### Key inclusion criteria

1. Adult patients with chronic ( $\geq$  3 months) tonal (i.e. peep- or whistle-like) tinnitus, and without severe hearing loss ( $\leq$  65 dB HL) in the frequency ranges of one half octave above and below the tinnitus frequency.

2. Aged between 18 and 70 years

3. Written informed consent to participate in the trial

Participant type(s) Patient

Age group

Adult

**Lower age limit** 18 Years

**Sex** Both

**Target number of participants** N = 100

#### Key exclusion criteria

1. Tinnitus patients who do not have severe neurological or psychiatric disorders (e.g. amnesia, dementia, depression, epilepsy, etc) that could limit their capability or result in major difficulties regarding the patients' motivational compliance or limit their ability to follow instructions or to participate in the training.

2. Planned start of other rehabilitation therapies that might interfere with this trial, or participation in another clinical trial, or insufficient motivation to participate.

## Date of first enrolment

01/07/2013

Date of final enrolment 30/06/2014

## Locations

**Countries of recruitment** Germany

**Study participating centre IBB, Malmedyweg 15** Münster Germany 48149

## Sponsor information

**Organisation** University of Münster (Germany)

#### Sponsor details

c/o Prof Christo Pantev Interdisciplinary Centre for Clinical Research Münster (IZKF) Albert-Schweitzer-Campus 1 Gebäude D3 Domagkstrasse 3 Münster Germany 48149

**Sponsor type** University/education

Website https://www.uni-muenster.de ROR https://ror.org/00pd74e08

# Funder(s)

**Funder type** University/education

**Funder Name** Interdisciplinary Centre for Clinical Research Münster (IZKF) (Germany) ref: CRA 05

# **Results and Publications**

Publication and dissemination plan

Not provided at time of registration

Intention to publish date

Individual participant data (IPD) sharing plan

#### IPD sharing plan summary

Not provided at time of registration

### Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
<u>Protocol article</u>	protocol	02/03/2014		Yes	No
<u>Results article</u>	results	17/03/2016		Yes	No