

Effect of valdecoxib pretreatment on pain and secondary hyperalgesia associated with the heat/capsaicin model in healthy volunteers

Submission date 29/11/2005	Recruitment status No longer recruiting	<input type="checkbox"/> Prospectively registered <input type="checkbox"/> Protocol
Registration date 30/11/2005	Overall study status Completed	<input type="checkbox"/> Statistical analysis plan <input checked="" type="checkbox"/> Results
Last Edited 03/10/2017	Condition category Signs and Symptoms	<input type="checkbox"/> Individual participant data

Plain English summary of protocol

Not provided at time of registration

Contact information

Type(s)

Scientific

Contact name

Dr Piotr Janicki

Contact details

Penn State Hershey Medical Ctr
Dept. Anesthesiology
H187
500 University Drive
Hershey
United States of America
PA 17036

-

pjanicki@psu.edu

Additional identifiers

EudraCT/CTIS number

IRAS number

ClinicalTrials.gov number

NCT00260325

Secondary identifying numbers

N/A

Study information**Scientific Title**

Effect of valdecoxib pretreatment on pain and secondary hyperalgesia associated with the heat/capsaicin model in healthy volunteers

Study objectives

Selective COX-2 inhibitors significantly attenuate central sensitization and decrease secondary hyperalgesia: a randomised clinical trial

Ethics approval required

Old ethics approval format

Ethics approval(s)

IRB approval at Penn State Hershey Medical Center

Study design

Prospective, double blind, randomized, cross-over

Primary study design

Interventional

Secondary study design

Randomised controlled trial

Study setting(s)

Hospital

Study type(s)

Treatment

Participant information sheet**Health condition(s) or problem(s) studied**

Hyperalgesia

Interventions

Administration of single dose 40 mg valdecoxib or placebo orally (PO).
Measurement of heat/cold pain threshold and area of heat/capsaicin-induced hyperalgesia.

Intervention Type

Drug

Phase

Not Applicable

Drug/device/biological/vaccine name(s)

valdecoxib

Primary outcome measure

Area of secondary hyperalgesia

Secondary outcome measures

Pain threshold for cold/heat pain

Overall study start date

01/01/2004

Completion date

01/01/2006

Eligibility

Key inclusion criteria

Healthy volunteers, both genders

Participant type(s)

Healthy volunteer

Age group

Adult

Sex

Both

Target number of participants

40

Key exclusion criteria

Pregnancy, known allergy to COX-2 inhibitors, current infection or treatment with analgesics

Date of first enrolment

01/01/2004

Date of final enrolment

01/01/2006

Locations

Countries of recruitment

United States of America

Study participating centre

Penn State Hershey Medical Ctr
Dept. Anesthesiology
Hershey
United States of America
PA 17036

Sponsor information

Organisation

Pfizer Inc. (USA)

Sponsor details

235 E. 42nd Str
New York
United States of America
NY, 10017-5755

-

maria.mccauley@pfizer.com

Sponsor type

Industry

ROR

<https://ror.org/01xdqrp08>

Funder(s)

Funder type

Industry

Funder Name

Independent Investigator Grant from Pfizer Inc.

Results and Publications

Publication and dissemination plan

Not provided at time of registration

Intention to publish date

Individual participant data (IPD) sharing plan

IPD sharing plan summary

Not provided at time of registration

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Results article	results	10/03/2006		Yes	No