

Randomised double-blind prospective controlled trial of intercostal nerve block for post-operative pain after bilateral thoracoscopic sympathectomy

Submission date 30/09/2004	Recruitment status No longer recruiting	<input type="checkbox"/> Prospectively registered
		<input type="checkbox"/> Protocol
Registration date 30/09/2004	Overall study status Completed	<input type="checkbox"/> Statistical analysis plan
		<input type="checkbox"/> Results
Last Edited 21/03/2017	Condition category Signs and Symptoms	<input type="checkbox"/> Individual participant data
		<input type="checkbox"/> Record updated in last year

Plain English summary of protocol

Not provided at time of registration

Contact information

Type(s)

Scientific

Contact name

Dr David Raitt

Contact details

University Hospitals of Leicester
c/o Research and Development Office
Leicester General Hospital NHS Trust
Leicester
United Kingdom
LE1 4PW
+44 (0)116 258 4109
nicola.turner@uhl-tr.nhs.uk

Additional identifiers

EudraCT/CTIS number

IRAS number

ClinicalTrials.gov number

Secondary identifying numbers

N0123138366

Study information

Scientific Title

Randomised double-blind prospective controlled trial of intercostal nerve block for post-operative pain after bilateral thoracoscopic sympathectomy

Study objectives

To assess the efficacy of thoracoscopic intercostal nerve block by laevobupivacaine in alleviating immediate postoperative pain in patients undergoing bilateral thoracoscopic sympathectomy

Ethics approval required

Old ethics approval format

Ethics approval(s)

Not provided at time of registration

Study design

Randomised double-blind prospective controlled trial

Primary study design

Interventional

Secondary study design

Randomised controlled trial

Study setting(s)

Hospital

Study type(s)

Treatment

Participant information sheet

Not available in web format, please use the contact details to request a patient information sheet

Health condition(s) or problem(s) studied

Post-operative pain

Interventions

Randomised double-blind prospective controlled trial

Intervention Type

Drug

Phase

Not Applicable

Drug/device/biological/vaccine name(s)

Laevobupivacaine

Primary outcome measure

An assessment of the efficacy of thoracoscopic intercostal nerve block by laevobupivacaine in alleviating immediate postoperative pain in patients undergoing bilateral thoracoscopic sympathectomy

Secondary outcome measures

Not provided at time of registration

Overall study start date

01/08/2002

Completion date

31/07/2003

Eligibility**Key inclusion criteria**

Patients having undergone bilateral thoracoscopic sympathectomy

Participant type(s)

Patient

Age group

Adult

Sex

Both

Target number of participants

Not provided at time of registration

Key exclusion criteria

Not provided at time of registration

Date of first enrolment

01/08/2002

Date of final enrolment

31/07/2003

Locations**Countries of recruitment**

England

United Kingdom

Study participating centre
University Hospitals of Leicester
Leicester
United Kingdom
LE1 4PW

Sponsor information

Organisation
Department of Health

Sponsor details
Richmond House
79 Whitehall
London
United Kingdom
SW1A 2NL

Sponsor type
Government

Website
<http://www.dh.gov.uk/Home/fs/en>

Funder(s)

Funder type
Government

Funder Name
University Hospitals of Leicester NHS Trust (UK)

Results and Publications

Publication and dissemination plan
Not provided at time of registration

Intention to publish date

Individual participant data (IPD) sharing plan

IPD sharing plan summary
Not provided at time of registration