Randomised double-blind prospective controlled trial of intercostal nerve block for post-operative pain after bilateral thoracoscopic sympathectomy

Submission date	Recruitment status	Prospectively registered
30/09/2004	No longer recruiting	☐ Protocol
Registration date	Overall study status	Statistical analysis plan
30/09/2004	Completed	☐ Results
Last Edited	Condition category	☐ Individual participant data
21/03/2017	Signs and Symptoms	Record updated in last year

Plain English summary of protocol

Not provided at time of registration

Contact information

Type(s)

Scientific

Contact name

Dr David Raitt

Contact details

University Hospitals of Leicester c/o Research and Development Office Leicester General Hospital NHS Trust Leicester United Kingdom LE1 4PW +44 (0)116 258 4109 nicola.turner@uhl-tr.nhs.uk

Additional identifiers

EudraCT/CTIS number

IRAS number

ClinicalTrials.gov number

Secondary identifying numbers

N0123138366

Study information

Scientific Title

Randomised double-blind prospective controlled trial of intercostal nerve block for postoperative pain after bilateral thoracoscopic sympathectomy

Study objectives

To assess the efficacy of thoracoscopic intercostal nerve block by laevobupivacaine in alleviating immediate postoperative pain in patients undergoing bilateral thoracoscopic sympathectomy

Ethics approval required

Old ethics approval format

Ethics approval(s)

Not provided at time of registration

Study design

Randomised double-blind prospective controlled trial

Primary study design

Interventional

Secondary study design

Randomised controlled trial

Study setting(s)

Hospital

Study type(s)

Treatment

Participant information sheet

Not available in web format, please use the contact details to request a patient information sheet

Health condition(s) or problem(s) studied

Post-operative pain

Interventions

Randomised double-blind prospective controlled trial

Intervention Type

Drug

Phase

Not Applicable

Drug/device/biological/vaccine name(s)

Laevobupivacaine

Primary outcome measure

An assessment of the efficacy of thoracoscopic intercostal nerve block by laevobupivacaine in alleviating immediate postoperative pain in patients undergoing bilateral thoracoscopic sympathectomy

Secondary outcome measures

Not provided at time of registration

Overall study start date

01/08/2002

Completion date

31/07/2003

Eligibility

Key inclusion criteria

Patients having undergone bilateral thoracoscopic sympathectomy

Participant type(s)

Patient

Age group

Adult

Sex

Both

Target number of participants

Not provided at time of registration

Key exclusion criteria

Not provided at time of registration

Date of first enrolment

01/08/2002

Date of final enrolment

31/07/2003

Locations

Countries of recruitment

England

United Kingdom

Study participating centre
University Hospitals of Leicester
Leicester
United Kingdom
LE1 4PW

Sponsor information

Organisation

Department of Health

Sponsor details

Richmond House 79 Whitehall London United Kingdom SW1A 2NL

Sponsor type

Government

Website

http://www.dh.gov.uk/Home/fs/en

Funder(s)

Funder type

Government

Funder Name

University Hospitals of Leicester NHS Trust (UK)

Results and Publications

Publication and dissemination plan

Not provided at time of registration

Intention to publish date

Individual participant data (IPD) sharing plan

IPD sharing plan summaryNot provided at time of registration