A randomised controlled trial of two bandages for treating venous leg ulcers

Submission date	Recruitment status No longer recruiting	Prospectively registered		
25/04/2003		☐ Protocol		
Registration date	Overall study status	Statistical analysis plan		
25/04/2003	Completed	[X] Results		
Last Edited	Condition category	[] Individual participant data		
24/08/2009	Circulatory System			

Plain English summary of protocol

Not provided at time of registration

Contact information

Type(s)

Scientific

Contact name

Dr Nicky Cullum

Contact details

Department of Health Sciences
University of York
Alcuin College
Area 2
Seebohm Rowntree Building
Heslington
York
United Kingdom
YO10 5DD
+44 (0)1904 321343
nac2@york.ac.uk

Additional identifiers

Protocol serial number

HTA 96/12/26

Study information

Scientific Title

Study objectives

Compression bandaging is the mainstay of venous leg ulcer treatment, however the optimal bandage regimen is unclear and there are large variations in practice. The 4 layer bandage (4LB) is used widely in the UK but is discarded after a single use and is relatively expensive. The short-stretch bandage (SSB) id the standard bandage in Europe, and is reusable. A recent systematic review demonstrated the paucity of RCTs in this area, and those that exist are of poor quality. The review also showed that multilayer bandaging is more effective than single layer; high compression systems such as the 4LB and SSB are more effective than low compression systems; however the two trials that have compared SSB and 4LB were vastly underpowered and did not incorporate an economic analysis. This study proposes to compare the 4LB and SSB systems in a two-arm pragmatic RCT involving 400 patients with venous ulcers. Patients will be followed up until healing or for a maximum period of 30 months.

Substantial benefits to the NHS and patients will occur if the trial demonstrated one of the bandages is superior to the other; substantial resource savings would occur in bandage expenditure if it were shown that the SSB was of at least equivalent effectiveness to the 4LB.

Ethics approval required

Old ethics approval format

Ethics approval(s)

Not provided at time of registration

Study design

Randomised controlled trial

Primary study design

Interventional

Study type(s)

Not Specified

Health condition(s) or problem(s) studied

Varicose veins/ulcers

Interventions

- 1. 4 layer bandage
- 2. Short stretch bandage

Intervention Type

Other

Phase

Not Specified

Primary outcome(s)

Proportion of ulcers completely healed; healing rates; costs; quality of life; recurrence rates at 12 months.

Key secondary outcome(s))

Not provided at time of registration

Completion date

31/01/2002

Eligibility

Key inclusion criteria

Patients with leg ulcers

Participant type(s)

Patient

Healthy volunteers allowed

No

Age group

Adult

Sex

All

Key exclusion criteria

Not provided at time of registration

Date of first enrolment

01/10/1998

Date of final enrolment

31/01/2002

Locations

Countries of recruitment

United Kingdom

England

Study participating centre Department of Health Sciences

York United Kingdom YO10 5DD

Sponsor information

Organisation

Department of Health (UK)

ROR

https://ror.org/03sbpja79

Funder(s)

Funder type

Government

Funder Name

NIHR Health Technology Assessment Programme - HTA (UK)

Results and Publications

Individual participant data (IPD) sharing plan

IPD sharing plan summary

Not provided at time of registration

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Results article	results	01/10/2004		Yes	No