A single centre, randomised controlled, open label study of rituximab as induction therapy in kidney transplantation

Recruitment status Stopped	[X] Prospectively registered		
	☐ Protocol		
Overall study status	Statistical analysis plan		
Stopped Condition category	[X] Results		
	☐ Individual participant data		
Surgery	☐ Record updated in last year		
	Overall study status Stopped Condition category		

Plain English summary of protocol

Not provided at time of registration

Contact information

Type(s)

Scientific

Contact name

Mr Christopher Watson

Contact details

Dept of Surgery Box 202 Addenbrooke's Hospital Cambridge United Kingdom CB2 2QQ

Additional identifiers

Clinical Trials Information System (CTIS) 2005-001496-35

Protocol serial number

N/A

Study information

Scientific Title

A single centre, randomised controlled, open label study of rituximab as induction therapy in kidney transplantation

Acronym

Rituxicam2005

Study objectives

Primary objective: To evaluate the effect of rituximab compared to daclizumab on the incidence and severity of acute rejection

Secondary objectives:

To evaluate the effect of rituximab on patient and graft survival following transplantation To evaluate the differences in gene expression patterns in patients immunosuppressed with rituximab compared to daclizumab by microarray analysis

Ethics approval required

Old ethics approval format

Ethics approval(s)

Huntingdon Research Ethics Committee, ref 05/Q0104/144, date 19/12/2005.

Study design

Single centre randomised controlled open label study

Primary study design

Interventional

Study type(s)

Not Specified

Health condition(s) or problem(s) studied

Immunosuppression following renal transplantation

Interventions

Comparision of rituximab with daclizumab as induction immunosuppression following renal transplantation

Added 01/02/2010: The trial was stopped prematurely due to an excess of acute rejection in the study arm.

Intervention Type

Drug

Phase

Not Specified

Drug/device/biological/vaccine name(s)

Rituximab, daclizumab

Primary outcome(s)

- 1. Acute rejection incidence
- 2. Acute rejection severity Banff scale
- 3. Incidence of steroid resistant rejection, defined as the need for ATG therapy

Key secondary outcome(s))

- 1. Patient survival
- 2. Graft survival
- 3. Graft function estimated glomerular filtration rate (GFR)
- 4. Incidence of infection culture positive infections
- 5. Incidence of C4d+ endothelial staining together with infiltrate on renal biopsy
- 6. Incidence of anti-donor HLA-specific antibody in post transplant sera

Completion date

31/03/2014

Reason abandoned (if study stopped)

Objectives no longer viable

Eligibility

Key inclusion criteria

Patients undergoing renal transplantation

Participant type(s)

Patient

Healthy volunteers allowed

No

Age group

Adult

Sex

All

Key exclusion criteria

Age under 18 years

Date of first enrolment

01/04/2006

Date of final enrolment

31/03/2014

Locations

Countries of recruitment

United Kingdom

England

Study participating centre Dept of Surgery Cambridge United Kingdom

CB2 2QQ

Sponsor information

Organisation

Cambridge University Hospitals NHS Foundation Trust (UK)

ROR

https://ror.org/04v54gj93

Funder(s)

Funder type

Industry

Funder Name

Roche Products Limited (UK)

Funder Name

Cambridge Transplant Unit (UK)

Results and Publications

Individual participant data (IPD) sharing plan

IPD sharing plan summary

Not provided at time of registration

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Results article	results	18/06/2009		Yes	No