

# Prophylaxis against Postoperative Vomiting (PaPoV) study: a prospective, controlled randomised double-blind trial comparing antiemetic prophylaxis with ondansetron, cyclizine and placebo (normal saline) in children undergoing plastic genito-urinary (GU) procedures

<b>Submission date</b> 12/09/2003	<b>Recruitment status</b> No longer recruiting	<input type="checkbox"/> Prospectively registered <input type="checkbox"/> Protocol
<b>Registration date</b> 12/09/2003	<b>Overall study status</b> Completed	<input type="checkbox"/> Statistical analysis plan <input checked="" type="checkbox"/> Results
<b>Last Edited</b> 09/07/2009	<b>Condition category</b> Surgery	<input type="checkbox"/> Individual participant data

**Plain English summary of protocol**  
Not provided at time of registration

## Contact information

**Type(s)**  
Scientific

**Contact name**  
Dr Philip Whitehurst

**Contact details**  
Consultant Anaesthetist  
Russells Hall Hospital  
Dudley  
United Kingdom  
DY1 2HQ

## Additional identifiers

**Protocol serial number**  
N0557102800

# Study information

## Scientific Title

## Acronym

PaPoV

## Study objectives

To assess the incidence of postoperative vomiting in children undergoing genital plastic surgery in a prospective, randomised, double blind study comparing ondansetron with cyclizine and placebo (normal saline).

## Ethics approval required

Old ethics approval format

## Ethics approval(s)

Not provided at time of registration

## Study design

Randomised double blind controlled trial

## Primary study design

Interventional

## Study type(s)

Treatment

## Health condition(s) or problem(s) studied

Signs and Symptoms: Vomiting

## Interventions

Prospective, controlled randomised double-blind trial.

## Intervention Type

Drug

## Phase

Not Specified

## Drug/device/biological/vaccine name(s)

ondansetron cyclizine

## Primary outcome(s)

Number of vomits in the first 24 h from the time of extubation; doses of anti-emetics given because of vomiting in the first 24 h; time to first oral intake; complications (obtained retrospectively from case notes).

## Key secondary outcome(s))

Not provided at time of registration

**Completion date**

30/09/2003

## Eligibility

**Key inclusion criteria**

Children undergoing elective plastic genito-urinary procedures between the ages of 3 and 5, American Society of Anesthesiologists (ASA) grade I & II. 55 Children in each group.

**Participant type(s)**

Patient

**Healthy volunteers allowed**

No

**Age group**

Child

**Sex**

Not Specified

**Key exclusion criteria**

Does not meet inclusion criteria

**Date of first enrolment**

01/01/1997

**Date of final enrolment**

30/09/2003

## Locations

**Countries of recruitment**

United Kingdom

England

**Study participating centre**

Consultant Anaesthetist

Dudley

United Kingdom

DY1 2HQ

## Sponsor information

**Organisation**

Department of Health (UK)

**Funder(s)****Funder type**

Hospital/treatment centre

**Funder Name**

The Dudley Group of Hospitals NHS Trust (UK)

**Results and Publications****Individual participant data (IPD) sharing plan****IPD sharing plan summary**

Not provided at time of registration

**Study outputs**

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
<a href="#">Results article</a>	results	01/07/2003		Yes	No