Impact of iron/folate versus multimicronutrient supplementation during pregnancy on birth weight: a randomised controlled trial in rural Western China

Submission date	Recruitment status No longer recruiting	Prospectively registered		
17/11/2006		Protocol		
Registration date	Overall study status	Statistical analysis plan		
14/12/2006	Completed	[X] Results		
Last Edited	Condition category	[] Individual participant data		
19/12/2022	Pregnancy and Childbirth			

Plain English summary of protocol

Not provided at time of registration

Contact information

Type(s)

Scientific

Contact name

Prof Hong Yan

Contact details

No 76 Western Yanta Road Xi'an China 710061 +86 (0)29 8265 5001 yanhonge@mail.xjtu.edu.cn

Additional identifiers

Protocol serial number YH101-H12/03

Study information

Scientific Title

Impact of iron/folate versus multi-micronutrient supplementation during pregnancy on birth weight: a randomised controlled trial in rural Western China

Study objectives

- 1. The newborn infants of women receiving the multi-micronutrient supplements will at least experience a 50% reduction in prevalence of low birth weight (less than 2500 g) in comparison those receiving folate alone.
- 2. The newborn infants of women receiving the iron/folate supplements will at least experience a 25% reduction in the prevalence of low birth weight (less than 2500 g) in comparison those receiving folate alone
- 3. The women receiving the multi-micronutrient supplements in comparison those receiving iron /folate supplements, will at least experience a 30% reduction in the prevalence of anemia (Haemoglobin [Hb] less than 11 g/dL) in the third trimester (30 to 32 weeks of gestation).

Ethics approval required

Old ethics approval format

Ethics approval(s)

Committee for Science and Research at the Xi'an Jiaotong University, 10/04/2002, ref: 2002002

Study design

Grouped randomised double-blind controlled community trial

Primary study design

Interventional

Study type(s)

Prevention

Health condition(s) or problem(s) studied

Low birth weight; preterm delivery; anaemia

Interventions

Hamlets were randomly assigned for women to receive one of the following three daily antenatal supplements:

- 1. Multi-micronutrients
- 2. Iron and folic acid
- 3. Folic acid alone (control)

The multi-micronutrient supplements were formuated to contain the Required Dietary Allowances (RDA) for each of the micronutrients and if taken throughout pregnancy should provide a sufficient intake of each micronutrient to correct any underlying deficiencies (30 mg iron, 400 μ g folate, 15.0 mg zinc, 2.0 mg copper, 65.0 μ g selenium, 150.0 μ g iodine, 800.0 μ g vitamin A, 1.4 mg Vitamin B1, 1.4 mg vitamin B2, 1.9 mg vitamin B6, 2.6 μ g vitamin B12, 5.0 μ g vitamin D, 70.0 mg vitamin C, 10.0 mg vitamin E, and 18.0 mg Niacin). The iron/folate supplements contained 60 mg of iron and 400 μ g of folic acid. The folate-only supplement contained 400 μ g of folic acid.

These supplements were identical in appearance and participants, investigators, field staff, and statisticians did nor know supplement codes until the study finished.

Intervention Type

Supplement

Primary outcome(s)

- 1. Duration of pregnancy
- 2. Birth weight, length and head circumference
- 3. Haemoglobin level of pregnant women at the start of their third trimester

Key secondary outcome(s))

- 1. Compliance with supplements
- 2. Side effects of supplements
- 3. Complications of pregnancy:
- 3.1. Hypertension and preeclampsia
- 3.2. Antepartum haemorrhage
- 3.3. Infections
- 4. Type of delivery and type of assistance
- 5. Delivery complications:
- 5.1. Prolonged labour
- 5.2. Postpartum haemorrhage
- 5.3. Duration of maternal hospital admission
- 6. Early neonatal morbidity

Completion date

24/01/2006

Eligibility

Key inclusion criteria

Women invited to participate in the trial must be less than 28 weeks of gestation

Participant type(s)

Patient

Healthy volunteers allowed

No

Age group

Adult

Sex

Female

Total final enrolment

5828

Key exclusion criteria

Women will be excluded from the trial if already taking iron, folate, and other micronutrients supplements for more than two weeks

Date of first enrolment

Date of final enrolment 24/01/2006

Locations

Countries of recruitment

China

Study participating centre No 76 Western Yanta Road Xi'an China 710061

Sponsor information

Organisation

United Nations Children's Fund (UNICEF) (China)

ROR

https://ror.org/02dg0pv02

Funder(s)

Funder type

Research organisation

Funder Name

UNICEF (Project No.: YH101-H12/03)

Alternative Name(s)

United Nations Children's Fund, United Nations Children's Emergency Fund, United Nations International Children's Emergency Fund, Fonds des Nations Unies pour l'enfance, Fondo de las Naciones Unidas para la Infancia, ,

Funding Body Type

Government organisation

Funding Body Subtype

International organizations

Location

United States of America

Results and Publications

Individual participant data (IPD) sharing plan

Not provided at time of registration

IPD sharing plan summary

Study outputs

Output type	Details	Date created Date added	Peer reviewed?	Patient-facing?
Results article	results	07/11/2008	Yes	No
Results article	results	09/07/2009	Yes	No
Results article	30-month follow-up results	01/02/2012	Yes	No
Results article	results	01/08/2015	Yes	No
Results article	results	01/11/2016	Yes	No
Results article	results	01/09/2018	Yes	No
Results article	results	01/06/2020 12/08/2019	Yes	No
Results article	14-year follow-up	07/12/2022 19/12/2022	Yes	No
Participant information sheet	Participant information sheet	11/11/2025 11/11/2025	No	Yes