# CoolCuddle-2 study: Embedding CoolCuddle into NICUs

Submission date	<b>Recruitment status</b> No longer recruiting	<ul><li>Prospectively registered</li></ul>		
05/08/2022		Protocol		
Registration date	Overall study status Completed	Statistical analysis plan		
30/08/2022		[X] Results		
Last Edited	Condition category	Individual participant data		
21/10/2024	Pregnancy and Childbirth			

#### Plain English summary of protocol

Background and study aims

Each year in the NHS, over 2000 babies with brain injury at birth need intensive care and cooling therapy for four days. During this time, parents cannot hold their babies in case it interferes with the cooling therapy. Not allowing cuddling during this important period can affect the bond between the parents and their baby. This can cause problems with breastfeeding, parent's mental health, and the baby's emotional and mental development. We have developed a safe way for parents to cuddle their babies during cooling therapy called CoolCuddle. This allows cooling treatment and intensive care to continue. CoolCuddle can help with breastfeeding, parent-baby bonding, parent mental health and may have other long-term benefits for parents and their new-born. We use a CoolCuddle standard procedure and a safety checklist that has allowed 27 cooled babies to be cuddled safely by their parents at two NHS hospitals. We have also made a training video for staff, and photos of how it works for parents.

Parents (including some who helped develop CoolCuddle) say that mothers and fathers would expect CoolCuddle during cooling. They agreed this study would lead to best practice in rolling out CoolCuddle nationally and avoid risk to babies. We have discussed details of the study and advisory group with parents.

The aim of this study is to find the best way to train and involve staff in using the CoolCuddle method in different intensive care units (NICUs) for newborn babies, by closely monitoring how it is introduced. We will also record baby safety measures and see how parents feel about the cuddles.

#### Who can participate?

Infants aged ≥35 weeks' gestation undergoing intensive care and cooling therapy for HIE, and their parents.

#### What does the study involve?

We will use our standard procedure and video to train staff at around 6 intensive care units for newborn babies. Staff at each unit will be interviewed every two months to see how well CoolCuddle is being used. Parents will be asked to fill in an online questionnaire, measuring depression, parent-baby bonding and breastfeeding when the baby is 1 and 8 weeks old. Some

parents will be interviewed to get their views on CoolCuddle. We will monitor the baby during the cuddles and record any effect on cooling or intensive care and how this is corrected. We will look at differences over time and between units to work out best practice.

What are the possible benefits and risks of participating?

The benefits of participating in the study include early physical and emotional contact between the parents and the babies who are undergoing cooling therapy for birth asphyxia which may help with establishing breastfeeding and potentially influence the long-term development of babies. Risks of participation may include disruption of the intensive care and cooling therapy. Any physical disruption of wires and catheters will be closely monitored and the chances of occurring will be reduced by following a standard procedure. Disruption occurring despite this will be immediately addressed by nurses and doctors and the new measures will be incorporated into the subsequent cuddles. Further, we will be monitoring the temperature, breathing, and heart function to ensure that these measures are stable during cuddle. Our previous study with CoolCuddle intervention did not show any measurable disruption to intensive care, cooling therapy, or adverse effects to babies or parents.

Where is the study run from?
University Hospitals Bristol NHS Foundation Trust (UK)

When is the study starting and how long is it expected to run for? From July 2022 to March 2024

Who is funding the study? National Institute for Health and Care Research (NIHR) Research for Patient Benefit (RfPB) programme (UK)

Who is the main contact?

- 1. Dr Ela Chakkarapani, ela.chakkarapani@bristol.ac.uk
- 2. Prof Jenny Ingram, jenny.ingram@bristol.ac.uk

# Contact information

#### Type(s)

Principal investigator

#### Contact name

Dr Ela Chakkarapani

#### **ORCID ID**

https://orcid.org/0000-0003-3380-047X

#### Contact details

Level D, Neonatal Neuroscience St Michael's Hospital Southwell street Bristol United Kingdom BS2 8EG +44 (0)1173425711 ela.chakkarapani@bristol.ac.uk

#### Type(s)

Principal investigator

#### Contact name

Prof Jenny Ingram

#### Contact details

Office 1.12 1-5 Whiteladies Road Bristol United Kingdom BS8 1NU +44 (0)117 455 4118 jenny.ingram@bristol.ac.uk

### Additional identifiers

#### Clinical Trials Information System (CTIS)

Nil known

#### Integrated Research Application System (IRAS)

312535

#### ClinicalTrials.gov (NCT)

Nil known

#### Protocol serial number

IRAS 312535, CH/2021/7268, CPMS 52790

# Study information

#### Scientific Title

Process evaluation of embedding the CoolCuddle intervention into neonatal intensive care units.

#### Acronym

CoolCuddle2 Study

### Study objectives

To assess the process of embedding the CoolCuddle intervention into standard care during cooling therapy for neonatal HIE in the NHS.

1. Track intervention implementation in 4 diverse tertiary NICUs using continuous monitoring with the NoMAD

Implementation measure based on NPT (www.normalizationprocess.org).

2. Examine barriers and facilitators for implementing CoolCuddle using NPT informed qualitative interviews

with neonatal staff and parents.

3. Evaluate cooling process and intensive care during cuddles, rates of postnatal depression,

#### parent-infant

bonding or attachment and breastfeeding at discharge and 8 weeks.

4. Examine safety issues associated with CoolCuddle and develop corrective actions.

#### Ethics approval required

Old ethics approval format

#### Ethics approval(s)

Approved 06/06/2022, North West-Greater Manchester West Research Ethics Committee (Meeting held by video-conference via Zoom; +44 (0)2071048384; gmwest.rec@hra.nhs.uk), ref: 22/NW/0141

#### Study design

Observational cohort study

#### Primary study design

Observational

#### Study type(s)

Quality of life

#### Health condition(s) or problem(s) studied

Neonatal hypoxic ischaemic encephalopathy (HIE)

#### Interventions

Process evaluation of implementing CoolCuddle intervention that allows parents to cuddle babies whilst undergoing therapeutic hypothermia and intensive care for neonatal hypoxic-ischaemic encephalopathy in different tertiary NICUs in the UK.

#### Intervention Type

**Behavioural** 

#### Primary outcome(s)

- 1. Normalisation of the CoolCuddle intervention in 4 NICUs with a refined training package measured using the Normalisation MeAsure Development questionnaire (NoMAD) for each of the four domains of normalisation process theory (NPT) (coherence, cognitive participation, collective action, and reflexive monitoring) at up to 6 timepoints during implementation
- 2. Views of neonatal nurses and clinicians regarding barriers and facilitators of embedding CoolCuddle into routine practice measured using focus groups or staff interviews at the end of recruitment at each site
- 3. Views of parents on the integration of CoolCuddle into infant care practices at the four sites will be measured using telephone or virtual interviews after parents complete the questionnaires at 8 weeks
- 4. Stability and deliverability of CoolCuddle for the recruited infants in different NICUs measured using the following: (there is no timepoint here, it is the measure for the recruited infants or the recruitment period which will vary for each site)
- 4.1. Number and duration of cuddles throughout the NICU admission
- 4.2. Difference in mean core temperature, oxygen requirement, heart rate, and blood pressure between pre-cuddle, cuddle, and post-cuddle epochs
- 4.3. Safety issues and instigation of mitigating factors during the recruitment period
- 4.4. Frequency of stopping cuddles as per SOP and reasons for this (thermal control,

endotracheal tube, vascular or urinary catheter, EEG electrode dislodgement) during the recruitment period

4.5. Proportion of women breastfeeding, median Edinburgh Postnatal Depression Scale (EPDS) scores, the proportion at risk of depression (EPDS score ≥13), and Mother-to-Infant Bonding Scale (MIBS) scores at discharge and 8 weeks

#### Key secondary outcome(s))

There are no secondary outcome measures

#### Completion date

31/03/2024

# Eligibility

#### Key inclusion criteria

Infants, aged ≥35 weeks' gestation undergoing therapeutic hypothermia using a servo-controlled cooling machine and intensive care for Hypoxic Ischemic Encephalopathy (HIE), and their parents:

#### Participant type(s)

**Patient** 

#### Healthy volunteers allowed

No

#### Age group

Neonate

#### Lower age limit

35 weeks

#### Sex

All

#### Total final enrolment

37

#### Key exclusion criteria

- 1. Infants whose parents are not able to complete the consent form or questionnaires in English
- 2. Infants whose parents are aged <16 years

#### Date of first enrolment

01/08/2022

#### Date of final enrolment

31/08/2023

# Locations

#### Countries of recruitment

#### **United Kingdom**

#### England

# Study participating centre University Hospital Southampton NHS Foundation Trust

Southampton General Hospital Tremona Road Southampton United Kingdom SO16 6YD

#### Study participating centre University Hospitals of Leicester NHS Trust

Leicester Royal Infirmary Infirmary Square Leicester United Kingdom LE1 5WW

# Study participating centre

Nottingham University Hospitals NHS Trust - City Campus

Nottingham City Hospital Hucknall Road Nottingham United Kingdom NG5 1PB

### Study participating centre

Nottingham University Hospitals NHS Trust - Queen's Medical Centre Campus

Nottingham University Hospital Derby Road Nottingham United Kingdom NG7 2UH

# Study participating centre Manchester University NHS Foundation Trust

Cobbett House Oxford Road Manchester United Kingdom M13 9WL

# Study participating centre Birmingham Women's NHS Foundation Trust

Birmingham Womens Hospital Metchley Park Road Birmingham United Kingdom B15 2TG

#### Study participating centre South Tees Hospitals NHS Foundation Trust

James Cook University Hospital Marton Road Middlesbrough United Kingdom TS4 3BW

#### Study participating centre

The Newcastle upon Tyne Hospitals NHS Foundation Trust

Neonatal unit, Royal Victoria Infirmary Newcastle upon Tyne United Kingdom NE1 4LP

# Sponsor information

#### Organisation

University Hospitals Bristol NHS Foundation Trust

#### **ROR**

https://ror.org/04nm1cv11

# Funder(s)

# Funder type

Government

#### **Funder Name**

National Institute for Health and Care Research

#### Alternative Name(s)

National Institute for Health Research, NIHR Research, NIHRresearch, NIHR - National Institute for Health Research, NIHR (The National Institute for Health and Care Research), NIHR

#### **Funding Body Type**

Government organisation

#### **Funding Body Subtype**

National government

#### Location

United Kingdom

#### **Funder Name**

Research for Patient Benefit Programme

#### Alternative Name(s)

NIHR Research for Patient Benefit Programme, Research for Patient Benefit (RfPB), The NIHR Research for Patient Benefit (RfPB), RfPB

#### **Funding Body Type**

Government organisation

#### **Funding Body Subtype**

National government

#### Location

**United Kingdom** 

## **Results and Publications**

#### Individual participant data (IPD) sharing plan

The datasets generated during and/or analysed during the current study will be stored in a publically available repository managed by the University of Bristol Search and ublished as a supplement to the results publication

#### IPD sharing plan summary

Stored in publicly available repository, Published as a supplement to the results publication

#### **Study outputs**

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Results article		18/10/2024	21/10/2024	Yes	No
HRA research summary			28/06/2023	No	No