

Evaluation of the TEKTONA® system designed to restore vertebral height in the treatment of vertebral fractures by compression

Submission date 13/04/2023	Recruitment status No longer recruiting	<input type="checkbox"/> Prospectively registered
		<input type="checkbox"/> Protocol
Registration date 14/06/2023	Overall study status Completed	<input type="checkbox"/> Statistical analysis plan
		<input type="checkbox"/> Results
Last Edited 02/06/2023	Condition category Musculoskeletal Diseases	<input type="checkbox"/> Individual participant data
		<input type="checkbox"/> Record updated in last year

Plain English summary of protocol

Background and study aims

This is a post-market study to confirm the performance and safety of the TEKTONA system in the treatment of vertebral compression fractures. A compression fracture is usually defined as a vertebral bone in the spine that has decreased at least 15 to 20% in height due to fracture. The TEKTONA medical device reduces the vertebral fracture and allows the cement injection in the vertebra to consolidate it.

Who can participate?

Patients aged 18 years and over with vertebral compression fracture

What does the study involve?

The patient is screened during the preoperative visit. Those patients who are eligible for the study are invited to participate in the study. After reading the information letter, the patients should let their surgeon know if they agree/consent before any data collection. Clinical and radiographic data are collected at their preoperative, surgical, and postoperative clinical visits performed as the site standard of care.

What are the possible benefit and risks of participating?

As an observational study, there is no benefit or risk for the patients participating in the study.

Where is the study run from?

Spineart SA (Switzerland)

When is the study starting and how long is it expected to run for?

January 2016 to December 2020

Who is funding the study?

Spineart SA (Switzerland)

Who is the main contact?
clinic@spineart.com

Contact information

Type(s)
Scientific

Contact name
Mrs Dervilla Bermingham

Contact details
3, chemin du Pré Fleuri
Plan-les-Ouates
Switzerland
1228
+41 (0)225701261
dbermingham@spineart.com

Additional identifiers

EudraCT/CTIS number
Nil known

IRAS number

ClinicalTrials.gov number
Nil known

Secondary identifying numbers
P61_CLD001

Study information

Scientific Title
Evaluation of the safety and performance of the compression spinal fracture treatment system, TEKTONA® prospective study

Acronym
TEKTONA® system

Study objectives
The TEKTONA® system is designed to restore the vertebral height and reduce the angle of vertebral kyphosis, for the treatment of osteoporotic or osteopathic vertebral settlement fractures (FTV) Type A1 and A2 (a gap between fragments of less than 2 mm) and A3 in the MAGERL classification.

Ethics approval required

Old ethics approval format

Ethics approval(s)

Approved 26/04/2016, CPP Ile-de-France VI (Groupe Hospitalier Pitié-Salpêtrière, 47 Boulevard de l'Hôpital, 75013, Paris, France; +33 (0)1 42 16 16 83; cppidf6.salpetriere@yahoo.fr), ref: ID RCB 2016-A00150-51, CCTIRS # 16-640

Study design

Post-market clinical follow-up (PMCF) prospective multicenter single-arm observational study

Primary study design

Observational

Secondary study design

Non-randomized study

Study setting(s)

Hospital

Study type(s)

Treatment

Participant information sheet

Not available in web format

Health condition(s) or problem(s) studied

Vertebral compression fracture, stable type, without neurological deficit

Interventions

Evaluation of qualitative and quantitative of pre-, peri- and post-operative data. Comparison between pre-and post-operative values provided by radiological parameters, pain medication, VAS, ODI and SF-12 scores. The risk assessment is determined by the rate of complications observed.

Intervention Type

Device

Phase

Phase IV

Drug/device/biological/vaccine name(s)

TEKTONA®

Primary outcome measure

1. Risks are measured by the incidence of perioperative complications and safety reporting and post-operative risks (adverse events reporting, radiological assessments at 6, 12 and 24 months)
2. Restoration of vertebral height (mm) and reduction of kyphosis (Cobb Angle) at the level operated is measured by comparing radiological images pre-surgery, perioperative, immediate post-surgery, at 6-, 12- and 24-months post-surgery

Secondary outcome measures

1. Volume of cement injected and cement distribution (vertebral and horizontal) is measured (in ml) at surgery
2. Effectiveness of the system is measured by the duration of post-operative hospitalization
3. Pain is evaluated by changes in the use of pain medication and the visual analogue score (VAS) score pre-surgery, immediate post-surgery, at 6-, 12- and 24-months post-surgery
4. Quality of life is measured using the SF-12 questionnaire preoperatively, immediate postoperatively and at 6, 12 and 24 months and time between intervention and back to work
5. Functional evaluation using Oswestry Disability Index (ODI) score preoperatively, immediate postoperatively and at 6, 12 and 24 months

Overall study start date

26/01/2016

Completion date

07/12/2020

Eligibility

Key inclusion criteria

1. Aged 18 years or older
2. Presenting one or more three stable vertebral fractures at non-adjacent levels, fractures type A1.1, A1.2, A1.3, A2 (gap between fragments less than 2 mm) and A3.1, A3.2, A3.3 according to Magerl classification
3. Presenting vertebral traumatic fracture(s), due to high-energy trauma, or osteoporotic fall of one's own height
4. Able to understand the investigation protocol, agree with the investigation plan, and complete the necessary documents
5. Who voluntarily signed the informed consent form

Participant type(s)

Patient

Age group

Adult

Lower age limit

18 Years

Sex

Both

Target number of participants

90

Total final enrolment

37

Key exclusion criteria

1. Anterior treatment with cyphoplasty at the fractured level
2. Unstable fractures of type B or C according to Magerl
3. Size of the pedicles incompatible with safe access to the instrument

Date of first enrolment

22/11/2016

Date of final enrolment

12/12/2018

Locations

Countries of recruitment

France

Study participating centre**Hopital La Pitié-Salpêtrière**

Service de Chirurgie Orthopédique et Traumatologie

47-83 Bd de l'Hôpital

Paris

France

75651

Study participating centre**Hôpital Michallon**

Service de Chirurgie Orthopédique et Traumatologie

Grenoble

France

38043

Study participating centre**Hôpitaux Universitaires de Strasbourg**

Service de Chirurgie du Rachis

1, Place de L'Hôpital

Strasbourg

France

67000

Sponsor information

Organisation

Spineart (Switzerland)

Sponsor details

Chemin du Pré-Fleuri 3
Plan-les-Ouates
Switzerland
1228
+33 (0)225701200
clinic@spineart.com

Sponsor type

Industry

Website

<https://www.spineart.com/>

ROR

<https://ror.org/05sz2c652>

Funder(s)

Funder type

Industry

Funder Name

Spineart SA

Results and Publications

Publication and dissemination plan

Planned publication in a high-impact peer-reviewed journal. Additional documents can be obtained upon request from clinic@spineart.com.

Intention to publish date

30/11/2023

Individual participant data (IPD) sharing plan

The dataset generated and analysed during the current study will be available upon request from clinic@spineart.com.

The type of data that will be shared: clinical data of the study

Dates of availability: up to 2035

Whether consent from participants was required and obtained: Yes

Comments on data anonymization: All subjects' data are pseudo-anonymized

Any ethical or legal restrictions: No restrictions

IPD sharing plan summary
Available on request