Web-based app to raise awareness of breast and cervical cancer screening

Submission date	Recruitment status	[X] Prospectively registered
23/11/2021	No longer recruiting	Protocol
Registration date	Overall study status	Statistical analysis plan
24/11/2021	Completed	Results
Last Edited	Condition category	Individual participant data
17/08/2022	Cancer	[] Record updated in last year

Plain English summary of protocol

Background and study aims

Breast and cervical cancers are the two most common cancers among women in Malaysia. Although screening has contributed significantly to reducing deaths due to these cancers in other countries, this has not been the case in Malaysia. Women still present with late-stage disease and very few attend screening, even when screening is offered for free or at hugely discounted rates. Our goal is to develop an interactive web app to promote early detection for breast and cervical cancers in Malaysian women and to determine the impact of the web app on the intention to uptake screening.

Who can participate?

Women aged 20 years and above and married or have a partner (sexually active), or aged 50-75 years old, regardless of previous/current sexual activities will be invited to participate in the study.

What does the study involve?

The participants will answer a questionnaire on the intention of breast and cervical cancer screening, awareness on breast and cervical cancer, and barriers to help-seeking as well as using the web-based MAwar app.

What are the possible benefits and risks of participating?

The possible benefits of the study included improved early detection of breast and cervical cancer among women in Malaysia and allow contribution to the development of an intervention to improve early detection of breast and cervical cancer which contribute to the larger body of medical knowledge in the field of cancer prevention and early detection. There is minimal risk involved in this study as the participants will only need to answer some questions that are related to using the application and about their intention to attend cancer screening which does not provoke any unpleasant feelings or any unnecessary concern to them. If any of the participants express worry about the potential outcome of the assessments, they will be counselled by the clinic's registered nurse.

Where is the study run from? Ministry of Higher Education, Malaysia When is the study starting and how long is it expected to run for? May 2021 to April 2024

Who is funding the study?

This study was funded by Fundamental Research Grant Scheme, Ministry of Higher Education, Malaysia

Who is the main contact? Prof Dr Sazlina Shariff Ghazali, sazlina@upm.edu.my

Contact information

Type(s)

Scientific

Contact name

Prof Sazlina Shariff Ghazali

ORCID ID

http://orcid.org/0000-0002-5737-7226

Contact details

Department of Family Medicine
Faculty of Medicine and Health Sciences
Universiti Putra Malaysia
UPM Serdang, Selangor
Malaysia
43400
+60 122325659
sazlina@upm.edu.my

Additional identifiers

EudraCT/CTIS number

Nil known

IRAS number

ClinicalTrials.gov number

Nil known

Secondary identifying numbers

FRGS/1/2020/SKK05/UPM/02/5

Study information

Scientific Title

The effectiveness of an interactive web application to motivate and raise awareness on screening of breast and cervical cancers (The MAwar study)

Acronym

MAwar

Study objectives

- 1. The Web app is a useful tool to be used in clinical practice to improve intention to uptake on cervical cancer and breast cancer screenings.
- 2. The Web app could significantly improve the intention to uptake on cervical cancer and breast cancer screenings among women.

Ethics approval required

Old ethics approval format

Ethics approval(s)

Approved 04/05/2021, Medical Research Ethics Committee Ministry of Health, Malaysia (National Institute of Health, No.1, Jalan Setia Murni U13/52, Section U13 Bandar Setia Alam, 40170 Shah Alam, Selangor, Malaysia; +603-33628888/33628205; mrecsec@moh.gov.my) ref: NMRR-21-951-58339 (IIR)

Study design

Quasi-experimental pre-post study

Primary study design

Interventional

Secondary study design

Pre-post quasi-experimental study

Study setting(s)

GP practice

Study type(s)

Screening

Participant information sheet

Not available in web format, please use contact details to request a participant information sheet

Health condition(s) or problem(s) studied

Screening for breast and cervical cancers

Interventions

Participants will be systematically recruited. Eligible and agreed participants will use a web-based application called MAwar app upon recruitment. Primary and secondary outcomes will be measured at 3 and 6 months after being introduced to the web-based application.

Intervention Type

Behavioural

Primary outcome measure

Intention for screening will be measured using the using the stages of readiness to go for screening that will be adopted from the Transtheoretical Model Stages of Change (Prochaska & DiClemente, 1984; Krok-Schoen et al., 2016) at baseline, 3 and 6-months follow up

Secondary outcome measures

- 1. Awareness of breast cancer risk factors will be measured using the Breast Cancer Awareness Measure at baseline, 3 and 6-months follow up (Cancer Research UK, 2014; Linsell et al., 2010; Htay et al., 2020).
- 2. Awareness on cervical cancer risk factors will be measured using measured using the Cervical Cancer Awareness Measure (Cancer Research UK, 2014; Simon et al., 2012) at baseline, 3 and 6-months follow up

Overall study start date

04/05/2021

Completion date

30/04/2024

Eligibility

Key inclusion criteria

Women aged 20 years and above and married or have a partner (sexually active), OR aged 50-75 years old, regardless of previous/current sexual activities

Participant type(s)

Healthy volunteer

Age group

Adult

Sex

Female

Target number of participants

650

Key exclusion criteria

- 1. Those on regular follow up for breast and/or cervical cancer screening
- 2. Those who attended the health clinics to investigate for symptoms or signs related to cervical or breast cancers
- 3. Age 20 years and above with painless lump, persistent rash around nipple, bleeding or unusual discharge from nipple, changes of skin (swollen, dimpling, puckering), nipple retraction,
- 4. Age 30 years and older with history of benign breast disease with atypical hyperplasia
- 5. Does not reside in Klang District
- 6. Acutely ill patient

Date of first enrolment

01/09/2022

Date of final enrolment

31/01/2023

Locations

Countries of recruitment

Malaysia

Study participating centre Bandar Botanic Health Clinic

Bandar Botanic Health of Bandar Botanic Klang Malaysia 42000

Study participating centre Pandamaran Health Clinic

Jalan Raja Muda Musa Kawasan 10 Klang Malaysia 42000

Study participating centre Bukit Kuda Health Clinic

Jalan Batu Tiga Lama Kawasan 15 Klang Malaysia 41300

Sponsor information

Organisation

Ministry of Higher Education

Sponsor details

Research Fund Secretariat IPT Excellence Planning Division Department of Higher Education Level 7, No. 2, Tower 2, Jalan P5/9, Precinct 5 Putrajaya Malaysia 62200 +603-8000 8000 80008000@mygcc.gov.my

Sponsor type

Government

Website

https://www.mohe.gov.my/utama://ufm.dk/

ROR

https://ror.org/05mcs2t73

Funder(s)

Funder type

Government

Funder Name

Malaysian Ministry of Higher Education

Results and Publications

Publication and dissemination plan

Planned publication in a high-impact peer-reviewed journal

Intention to publish date

30/03/2025

Individual participant data (IPD) sharing plan

The data-sharing plans for the current study are unknown and will be made available at a later date

IPD sharing plan summary

Data sharing statement to be made available at a later date