# Effectiveness of a food supplement on skin, hair and nail condition

Submission date	Recruitment status	<ul><li>Prospectively registered</li></ul>
24/08/2023	No longer recruiting	Protocol
Registration date	Overall study status	Statistical analysis plan
25/08/2023	Completed	[X] Results
Last Edited	Condition category	Individual participant data
01/09/2025	Skin and Connective Tissue Diseases	

## Plain English summary of protocol

Background and study aims

BCF Life Sciences (the sponsor of the study) is interested in assessing and comparing the effectiveness of a food supplement (at two different doses) containing Kera-Diet® at improving skin, hair and nail condition, compared with a placebo formulation and a benchmark formulation already on the market.

### Who can participate?

Healthy women aged between 35 and 65 years, clinically showing visible face roughness, mild /moderate skin slackness, brittle/damaged hair and brittle nails

#### What does the study involve?

Participants are asked to attend clinic visits at screening and after 45 and 90 days of food supplement intake. They are randomly allocated to use the active food supplement (one of the two different doses), the benchmark or the placebo product for 90 days. There are four study groups:

- 1. The active study product with standard concentration (250 mg Kera-Diet®)
- 2. The active study product with a lower concentration (125 mg Kera-Diet®)
- 3. A reference product already on the market benchmark
- 4. The placebo formulation

All the measurements/assessments are carried out using non-invasive procedures. The total duration of each visit is 30 minutes. The study duration is 90 days with one intermediate check at 45 days.

What are the possible benefits and risks of participating?

The potential benefits are an improvement of basal skin conditions (wrinkles, skin moisturization, skin/hair/nail brightness, skin elasticity and firmness skin density and nail hardness.

All the ingredients in the product formula are approved for their use in food/food supplements and are safe for use. Potential risks (e.g. bloating, diarrhea, stomach ache) are assumed to be from mild to moderate and are not expected to pose a risk to human health. Risks associated with the product intake/application are considered from low to very low, in the absence of allergy/intolerances to product ingredients; other ingredients in the product formula are

commonly used in dietary supplements.

All the measurements carried out are not invasive and no skin side effects are expected from the measurement process. The potential benefits due to product use are related to an improvement of skin, hair and nail condition.

Where is the study run from? BCF Life Sciences (France)

When is the study starting and how long is it expected to run for? July 2022 to May 2023

Who is funding the study? BCF Life Sciences (France)

Who is the main contact?

Dr Ileana De Ponti, ileana.deponti@complifegroup.com

# **Contact information**

## Type(s)

Principal investigator

#### Contact name

Dr Ileana De Ponti

#### **ORCID ID**

https://orcid.org/0000-0003-0579-7904

#### Contact details

Via Guido Rossa, 1 Garbagnate Milanese Italy 20024 +39 (0)3316841438 ileana.deponti@complifegroup.com

# Additional identifiers

Clinical Trials Information System (CTIS)

Nil known

ClinicalTrials.gov (NCT)

Nil known

Protocol serial number

H.E.HU.HV.NAA00.120.10.00\_IT0003409/22

# Study information

Scientific Title

Comparative assessment of the efficacy of a food supplement on skin, hair and nail condition: a randomized placebo/benchmark controlled study

#### Acronym

KeraHair

### **Study objectives**

The study is aimed to assess the efficacy of a food supplement (in two different doses) in improving skin, hair and nails. Additionally the study will be used for the approval of the ingredient as an individually registering ingredient by the Korea Food and Drug Administration.

### Ethics approval required

Ethics approval required

### Ethics approval(s)

approved 04/08/2022, Independent ethics committee for non-pharmacological clinical investigations (Via XX Settembre 30/4, Genova, 16121, Italy; +39 (0)10 5454842; ssinf@messaggipec.it), ref: 2022/04

### Study design

Multicentric randomized double-blind placebo and benchmark controlled trial

#### Primary study design

Interventional

## Study type(s)

Treatment

## Health condition(s) or problem(s) studied

Visible face roughness and mild to moderate skin slackness, brittle nails and damaged/brittle hair

#### Interventions

The active food supplement intervention (Kera-Diet®) is a food-grade hydrolysate of natural keratin that improves hair and nail condition: brightness, volume, density, growth and vitality. It boosts keratinocytes' endogenous glutathione production. It has a traced origin, from a sustainable protein source and it has a stable and unique profile of 17 amino acids, 83.3% in free form. It has a very high assimilation due to a very low molecular weight (100% < 800 Daltons). The Benchmark food supplement intervention is a cosmeceutical ingredient comprised of solubilized keratin, already present in the market, while the placebo food supplement intervention is maltodextrin and magnesium stearate.

All the active, benchmark and the placebo products are used as follows: four capsules per day; two capsules in the morning and two capsules in the evening for 90 days.

All participants will apply for all the study length a base cream with no cosmetic claim for face care, two times a day (morning and evening).

Participants are randomly into four groups of 33 subjects as follows:

- 1. 30 subjects (33 included) take the active study product with standard concentration (250 mg)
- 2. 30 subjects (33 included) take the active study product with a lower concentration (125 mg)
- 3. 30 subjects (33 included) take a reference product already on the market benchmark
- 4. 30 subjects (33 included) take the placebo formulation

A restricted randomization list is created using PASS 2008 (PASS, LLC. Kaysville, UT, USA) statistical software running on Windows Server 2008 R2 Standard SP1 64-bit Edition (Microsoft, USA) by a biostatistician and stored in a safe place. The randomization sequence was stratified using "Efron's biased coin" algorithm with a 1:1 allocation ratio. The allocation sequence was concealed from the in-site study director in sequentially numbered, opaque and sealed envelopes, reporting the unblinded treatment allocation (based on the subject entry number in the study). The A4 sheet reporting the unblinded treatment was folded to render the envelope impermeable to intense light. A masked allocation sequence was prepared for the staff delivering the intervention based on the subject entry number in the study.

#### Intervention Type

Mixed

### Primary outcome(s)

- 1. Skin profilometry (Ra parameter, wrinkle depth, wrinkle length and wrinkle area) measured in the "crow's feet" area) using Primos 3D (GFMesstechnik GmbH) at baseline (T0), 45 days (T45), T90 days (T90)
- 2. Deep skin moisturization measured using a MoistureMeterEpiD at baseline (T0), 45 days (T45), T90 days (T90)
- 3. Skin brightness measured using the spectrophotometer/colorimeter CM-700D (Konica-Minolta) at baseline (T0), 45 days (T45), T90 days (T90)
- 4. Skin elasticity and firmness measured using the suction/elongation method and the subsequent release of the skin inside the opening of the instrument (Cutometer®MPA 580, Courage+Khazaka, electronic GmbH) at baseline (T0), 45 days (T45), T90 days (T90)
- 5. Digital pictures acquired by means Visioface (Courage+Khazaka) at baseline (T0), 45 days (T45), T90 days (T90)
- 6. Skin thickness (epidermis) and fibres analysis (skin density and overall anisotropy score) measured using DeepLive™ (DAMAE Medical) at baseline (T0) and T90 days (T90)

## Key secondary outcome(s))

- 1. Nails and hair brightness measured using the spectrophotometer/colorimeter CM-700D (Konica-Minolta) at baseline (T0), 45 days (T45), T90 days (T90)
- 2. Clinical evaluation of nail hardness/brightness using VAS score scales at baseline (T0), 45 days (T45), T90 days (T90)
- 3. Product acceptability and volunteers' perceived efficacy assessed with a self-assessment questionnaire at T90

# Completion date

19/05/2023

# **Eligibility**

#### Key inclusion criteria

- 1. Healthy female subjects
- 2. Aged between 35 and 65 years old (50% of participants aged between 35 and 50 years old and 50% of the participants aged between 51 and 65 years old in each study group)
- 3. Damaged/brittle hair (at least 20% of subjects due to discoloration in each study group)
- 4. Brittle nails (not related to pathological alterations to the nail plate)
- 5. Clinically showing visible face roughness (crow's feet wrinkles)
- 6. Mild to moderate skin slackness

- 7. Phototype I to IV (according to Fitzpatrick classification)
- 8. Registered with health social security or health social insurance
- 9. Signed their written Informed Consent form (ICF) for their participation in the study and a photograph authorization
- 10. Able to understand the language used in the investigation center and the information given
- 11. Able to comply with the protocol and follow protocol constraints and specific requirements
- 12. Willing to use the same shampoo during the whole study period
- 13. Willing to attend the study visit and have hair dyes performed at least 3 weeks before
- 14. Willing to not use during the study period products other than the test product
- 15. Using effective contraception (oral/not oral) if women of childbearing potential and not expected to change during the trial
- 16. Have not had sun exposure (both natural or artificial) for at least 2 months
- 17. Accept not to be exposed in an intensive way to UV rays during the whole study duration
- 18. Willing to not use similar products that could interfere with the product to be tested

### Participant type(s)

Healthy volunteer

#### Healthy volunteers allowed

No

## Age group

Adult

#### Lower age limit

35 years

#### Upper age limit

65 years

#### Sex

Female

#### Total final enrolment

132

### Key exclusion criteria

- 1. Does not meet the inclusion criteria
- 2. Taking part or planning to participate in another clinical study in the same or in another investigation center
- 3. Deprived of freedom by administrative or legal decision or under quardianship
- 4. Admitted in sanitary or social facilities
- 5. Planning a hospitalization during the study
- 6. Consumption of food supplement(s) for skin/hair/nail care currently or within the past 12 weeks before the study
- 7. Breastfeeding, pregnant or not willing to take necessary precautions to avoid pregnancy during the study (if women of childbearing potential)
- 8. Has started or changed estrogen-progesterone contraception or hormonal treatment, within the 3 months prior to the study or foreseeing it for the duration of the study
- 9. Acute, chronic or progressive illness liable to interfere with the study data or considered by the Investigator to be hazardous or incompatible with the study requirements

- 10. Chronic skin disease or skin-related treatment and drug intake
- 11. In the course of a long treatment or intending to have one considered by the Investigator liable to interfere with the study data or incompatible with the study requirements
- 12. Personal history of cosmetic, drug, domestic products or food supplement allergy
- 13. Pathological nail conditions
- 14. Systemic or local treatments/medications affecting nail growth
- 15. Radiotherapy, chemotherapy at any time
- 16. Skin/scalp condition liable to interfere with the study data or considered by the Investigator hazardous for the subject or incompatible with the study requirements
- 17. Systemic treatment affecting the hair growth taken for more than 4 consecutive weeks during the last 24 weeks before the inclusion visit
- 18. Any topical treatment applied on the scalp/skin within the last 2 weeks before the inclusion visit
- 19. Any following hair care within the last 2 weeks before the inclusion visit: dandruff shampoo, antifungal shampoo, dyeing, bleaching, perm
- 20. Any skin care-make-up/hair care product applied on the skin in the 3 hours before the visit and on the scalp between the last shampoo and the inclusion visit (e.g. gel, hairspray, wax, foam)
- 21. Known or suspected sensitization to one or more test formulation ingredients
- 22. Any condition that the principal investigator deems inappropriate for participation
- 23. Pharmacological treatments (topic or systemic) known to interfere with skin metabolism /physiology
- 24. Adult protected by the law (under guardianship, or hospitalized in a public or private institution, for a reason other than the research, or incarcerated)
- 25. Unable to communicate or cooperate with the Investigator due to language problems, poor mental development, or impaired cerebral function

Date of first enrolment 20/10/2022

Date of final enrolment 20/01/2023

# Locations

Countries of recruitment Italy

Study participating centre Complife Italia S.R.L Corso San Maurizio, 25 Biella Italy 13900

Study participating centre Complife Italia S.R.L Via Monsignor Angelini, 21 San Martino Siccomario Italy 27028

Study participating centre Complife Italia S.R.L via Signorelli Garbagnate Milanese Italy 20024

# Sponsor information

Organisation

**BCF Life Sciences** 

# Funder(s)

Funder type Industry

**Funder Name** 

**BCF Life Sciences** 

# **Results and Publications**

# Individual participant data (IPD) sharing plan

Raw data will be stored on Complife servers. A backup copy of the raw data will be also in a cloud-based backup server. Tables containing the raw data (output of the measurements) will also be included in the study report and shared with the study sponsor in an electronically signed PDF file. The raw data will be stored for a minimum period of 10 years on Complife servers. In the raw data tables, subjects are identified by means of a code generated by the Complife volunteer's management software. The code is composed of a letter, four digits, and a letter. Access to the raw data is allowed only to the study director and the person designated by him to elaborate on the raw data. Elaboration of the raw data includes descriptive statistics (mean and standard error) and inferential analysis (data normality and statistical test).

## IPD sharing plan summary

Stored in non-publicly available repository

**Study outputs** 

Output typeDetailsDate createdDate addedPeer reviewed?Patient-facing?Results article04/10/202401/09/2025YesNoParticipant information sheet11/11/202511/11/2025NoYes