

Understanding how common persistent cough is in work-related lung disease

Submission date 25/08/2023	Recruitment status No longer recruiting	<input type="checkbox"/> Prospectively registered <input type="checkbox"/> Protocol
Registration date 04/12/2023	Overall study status Completed	<input type="checkbox"/> Statistical analysis plan <input type="checkbox"/> Results
Last Edited 04/12/2023	Condition category Respiratory	<input type="checkbox"/> Individual participant data <input type="checkbox"/> Record updated in last year

Plain English summary of protocol

Background and study aims

This is a questionnaire study aimed at identifying the presence and severity of cough in patients attending occupational lung clinics. Persistent coughing has been associated with many occupational and environmental substances (e.g. flour, dust), however the prevalence and severity of cough in this population is unknown. In order to understand the reasons for cough in these patients and develop effective therapies, it is important to first understand the scale of the problem.

Patients attending the occupational clinic as part of their routine care will be asked if they are interested in taking part in a questionnaire study, they will be given the patient information sheet and allowed time to read and ask questions.

Their written consent will be obtained prior to administration of the questionnaires. Following the collection of their demographics and questionnaire completion, the participant will have completed the study. Their notes will be checked at a later date to obtain their final respiratory diagnosis.

Who can participate?

Any patient with a work-related lung condition, who has had a persistent cough for greater than 8 weeks.

What does the study involve?

Questionnaires about their health and cough symptoms.

What are the possible benefits and risks of participating?

There are no risks to taking part, the study is simply a questionnaire with no sensitive information collected. There are no direct benefits to individuals taking part, however, this study may help us understand important symptoms and aid us to better treating patients in the future.

Where is the study run from?

Manchester University NHS Foundation Trust (UK)

When is the study starting and how long is it expected to run for?

March 2021 to April 2025

Who is funding the study?
North West Lung Charity (UK)

Who is the main contact?
Dr Huda Badri
huda.badri@manchester.ac.uk

Contact information

Type(s)

Principal investigator

Contact name

Dr Huda Badri

ORCID ID

<https://orcid.org/0000-0002-6134-4347>

Contact details

Level 2 Education and Research Centre
Wythenshawe hospital
Manchester
United Kingdom
M23 9LT
+44 161 291 5031
huda.badri@manchester.ac.uk

Additional identifiers

Clinical Trials Information System (CTIS)

Nil known

Integrated Research Application System (IRAS)

258563

ClinicalTrials.gov (NCT)

Nil known

Protocol serial number

IRAS 258563

Study information

Scientific Title

Cough in Occupational Lung Disease

Acronym

COLD

Study objectives

Chronic cough is a troublesome condition that is defined by the presence of cough for >8 weeks. Neuronal dysfunction is now a recognised mechanism of refractory chronic cough. A wide variety of occupational lung conditions have recognised potential causes or exacerbating factors in persistent cough. Current guidelines now recommend screening employed patients for potential occupational and environmental causes of cough. However, the prevalence of persistent cough in the occupational lung disease population is unknown.

Chronic cough can be detrimental to the wellbeing of patients and there are no effective licensed therapies. Thus, early identification of patients with an occupational cause of persistent coughing is vital, as it can be necessary to alter their work environment or remove them from that workplace in order to treat them effectively.

Various studies have suggested that there are both direct and indirect mechanisms of occupational agents that can precipitate cough, e.g. stimulation of airway nerves and cough receptors by particulates such as construction dust, allergic inflammation from environmental allergens leading to inflammatory mediator release causing cough.

This research forms part of the initial exploratory work into potential neuronal mechanisms of occupation-induced cough and asthma. In order to develop studies to identify and investigate these mechanisms, we need to understand the patient demographics and identify the prevalence and severity of cough in this patient group.

Aim: To identify the prevalence of chronic cough in patients attending a specialist occupational lung clinic and to measure the effect of cough on their quality of life.

Ethics approval required

Ethics approval required

Ethics approval(s)

approved 10/05/2023, Cambridge South (Equinox House, City Link, Nottingham, NG2 4LA, United Kingdom; +44 207 104 8084; cambridgesouth.rec@hra.nhs.uk), ref: 23/EE/0088

Study design

Single centre observational study

Primary study design

Observational

Study type(s)

Other

Health condition(s) or problem(s) studied

Occupational lung diseases (airways and pneumoconiosis)

Interventions

Once consented, participant demographics and whether they report a chronic cough will be recorded and the participant will be asked to complete the Leicester Cough Questionnaire and a Visual Analogue Scale (VAS), which involved putting a mark on a 100-mm line to rate how severe their cough is. This is the end of the participant involvement, although their final diagnosis will be recorded once it is available in the participant's hospital records.

Intervention Type

Other

Primary outcome(s)

The presence of a chronic cough at the clinic visit, as determined by asking the participant.

Key secondary outcome(s)

1. Leicester Cough Questionnaire score at the clinic visit.
2. Cough severity VAS score at the clinic visit.
3. Participant diagnosis, as determined by medical records following the clinic visit.
4. Participant demographics as recorded at the clinic visit.

Completion date

01/04/2025

Eligibility**Key inclusion criteria**

1. Patients aged 18 years and over, up to the age of 80.
2. Suspected/ confirmed occupational lung disease
3. Able to read English to allow for completion of written questionnaires

Participant type(s)

Patient

Healthy volunteers allowed

No

Age group

Adult

Lower age limit

18 years

Upper age limit

80 years

Sex

All

Key exclusion criteria

1. Patients currently receiving ACE inhibitors.
2. Patients presenting with a cough of ≤ 8 weeks duration.

Date of first enrolment

01/10/2023

Date of final enrolment

01/10/2024

Locations

Countries of recruitment

United Kingdom

England

Study participating centre

Manchester University NHS Foundation Trust

Cobbett House

Oxford Road

Manchester

United Kingdom

M13 9WL

Sponsor information

Organisation

Manchester University NHS Foundation Trust

ROR

<https://ror.org/00he80998>

Funder(s)

Funder type

Charity

Funder Name

North West Lung Charity

Results and Publications

Individual participant data (IPD) sharing plan

The current data sharing plans for this study are unknown and will be available at a later date

IPD sharing plan summary

Data sharing statement to be made available at a later date

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Participant information sheet	version 1.1	17/04/2023	01/11/2023	No	Yes