Evaluation of the parenting support group intervention "Everyday life and parenting" for parents of preschool children with neurodevelopmental difficulties

Submission date	Recruitment status	Prospectively registered
16/08/2024	Recruiting	∐ Protocol
Registration date	Overall study status	Statistical analysis plan
08/10/2024	Ongoing	Results
Last Edited	Condition category	Individual participant data
06/03/2025	Mental and Behavioural Disorders	[X] Record updated in last year

Plain English summary of protocol

Background and study aims

Young children with subclinical neurodevelopmental disorders (NDDs) and concurrent emotional and behavioral problems (EBP) are at significant risk of negative consequences in the short and long term. Early parenting support interventions are recommended and requested. However, there is a lack of interventions specifically designed for this group and adapted to a Swedish context. Based on this gap, a parenting support intervention for parents with children 2 - 6 years of age with subclinical NDD and EBP has been co-created with clinicians and parents. The current project aims to evaluate the clinical- and cost-effectiveness of this parenting support group intervention.

Who can participate?

Parents of children aged 2 - 6 years old with subclinical levels of NDD and behavioral problems. The children have been referred to child health psychologists at the Child Pediatric Outpatient Clinic in Uppsala Region. Children aged 4 – 6 years old whose parents consented to participate in the project, will be invited to participate themselves.

What does the study involve?

Parents offered the parenting support group intervention Everyday life and parenting will be included in the baseline (4, 7 or 10 weeks) and they will thus start the intervention after the baseline period. They will answer 25 questions every week during the baseline, the intervention and four weeks after the intervention. The questions are about their child's behavior, their own self-efficacy as parents and stress. They will also answer questionnaires at the start of baseline, when the intervention is finished and three months after the intervention.

Children aged 4 - 6 years old will answer 5 questions weekly during the same time period as their parent.

What are the possible benefits and risks of participating?

The potential benefit of participating in the research project is that parents are given the

opportunity to reflect on their parenting and thus gain a greater awareness of the family's challenges. Based on this, it can be easier for parents to recognise what support they and their children need. It can also be meaningful to share your own experiences and perspectives and through this contribute to knowledge that can be used to help other parents and children in similar situations.

Children may enjoy answering a questionnaire that asks about their experiences in the family. This can make them feel that their opinions are important. It is rare for children of pre-school age to be involved in similar studies and this project gives them the opportunity to make their voices heard and thus fulfil a human right.

Where is the study run from?

The Child Health and Parenting (CHAP) research group at Uppsala University (Sweden) together with the Child Pediatric Outpatient Clinic in Uppsala Region.

When is the study starting and how long is it expected to run for? January 2024 to December 2026

Who is funding the study? Swedish Research Council for Health, Working Life and Welfare Foundation Sunnerdahls Disability Fund (Sweden)

Who is the main contact?

Dr Karin Fängström, karin.fangstrom@uu.se

Contact information

Type(s)

Scientific, Principal Investigator

Contact name

Dr Karin Fängström

ORCID ID

http://orcid.org/0000-0001-9879-941X

Contact details

Husargatan 3 Uppsala Sweden 75123 0184716576 karin.fangstrom@uu.se

Type(s)

Public

Contact name

Miss Ida Hedkvist

Contact details

Husargatan3 Uppsala Sweden 75123 0184716576 ida.hedkvist@uu.se

Additional identifiers

EudraCT/CTIS number Nil known

IRAS number

ClinicalTrials.gov number
Nil known

Secondary identifying numbers
Nil known

Study information

Scientific Title

The clinical- and cost-effectiveness of a parenting support group intervention for parents of preschool children with subclinical neurodevelopmental disorders and mental health problems

Study objectives

Children's behavioral problems, reported by parents, will decrease as an effect of the intervention, that parent's self-efficacy will increase and their stress will decrease

Ethics approval required

Ethics approval required

Ethics approval(s)

Approved 05/06/2024, The Swedish Ethical Review Authority (Box 2110, Uppsala, 750 02, Sweden; +46 10-475 08 00; registrator@etikprovning.se), ref: 2024-03064-01

Study design

Multiple-baseline single-case experimental design (SCED) across participants with pre- and post-measures and a 3-month follow-up

Primary study design

Interventional

Secondary study design

Non randomised study

Study setting(s)

Hospital

Study type(s)

Treatment

Participant information sheet

Not available in web format, please use the contact details to request a participant information sheet

Health condition(s) or problem(s) studied

Subclinical neurodevelopmental disorders and mental health problems

Interventions

Current interventions as of 08/11/2024:

The parenting support group intervention "Everyday life and parenting" consist of four modules. The intervention is theoretically based in social-learning theory and it uses methods from applied behavior analysis, e.g., functional behavior assessment, as well as structured teaching. Three of the intervention modules includes key components from the most effective parenting programs targeting behavior problems in children. Parenting techniques taught during the intervention includes positive parenting skills such as positive reinforcement techniques, relationship enhancement techniques and reframing unhelpful cognitive perceptions about the child. The fourth intervention module is based on theories and knowledge from treatment provided to children with autism and/or intellectual disabilities as well as the ICF framework. Important elements in this module are teaching parents how to organize the physical environment, create activity schedules, visual schedules and/or cues, establish routines with flexibility, and use visually structured activities. These elements create clarity and predictability in everyday life. Furthermore, the module includes teaching parents general analytical and learning principles for teaching new skills or dealing with problem behaviors. In addition, parents are thought how to adapt activities and demands on the individual child based on his/her cognitive and adaptive abilities.

The delivery format of our intervention is also based on well researched components and includes providing psychoeducation; discussions; homework assignments and peer support. Each module last 3 hours and the intervention is given every other week for 8 weeks.

Previous interventions:

The parenting support group intervention "Everyday life and parenting" consist of four modules. The intervention is theoretically based in social-learning theory and it uses methods from applied behavior analysis, e.g., functional behavior assessment, as well as structured teaching. Three of the intervention modules includes key components from the most effective parenting programs targeting behavior problems in children. Parenting techniques taught during the intervention includes positive parenting skills such as positive reinforcement techniques, relationship enhancement techniques and reframing unhelpful cognitive perceptions about the child. The fourth intervention module is based on theories and knowledge from treatment provided to children with autism and/or intellectual disabilities as well as the ICF framework. Important elements in this module are teaching parents how to organize the physical environment, create activity schedules, visual schedules and/or cues, establish routines with flexibility, and use visually structured activities. These elements create clarity and predictability in everyday life. Furthermore, the module includes teaching parents general analytical and learning principles for teaching new skills or dealing with problem behaviors. In addition, parents are thought how to adapt activities and demands on the individual child based on his/her cognitive and adaptive abilities.

The delivery format of our intervention is also based on well researched components and includes providing psychoeducation; discussions; homework assignments and peer support. Each module last 3 hours and the intervention is given every other week for 8 weeks.

A computer-generated randomization sequence will be used to assign the participants to a 4-, 7- or 10-week baseline in a 1:1:1 ratio. Block randomization of block sizes 3 or 6 will be generated in a computerized randomization scheme.

Intervention Type

Behavioural

Primary outcome measure

Current primary outcome measure as of 08/11/2024:

Questionnaire distributed to parents every week for 15, 18 or 21 weeks, i.e. during baseline phase, intervention and four weeks post intervention:

- 1. Child behavior problems, questions based on the Eyberg Child Behavior Inventory
- 2. Parental self-efficacy, the Me As a Parent questionnaire
- 3. Parents' perceived stress, the Parental Stress Scale

Previous primary outcome measure:

Questionnaire distributed to parents every week for 16, 19 or 22 weeks, i.e. during baseline phase, intervention and four weeks post intervention:

- 1. Child behavior problems, questions based on the Eyberg Child Behavior Inventory
- 2. Parental self-efficacy, the Me As a Parent questionnaire
- 3. Parents' perceived stress, the Parental Stress Scale

Secondary outcome measures

Current secondary outcome measure as of 08/11/2024:

Measured at pre-, post and 3-month follow-up, parent's ratings:

- 1. Child mental health problems, using Strength and Difficulties Questionnaire
- 2. Parental self-efficacy, using Me As a Parent
- 3. Parental stress using the Parental Stress Scale
- 4. Parent's mental health using General health questionnaire, GHQ-12
- 5. Quality of Life, using Assessing Quality of Life 8 Dimensions (AQOL-8D)
- 6. Costs related to consumption of societal resources, Trimbos/iMTA questionnaire (TIC-P)
- 7. Costs related to healthcare consumption using data from child medical records on the number of healthcare visits, prescribed drugs, referrals etc.

Measured weekly during 15, 18 or 21 weeks:

8. Children's positive and negative experiences of family life using 5 questions developed for this study

Previous secondary outcome measure:

Measured at pre-, post and 3-month follow-up, parent's ratings:

- 1. Child mental health problems, using Strength and Difficulties Questionnaire
- 2. Parental self-efficacy, using Me As a Parent
- 3. Parental stress using the Parental Stress Scale
- 4. Parent's mental health using General health questionnaire, GHQ-12
- 5. Quality of Life, using Assessing Quality of Life 8 Dimensions (AQOL-8D)

- 6. Costs related to consumption of societal resources, Trimbos/iMTA questionnaire (TIC-P)
- 7. Costs related to healthcare consumption using data from child medical records on the number of healthcare visits, prescribed drugs, referrals etc.

Measured weekly during 16, 19 or 22 weeks:

8. Children's positive and negative experiences of family life using 5 questions developed for this study

Overall study start date

01/01/2024

Completion date

31/12/2026

Eligibility

Key inclusion criteria

- 1. Parents of children aged 2 6 years old with subclinical levels of NDD and behavioral problems (as assessed by a clinical psychologist) who have been offered and accepted to participate in the parenting intervention Everyday Life and Parenting
- 2. Parents need to be able to answer questionnaires in Swedish
- 3. Only one parent from each family will be included (i.e., the father as fathers often are underrepresented and therefore will contribute to a gender balance in the sample)
- 4. Children aged 4 6 years old, who's parent/parents participate in Everyday life and parenting

Participant type(s)

Patient

Age group

Mixed

Lower age limit

4 Years

Upper age limit

99 Years

Sex

Both

Target number of participants

80 randomised to achieve 54 completed measures accounting for study attrition

Key exclusion criteria

- 1. Parents who cannot answer the questionnaires in Swedish
- 2. Parents who don't understand the study information or informed consent
- 3. Children whose parents are excluded based on the above criteria
- 4. Children below 4 years of age

Date of first enrolment

Date of final enrolment 31/12/2025

Locations

Countries of recruitment

Sweden

Study participating centre
Child Pediatric Outpatient Clinic in Uppsala Region

Islandsgatan 2 Uppsala Sweden 75308

Sponsor information

Organisation

Uppsala University

Sponsor details

Husargatan 3 Uppsala Sweden 75123 +46 184716576 registrator@uu.se

Sponsor type

University/education

Website

https://www.uu.se/en/

ROR

https://ror.org/048a87296

Organisation

Akademiska Children's Hospital/Region Uppsala

Sponsor details

Islandsgatan 2 Uppsala Sweden 75308 +46 186118732 karin.fangstrom@akademiska.se

Sponsor type

Hospital/treatment centre

Website

https://www.uu.se/en/

Funder(s)

Funder type

Research council

Funder Name

Forskningsrådet om Hälsa, Arbetsliv och Välfärd

Alternative Name(s)

Swedish Research Council for Health, Working Life and Welfare, FORTE

Funding Body Type

Government organisation

Funding Body Subtype

Local government

Location

Sweden

Funder Name

Foundation Sunnerdahls Disability Fund

Results and Publications

Publication and dissemination plan

Results to be published in peer reviewed journals

Intention to publish date

31/12/2026

Individual participant data (IPD) sharing plan

The datasets generated during and/or analysed during the current study are/will be available upon request from dr Karin Fängström (karin.fangstrom@uu.se).

IPD sharing plan summary

Available on request