The role of text messages in helping people to change to a healthy lifestyle to stop them from getting diabetes type 2

Submission date	Recruitment status No longer recruiting	[X] Prospectively registered		
24/05/2018		[X] Protocol		
Registration date	Overall study status Completed Condition category Nutritional, Metabolic, Endocrine	Statistical analysis plan		
04/06/2018		Results		
Last Edited		Individual participant data		
25/11/2019		Record updated in last year		

Plain English summary of protocol

Background and study aims

Pre-diabetes is a condition where the person is not yet diabetic but is at a great risk to be so. A person with pre-diabetes has high blood sugar but not high enough to be called diabetic. A major way to stop a pre-diabetic from becoming diabetic is to have good amount of daily physical activity and eat a healthy diet. There are many ways to help people live a healthy lifestyle. The aim of this study is to see whether encouraging people through text messages helps them to eat healthily and move more.

Who can participate?

People above the age of 18 who are pre-diabetic

What does the study involve?

Participants are randomly allocated to one of two groups. One group is sent the text messages and the other group does not get any messages. Their blood sugar is measured to see which group benefited more. Both groups also get a standard education session on how to eat healthily and move more.

What are the possible benefits and risks of participating?

The expected side effect is a little pain from the needle when taking blood to test blood sugar.

Where is the study run from?

King Saud University Medical City (Saudi Arabia)

When is the study starting and how long is it expected to run for? September 2018 to December 2020 (as of 19/10/2018)

Who is funding the study?

King Abdulaziz City for Science and Technology (Saudi Arabia)

Contact information

Type(s)

Public

Contact name

Dr Rasmieh Alzeidan

Contact details

PO Box 102599 Riyadh Saudi Arabia 11685

Additional identifiers

Protocol serial number

E-17-27607

Study information

Scientific Title

The effectiveness of the text messages to modify lifestyle prevent or delay the onset of type 2 diabetes mellitus among university employees and their families with impaired glucose tolerance in Saudi Arabia: a randomized controlled trial

Study objectives

The trialists hypothesize that the intervention group will have a significant bigger reduction in HA1C than the control group.

Ethics approval required

Old ethics approval format

Ethics approval(s)

IRB of King Saud University, College of Medicine, 03/10/2017, ref: E-17-27607

Study design

Prospective parallel-group randomized controlled trial

Primary study design

Interventional

Study type(s)

Prevention

Health condition(s) or problem(s) studied

Pre-diabetes

Interventions

A computer-generated randomization sequence (Matlab randperm version 6) based on Marsaglia's algorithm to randomly allocate patients (1:1) to individually tailored phone messaging or to a control group that received standard life modification advice at baseline visit only.

The intervention is lifestyle modification text messages that are tailored to the participant according to the Trans Theoretical Model (TTM) stage of change. Both control and intervention groups will receive a baseline standard lifestyle modification education session, and both groups take metformin tablets as prescribed by their treating physician.

Intervention Type

Behavioural

Primary outcome(s)

- 1. Incident type 2 diabetes measured at the end of the study after 24 months
- 2. Hyperglycemia measured by HbA1c at baseline and 24 months

Key secondary outcome(s))

- 1. Level of low density lipoprotein cholesterol (LDL-C) at baseline and 24 months
- 2. Systolic diastolic blood pressure at baseline and 24 months
- 3. Body weight at baseline, 12 months and 24 months
- 4. Physical activity level checked at every 6 month follow up visit and at 24 months
- 5. Fruit/vegetables intake portions consumed per day at 24 months
- 6. Incidence of myocardial infarction, stroke, death and re-hospitalization checked through subjects' electronic file at the end of the study

Completion date

31/12/2020

Eligibility

Key inclusion criteria

- 1. ≥ 18 years old
- 2. Speak and read Arabic or English as applicable
- 3. Use text messages on their mobile phones
- 4. Have prediabetes
- 5. HbA1c value between 5.7-6.4%

Participant type(s)

Patient

Healthy volunteers allowed

No

Age group

Adult

Lower age limit

18 years

Sex

All

Key exclusion criteria

- 1. < 18 years old
- 2. Pregnant women
- 3, Any subject who has overt diabetes

Date of first enrolment

01/09/2018

Date of final enrolment

30/09/2018

Locations

Countries of recruitment

Saudi Arabia

Study participating centre King Saud University Medical City Saudi Arabia 11472

Sponsor information

Organisation

King Saud University

ROR

https://ror.org/02f81g417

Funder(s)

Funder type

Government

Funder Name

King Abdulaziz City for Science and Technology

Alternative Name(s)

KACST

Funding Body Type

Government organisation

Funding Body Subtype

National government

Location

Saudi Arabia

Results and Publications

Individual participant data (IPD) sharing plan

The access for data will be restricted to the minimal considering the patients' privacy and upon the approval of King Saud University IRB as it is not clear to what extent the trialists can share data from the legal point of view in Saudi Arabia.

IPD sharing plan summary

Other

Study outputs

Output type	Details	Date created	Date added Pee	r reviewed?	Patient-facing?
Protocol article	protocol	21/11/2019	25/11/2019 Yes	J	No
Participant information sheet	Participant information sheet	11/11/2025	11/11/2025 No	,	Yes