

# Effects of chia seeds on psoriasis

<b>Submission date</b> 21/02/2017	<b>Recruitment status</b> No longer recruiting	<input checked="" type="checkbox"/> Prospectively registered
<b>Registration date</b> 22/02/2017	<b>Overall study status</b> Completed	<input type="checkbox"/> Protocol
<b>Last Edited</b> 22/09/2017	<b>Condition category</b> Skin and Connective Tissue Diseases	<input type="checkbox"/> Statistical analysis plan
		<input type="checkbox"/> Results
		<input type="checkbox"/> Individual participant data
		<input type="checkbox"/> Record updated in last year

## Plain English summary of protocol

### Background and study aims

Psoriasis is a common inflammatory skin condition that causes red, flaky, crusty patches of skin covered with silvery scales in the knees, lower back/hip area, elbows, hands, feet, and scalp. Psoriasis is usually caused by a genetic predisposition (something in your DNA that makes you to be more likely to get it) and different environmental factors. There are three different treatments for psoriasis: topical, phototherapy and systemic. Topical treatments involve applying medication directly on the skin, such as a cream or gel. Phototherapy involves shining a specific light on the skin in combination with a tablet or cream containing psoralen (a medication made from plants that make the skin more sensitive to light). Systemic treatment involves taking anti-inflammatory and/or immunosuppressant medications (medications that try to prevent the body's natural way of fighting off bacteria and disease). In addition to these treatments, there are natural therapies that try to address the cause of psoriasis. The biochemical mechanisms that cause inflammation are very complex. There are specific enzymes that transform fatty acids (mainly omega 3 and 6) into compounds able to stop the inflammatory process. Recent studies have shown that omega 3 fatty acids could be helpful for those with psoriasis. As western diets are low in omega 3 fatty acids, specific foods and food supplements rich in omega 3 fatty acids could help improve the symptoms of psoriasis. Chia seeds (small brown/black seeds found in Mexico and Guatemala) are rich in precursors of omega 3 and omega 6 fatty acids which play a role in inflammation. The aim of this study is to evaluate the effects of chia seeds based food supplements as tools to provide high amounts of these anti-inflammatory compounds, with the aim of reducing psoriasis.

### Who can participate?

Caucasian men and women aged between 18-83 years old.

### What does the study involve?

Participants are randomly allocated to one of five groups. All participants fill out a food frequency questionnaire at the beginning of the study and then are asked to consume a food containing no omega 3 or 6 every day for a month. Those in group one eat five grams of chia seeds daily for two months. Those in group two eat five grams of micronized chia seeds daily for two months. Those in group three eat two grams of a food product that has monocomponent chia seeds daily for two months. Those in group four eat two grams of a food product that has multicomponent chia seeds daily for two months. Those in group five eat 60mg of vitamin E daily for two months. Photographs are taken of their lesions at the beginning and at the end of the

study. Participants are asked to fast for 12 hours before they give blood samples at the beginning of the study and at week 4, 8, 12 and 16. Participants are followed up to see how the chia seeds affect their psoriasis.

What are the possible benefits and risks of participating?

Participants may benefit from a reduction in psoriatic plaque. There are no notable risks involved with participating.

Where is the study run from?

1. Samnium Medical Cooperative (Italy)
2. Department of Pharmacy, University of Naples "Federico II" (Italy)

When is the study starting and how long is it expected to run for?

March 2017 to June 2016

Who is funding the study?

1. Samnium Medical Cooperative (Italy)
2. Department of Pharmacy, University of Naples "Federico II" (Italy)

Who is the main contact?

Prof. Gian Carlo Tenore  
giancarlo.tenore@unina.it

## Contact information

### Type(s)

Scientific

### Contact name

Prof Gian Carlo Tenore

### ORCID ID

<https://orcid.org/0000-0002-0251-9936>

### Contact details

Via Domenico Montesano, 49

Naples

Italy

80131

+39081678610

giancarlo.tenore@unina.it

## Additional identifiers

### Protocol serial number

19.04.2016 57993

## Study information

### Scientific Title

Effects of CHIA SEED based nutraceutical products on PSORiatic plaques in a randomised trial

**Acronym**

CHIASEEDPSOR

**Study objectives**

The aim of this study is to evaluate the effects of chia seed based nutraceutical products on psoriatic plaques in human subjects.

**Ethics approval required**

Old ethics approval format

**Ethics approval(s)**

Azienda Ospedaliera Gaetano Rummo Via dell'Angelo, 19/04/2016, ref: 57993

**Study design**

Interventional randomised parallel controlled trial

**Primary study design**

Interventional

**Study type(s)**

Prevention

**Health condition(s) or problem(s) studied**

Psoriatic plaques

**Interventions**

Participants have photographs taken of their psoriasis lesions and the severity of their symptoms is measured. Participants undergo a clinical evaluation and fill out a questionnaire about dietary habits at the beginning of the study. They are then instructed to consume a placebo daily for one month. After the one month of consuming a placebo, participants are randomly allocated to one of five groups.

Group 1: Participants are instructed to consume five grams of chia seeds per day for two months.

Group 2: Participants are instructed to consume five grams of micronized chia seeds per day for two months.

Group 3: Participants are instructed to consume two grams of monocomponent chia seed based nutraceutical per day for two months.

Group 4: Participants are instructed to consume two grams of multicomponent chia seed based nutraceutical per day for two months.

Group 5: Participants are instructed to consume 200 mg salicylate extract per day for two months.

A follow up period of one month is planned for each group. Photographs are taken of the lesions at the end of the study. Participants are followed up with a blood test (in which they are asked to fast for 12 hours before the test) and clinical visits at 4, 6, 8, 12 and 16 weeks to see if eating chia seeds reduced the size of the psoriasis.

**Intervention Type**

Supplement

### **Primary outcome(s)**

Size of erythema, desquamation and the size of the plaque being surveyed is measured using the Psoriasis Area Severity Index (PASI) at baseline, 4, 8, 12, and 16 weeks

### **Key secondary outcome(s)**

1. Clinical history is measured both by interviews and previous clinical data at baseline
2. The reduction of itch is measured using Visual Analogue Scale (VAS) at baseline, 4, 8, 12, and 16 weeks
3. Nutrient intake and dietary habits are measured using a seven day food record validated nutritional questionnaire at baseline, 4, 8, 12, and 16 weeks
4. Blood pressure is measured using a blood pressure cuff at baseline, 4, 8, 12, and 16 weeks
5. 24 hour ambulatory blood pressure is measured using blood pressure cuff baseline, 4, 8, 12, and 16 weeks
6. Blood analysis (AST, ALT,  $\gamma$ -GTP, ALP, LDH, Albumin, Total bilirubin, Creatinine) is measured using a blood test (analysis by spectrophotometer) at baseline, 4, 8, 12, and 16 weeks

### **Completion date**

30/06/2017

## **Eligibility**

### **Key inclusion criteria**

1. Men and women between 18-83 years of age
2. Caucasian
3. Chronic plaque psoriasis of any severity (treated and untreated)

### **Participant type(s)**

Healthy volunteer

### **Healthy volunteers allowed**

No

### **Age group**

Adult

### **Lower age limit**

18 years

### **Upper age limit**

83 years

### **Sex**

All

### **Key exclusion criteria**

1. Smoking
2. Obesity (BMI >30 kg/m<sup>2</sup>)
3. Diabetes
4. Hepatic disease

5. Renal disease
6. Heart disease
7. Family history of chronic diseases
8. Heavy physical exercise (>10 h/week)
9. Pregnant women, women suspected of being pregnant, women who hoped to become pregnant, breastfeeding
10. Birch pollen allergy
11. Use of vitamin/mineral supplements 2 weeks prior to entry into the study
12. Donation of blood less than 3 months before the study

**Date of first enrolment**

23/02/2017

**Date of final enrolment**

28/02/2017

## Locations

**Countries of recruitment**

Italy

**Study participating centre****Samnium Medical Cooperative**

Viale C. Colombo, 18

Benevento

Italy

82037

**Study participating centre****Department of Pharmacy, University of Naples "Federico II" (lead centre).**

via Domenico Montesano, 49

Naples

Italy

80131

## Sponsor information

**Organisation**

Samnium Medical Cooperative

**ROR**

<https://ror.org/02ww5xj89>

# Funder(s)

## Funder type

Not defined

## Funder Name

Samnium Medical Cooperative

# Results and Publications

## Individual participant data (IPD) sharing plan

The datasets generated during and/or analysed during the current study are/will be available upon request from Prof Gian Carlo Tenore [giancarlo.tenore@unina.it](mailto:giancarlo.tenore@unina.it)

## IPD sharing plan summary

Available on request