A pilot study to evaluate automatic deep vein thrombosis diagnostic software

Submission date	Recruitment status No longer recruiting	[X] Prospectively registered		
10/05/2021		Protocol		
Registration date 21/05/2021	Overall study status Completed	Statistical analysis plan		
		[X] Results		
Last Edited 27/05/2025	Condition category Circulatory System	[] Individual participant data		

Plain English summary of protocol

Background and study aims

Deep vein thrombosis (DVT) is a term that describes blood clots (thrombi) that can form in the deep veins. The deep leg veins are commonly affected (such as the proximal veins: the femoral vein or the popliteal vein) or the deep veins of the pelvis. The standard approach to making a diagnosis involves an algorithm combining pre-test probability, a blood test called the D-dimer test, and the patient undergoing an ultrasound of the leg veins. Ultrasound is currently completed by a trained expert (e.g. sonographer or radiologist).

However, handheld ultrasound probes have recently become available and they have enabled 'app-based' ultrasonography to be performed. ThinkSono has developed software (AutoDVT software) which it is hoped has the same accuracy for diagnosing DVT as the standard ultrasound. If this study has a positive outcome, it would mean that DVT could be diagnosed at the point of care by non-experts such as nurses, junior doctors, general practitioners and other healthcare staff. By diagnosing DVT early in the clinical pathway (for example, at GP practices), the technology could reduce emergency department admissions and free up specialists to focus on other clinical tasks. These improvements could also potentially reduce the financial burden of the DVT diagnostic service on the NHS.

Who can participate?

Patients aged 18 years and over, coming for a check to see if they have a DVT and have symptoms suggesting that they need an ultrasound scan

What does the study involve?

Participants undergo two compression ultrasound scans. One is carried out by a non-radiology staff member (e.g a nurse) using AI software to guide them and another ultrasound scan will be carried out as already scheduled by a sonographer or radiologist.

What are the possible benefits and risks of participating?

This study will not benefit participants directly in the short term but it may benefit patients having an ultrasound for a DVT in the future. The results from this study will improve knowledge of how software may be able to help diagnose blood clots accurately and quickly.

Ultrasound is a very safe method of confirming a DVT or not and is used already as standard care in hospitals. There are no risks of taking part. The scan does involve some pressing on the leg but if it is painful or participants want to stop they can let the researchers know.

Where is the study run from? Nuffield Orthopaedic Centre (UK)

When is the study starting and how long is it expected to run for? April 2021 to June 2024

Who is funding the study?
The Wellcome Trust via ThinkSono Ltd (UK)

Who is the main contact?

- 1. Chris Deane (trial manager, general queries), advent@nhsbt.nhs.uk
- 2. Fouad Al-Noor (general and technical queries), fouad@thinksono.com
- 3. Dr Nicola Curry (clinical queries), nicola.curry@ouh.nhs.uk

Contact information

Type(s)

Public

Contact name

Mr Fouad Noor

Contact details

Flat 35 Mercury House Heathcroft London United Kingdom W53BF +44 (0)7947998867 fouad@thinksono.com

Type(s)

Scientific

Contact name

Dr Nicola Curry

Contact details

Oxford Haemophilia & Thrombosis Centre Old Road Headington Oxford United Kingdom OX3 7LE +44 (0)1865 225316 nicola.curry@ouh.nhs.uk

Type(s)

Public

Contact name

Mr Christopher Deane

ORCID ID

https://orcid.org/0000-0002-9753-3799

Contact details

NHSBT Clinical Trials Unit John Radcliffe Hospital Headley Way Headington Oxford United Kingdom OX3 9BQ +44 (0)7385 387696 advent@nhsbt.nhs.uk

Additional identifiers

EudraCT/CTIS number

Nil known

IRAS number

285274

ClinicalTrials.gov number

Nil known

Secondary identifying numbers

IRAS 285274

Study information

Scientific Title

A multi-centre, prospective, double-blinded, pilot study evaluating artificial intelligence driven automatic detection of proximal deep vein thrombosis

Acronym

ADVENT

Study objectives

Deep vein thrombosis (DVT) is a term that describes a blood clot (thrombus) that can form in the deep veins. DVT commonly affects the proximal deep venous system of the legs: i.e. femoral vein, popliteal vein or the deep veins of the pelvis. The standard approach to making a diagnosis currently involves an algorithm combining pre-test probability, D-dimer testing, and compression ultrasonography (typically a two or three-point compression exam). This study will compare the gold standard two or three-point compression ultrasound exam with an automated

DVT scan guided by novel software (AutoDVT) and with AutoDVT with an additional review by a suitably qualified clinician with more than one year of experience diagnosing DVTs (e.g. sonographer or radiologist). The aim of the study is to estimate the sensitivity and specificity of the AutoDVT software and AutoDVT with an additional review by a suitably qualified clinician with more than 1 year of experience diagnosing DVTs (e.g. sonographer or radiologist) compared to two or three-point compression ultrasound exam.

Ethics approval required

Old ethics approval format

Ethics approval(s)

Approved 03/08/2021, East of Scotland Research Ethics Service REC 2 (Ninewells Hospital & Medical School, Tayside Medical Science Centre (TASC), Residency Block, Level 3, George Pirie Way, Dundee, DD1 9SY, UK; +44 (0)1382 383871; tay.eosres@nhs.scot), ref: 21/ES/0070

Study design

Multi-centre prospective double-blinded observational study

Primary study design

Observational

Secondary study design

Cohort study

Study setting(s)

Hospital

Study type(s)

Diagnostic

Participant information sheet

Not available in web format, please use the contact details to request a participant information sheet

Health condition(s) or problem(s) studied

Deep vein thrombosis

Interventions

An AutoDVT software scan and remote radiology review are compared for accuracy with a clinical ultrasound scan. The study scan will not be used for diagnosis or to direct treatment.

Intervention Type

Device

Phase

Not Applicable

Drug/device/biological/vaccine name(s)

AutoDVT R1 Software

Primary outcome measure

- 1. Sensitivity of AutoDVT within a treatment algorithm for the detection of a proximal DVT by non-radiology trained staff relative to two- or three-point compression ultrasound, at initial scan and 7 days
- 2. Sensitivity of AutoDVT within a treatment algorithm for the detection of a proximal DVT by non-radiology trained staff and remote diagnosis by a suitably qualified clinician with more than 1 year of experience diagnosing DVTs (e.g. sonographer or radiologist) retrospectively relative to two- or three-point compression ultrasound, at initial scan and 7 days

Secondary outcome measures

- 1. Specificity of AutoDVT relative to two- or three-point compression ultrasound, at initial scan and 7 days
- 2. Diagnostic image quality of AutoDVT US data (using ACEP image quality scale) across all initial and 7-day scans
- 3. Positive and negative predictive values of AutoDVT relative to two- or three-point compression ultrasound, at initial scan and 7 days
- 4. Imaging failure rates (with reasons) recorded by the software across all initial and 7-day scans
- 5. Numbers of discrepant results (AutoDVT vs ultrasound) recorded by comparing the software and clinical diagnoses at initial and 7-day scans
- 6. Interoperator variability of AutoDVT results assessed using a kappa statistic for 10% of initial scans
- 7. Interobserver agreement in DVT diagnosis and image quality score between 5 reviewers of each scan at initial scan and 7 days
- 8. Numbers of eligible patients not enrolled (with reasons) recorded by the research staff at enrolment
- 9. Safety: number of subsequent venous thromboembolic events and/or death related to venous thromboembolism (VTE) recorded by contacting the patient and/or General Practitioner at 3 months
- 10. Feasibility of recording of AutoDVT scans assessed using recruitment, user feedback and scans missed at initial scan and 7 days
- 11. Duration of AutoDVT scans recorded by the software at initial and 7-day scans
- 12. Number of indeterminate and repeat scans recorded by the software at initial and 7-day scans
- 13. Feedback from the research nurses on ease of use of the software (PSSUQ version 3 score and qualitative feedback) provided after they have done all scanning in the project

Overall study start date

01/04/2021

Completion date

30/06/2024

Eligibility

Key inclusion criteria

- 1. The participant has the capacity to consent and consent is obtained
- 2. The participant is an adult (aged 18 years or older in the UK)
- 3. The participant has symptoms suggestive of a deep venous thrombosis (DVT)
- 4. The diagnostic DVT algorithm indicates that an ultrasound is needed

Participant type(s)

Patient

Age group

Adult

Lower age limit

18 Years

Sex

Both

Target number of participants

400

Key exclusion criteria

- 1. Pregnant women at 12 weeks or more gestation
- 2. A d-dimer cannot be performed (e.g. due to prior anticoagulation)
- 3. The participant is found to have a distal DVT during the US scan (retrospective exclusion)
- 4. The participant has had a previous radiologically confirmed DVT in the symptomatic leg

Date of first enrolment

13/12/2021

Date of final enrolment

31/03/2024

Locations

Countries of recruitment

England

United Kingdom

Study participating centre Northern General Hospital

Herries Rd Sheffield United Kingdom S5 7AU

Study participating centre Nuffield Orthopaedic Centre

Windmill Road Headington Oxford United Kingdom OX3 7LD

Study participating centre Stoke Mandeville Hospital

Mandeville Road Aylesbury United Kingdom HP21 8AL

Study participating centre King's College Hospital

Denmark Hill London United Kingdom SE5 9RS

Study participating centre Princess Royal Hospital

Farnborough Common, Orpington. Telford United Kingdom BR6 8ND

Study participating centre Leicester Royal Infirmary

Infirmary Square Leicester United Kingdom LE1 5WW

Study participating centre Stepping Hill Hospital

Stockport United Kingdom SK2 7JE

Study participating centre Cardiff & Vale University Health Board University Hospital of Wales

University Hospital or Wales Heath Park

Sponsor information

Organisation

Oxford University Hospitals NHS Trust

Sponsor details

Old Road Headington Oxford England United Kingdom OX3 7LE +44 (0)300 304 7777 media.office@ouh.nhs.uk

Sponsor type

Hospital/treatment centre

Website

https://www.ouh.nhs.uk/

ROR

https://ror.org/03h2bh287

Funder(s)

Funder type

Research organisation

Funder Name

Wellcome Trust

Alternative Name(s)

Wellcome, WT

Funding Body Type

Private sector organisation

Funding Body Subtype

Trusts, charities, foundations (both public and private)

Location

United Kingdom

Results and Publications

Publication and dissemination plan

Planned publication in a high-impact peer-reviewed journal. The researchers will make the study protocol available at a later date.

Intention to publish date

31/07/2025

Individual participant data (IPD) sharing plan

Access to the final dataset for additional analyses will be permitted with the agreement of the Trial Steering Committee after the end of the study. General participant-level data will be held by NHS Blood and Transplant for 10 years after the end of the study (contactable on ADVENT@nhsbt.nhs.uk). Data and images collected by the AutoDVT software will be held by Thinksono (contactable on hello@thinksono.com) indefinitely but only made available for noncommercial research use.

IPD sharing plan summary

Available on request

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Results article		15/09/2021	14/12/2021	Yes	No
HRA research summary			26/07/2023	No	No
Other publications		01/03/2025	27/05/2025	Yes	No