Intensified CHOP of 12-weeks duration plus G-CSF as compared with standard CHOP of 24-weeks duration for patients with intermediate prognosis non-Hodgkin's lymphoma

Submission date	Recruitment status No longer recruiting	Prospectively registered		
20/12/2005		☐ Protocol		
Registration date	Overall study status	Statistical analysis plan		
20/12/2005	Completed	[X] Results		
Last Edited	Condition category	[] Individual participant data		
09/11/2022	Cancer			

Plain English summary of protocol

Not provided at time of registration

Contact information

Type(s)

Scientific

Contact name

Dr L F Verdonck

Contact details

University Medical Centre Utrecht Department of Haematology P.O. Box 85500 Utrecht Netherlands 3508 GA +31 (0)30 250 7230 l.f.verdonck@azu.nl

Additional identifiers

Protocol serial number Ho26

Study information

Scientific Title

Intensified CHOP of 12-weeks duration plus G-CSF as compared with standard CHOP of 24-weeks duration for patients with intermediate prognosis non-Hodgkin's lymphoma

Acronym

HOVON 26 NHL

Study objectives

The hypothesis to be tested is that the outcome in arm B is better than in arm A.

Ethics approval required

Old ethics approval format

Ethics approval(s)

Ethics approval received from the local medical ethics committee

Study design

Randomised, placebo controlled, parallel group, multicentre trial

Primary study design

Interventional

Study type(s)

Treatment

Health condition(s) or problem(s) studied

Non Hodgkin's lymphoma (NHL)

Interventions

Patients will be randomised between:

Arm A: Three courses of standard cyclophosphamide, doxorubicin, vincristine, and prednisone (CHOP) every three weeks.

Arm B: Three courses of intensified CHOP every two weeks plus Granulocyte-Colony Stimulating Factor (G-CSF).

Patients with less than Partial Response (PR) will go off protocol. Patients in PR or Complete Response (CR) will proceed to another five courses of standard CHOP or another three courses of intensified CHOP plus G-CSF.

Intervention Type

Drug

Phase

Phase III

Drug/device/biological/vaccine name(s)

Cyclophosphamide, doxorubicin, vincristine, and prednisone (CHOP), and Granulocyte-Colony Stimulating Factor (G-CSF).

Primary outcome(s)

CR rate and overall survival.

Key secondary outcome(s))

- 1. Disease-free survival
- 2. Relapse rate
- 3. Assessment of value of risk factors at diagnosis in relation to dose intensity of the treatment
- 4. Morbidity, number of days in hospital, treatment-related mortality, duration of leucopenia and other aspects in relation to dose intensity

Completion date

01/04/2004

Eligibility

Key inclusion criteria

- 1. Previously untreated patients with a primary Non Hodgkins Lymphoma (NHL) of intermediate or high grade malignancy according to the Working Formulation (group D, E, F, G, H)
- 2. Belonging to the intermediate risk group:
- a. stage II, Lactate Dehydrogenase (LDH) greater than or equal to 1.5 x normal
- b. stage III, LDH greater than 1.5 x normal
- c. stage IV, LDH less than 1.5 x normal
- 3. Age greater than or equal to 15, or less than or equal to 65 years

Participant type(s)

Patient

Healthy volunteers allowed

No

Age group

Adult

Sex

ΔII

Total final enrolment

477

Key exclusion criteria

- 1. Patients with prior malignancies, except stage one cervix carcinoma and basocellular carcinoma
- 2. Patients with severe cardiac (means severe heart failure requiring symptomatic treatment or a cardiac ejection fraction of less than 45%) pulmonary, neurologic or metabolic disease.
- 3. Inadequate liver or renal function i.e. serum creatinine or bilirubin greater than 25 x the upper normal value, except when related to the lymphoma
- 4. Human Immunodeficiency Virus (HIV) positivity
- 5. Inability to give informed consent
- 6. Involvement of the central nervous system by the NHL

Date of first enrolment

Date of final enrolment 01/04/2004

Locations

Countries of recruitment

Netherlands

Study participating centre
University Medical Centre Utrecht
Utrecht
Netherlands
3508 GA

Sponsor information

Organisation

Daniel den Hoed Kliniek (Erasmus Medical Centre) (The Netherlands)

ROR

https://ror.org/018906e22

Funder(s)

Funder type

Research organisation

Funder Name

Dutch Haemato-Oncology Association (Stichting Hemato-Oncologie Volwassenen Nederland) (HOVON) (The Netherlands)

Funder Name

The National Cancer Fund (Koningin Wilhelmina Fonds [KWF]) (The Netherlands)

Results and Publications

Individual participant data (IPD) sharing plan

Not provided at time of registration

IPD sharing plan summary

Not provided at time of registration

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Results article		01/04/2007		Yes	No