

European Pharmacogenetics of Anticoagulant Therapy

Submission date	Recruitment status	<input type="checkbox"/> Prospectively registered
29/10/2010	No longer recruiting	<input type="checkbox"/> Protocol
Registration date	Overall study status	<input type="checkbox"/> Statistical analysis plan
29/10/2010	Completed	<input checked="" type="checkbox"/> Results
Last Edited	Condition category	<input type="checkbox"/> Individual participant data
14/07/2014	Circulatory System	

Plain English summary of protocol

Not provided at time of registration

Contact information

Type(s)

Scientific

Contact name

Prof Munir Pirmohamed

Contact details

Department of Pharmacology and Therapeutics
Sherrington Building
The New Medical School
Ashton Street
Liverpool
United Kingdom
L69 3GE
munirp@liv.ac.uk

Additional identifiers

Clinical Trials Information System (CTIS)

2009-016993-34

ClinicalTrials.gov (NCT)

NCT01119300

Protocol serial number

9031

Study information

Scientific Title

Acronym

EUPACT

Study objectives

Two-armed, single blind, randomised controlled trial of genotype guided dosing versus non-genotype guided dosing.

Ethics approval required

Old ethics approval format

Ethics approval(s)

MREC approved (ref: 10/H1005/51)

Study design

Multicentre randomised interventional treatment trial

Primary study design

Interventional

Study type(s)

Treatment

Health condition(s) or problem(s) studied

Topic: Stroke Research Network; Subtopic: Prevention; Disease: Drug type

Interventions

Genotyping for CYP2C9 & VKORC1: Predose POCT to determine genotype for CYP2C9 and VKORC1 for participants randomised in intervention group.

Follow up length: 3 months

Intervention Type

Other

Phase

Phase IV

Primary outcome(s)

Percent time within therapeutic INR range 2.0-3.0 during 12 weeks after start of coumarin therapy

Key secondary outcome(s))

Not provided at time of registration

Completion date

22/06/2013

Eligibility

Key inclusion criteria

1. Patients with either venous thromboembolism (VTE) or atrial fibrillation (AF) requiring coumarin therapy for at least 12 weeks and a target International Normalised Ratio (INR) in the low intensity range (INR range 2 - 3)
2. Aged greater than or equal to 18 years, either sex
3. Ability to attend scheduled visits
4. Signed informed consent

Participant type(s)

Patient

Healthy volunteers allowed

No

Age group

Not Specified

Lower age limit

18 years

Sex

Not Specified

Key exclusion criteria

1. Presence of a mechanical heart valve
2. Severe cognitive impairment which affects adherence to therapy as judged by the responsible physician
3. Known genotype CYP2C9 or VKORC1 at start of the study
4. Previous or current treatment with any coumarin (maximum one dose allowed)
5. Pregnancy or lactation
6. Non-eligible subject according to the treating physician
7. A blood transfusion within the last two weeks or bone marrow transplantation at any time

Date of first enrolment

04/10/2010

Date of final enrolment

22/06/2013

Locations

Countries of recruitment

United Kingdom

England

Sweden

Study participating centre
Department of Pharmacology and Therapeutics
Liverpool
United Kingdom
L69 3GE

Sponsor information

Organisation
University of Liverpool (UK)

ROR
<https://ror.org/04xs57h96>

Funder(s)

Funder type
Government

Funder Name
European Union (EU) (Belgium) - Seventh Framework Programme (FP7)

Results and Publications

Individual participant data (IPD) sharing plan

IPD sharing plan summary

Not provided at time of registration

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Results article	results	12/12/2013		Yes	No
HRA research summary			28/06/2023	No	No