

Cabotegravir and rilpivirine real-world experience

Submission date 05/02/2024	Recruitment status Recruiting	<input checked="" type="checkbox"/> Prospectively registered <input checked="" type="checkbox"/> Protocol
Registration date 07/02/2024	Overall study status Ongoing	<input type="checkbox"/> Statistical analysis plan <input type="checkbox"/> Results
Last Edited 08/04/2025	Condition category Infections and Infestations	<input type="checkbox"/> Individual participant data <input checked="" type="checkbox"/> Record updated in last year

Plain English summary of protocol

Background and study aims

The purpose of the CORAL study is to obtain real-world data on the uptake, acceptability, and effectiveness of injectable 2-monthly long-acting cabotegravir and rilpivirine delivered in NHS clinics. Recent clinical trials have shown that the injectable long-acting cabotegravir and rilpivirine is safe, well tolerated and effective in controlling HIV. However, clinical trials are highly controlled environments and don't always reflect what happens in the real world. Real-world data from NHS HIV clinics is needed to better understand the uptake of injectable HIV treatment, the effectiveness of the injectable treatment and whether injections will be received on time.

Who can participate?

Individuals aged 16 years old and over who are receiving treatment with long-acting cabotegravir and rilpivirine; and individuals receiving oral HIV treatment can be part of the comparator group.

What does the study involve?

If individuals provide their consent to participate, the staff members at their HIV clinic will complete a questionnaire with data on their gender, age, date of HIV diagnosis, routine blood results, medical treatment, and illnesses for up to the next 5 years. The data will be extracted from their medical records. Following this, every 6 months, data from their routine visits to the clinic, information on medical history, blood test results, treatment, and possible symptoms and illnesses relating to HIV or its treatment will be collected from their patient records.

The study will not test any drugs and will not interfere with any treatment the participants may receive at the clinic. Participants are consenting to allow the researchers to gather routinely collected information about them and their care.

Participants will be required to complete a questionnaire at the time of enrollment, and then after 6 and 12 months. The questionnaire will take a maximum of 30 minutes to complete. It can be completed online in the comfort of their own home or at the clinic. After the completion of each questionnaire, participants will be given a £20 shopping voucher as a thank you for their time and effort.

An additional sub-cohort of people with HIV who are either new to the CORAL study or exiting the CORAL main study, who have ever received a dose of long-acting cabotegravir and rilpivirine will be asked to provide consent for the collection of their routine clinical data.

What are the possible benefits and risks of taking part?

The study seeks to improve knowledge about long-acting antiretroviral treatment delivered through the NHS. Therefore, participation in the CORAL study does not include any additional risks.

Where is the study run from?

The study is being run by the University of Sussex and taking place in different UK HIV clinics.

When is the study starting and how long is it expected to run for?

January 2023 to December 2026. The first HIV clinic will start running the study in February 2024. Each HIV clinic will run the study for 2 years.

Who is funding the study?

The CORAL study has received funding from ViiV Healthcare LLC.

Who is the main contact for the study?

Please contact the study manager Dr Kate Alford - K.Alford@bsms.ac.uk or the chief investigator Dr Fiona Cresswell - F.Cresswell@bsms.ac.uk

Contact information

Type(s)

Public, Scientific

Contact name

Dr Kate Alford

ORCID ID

<https://orcid.org/0000-0001-5356-5644>

Contact details

94 N-S road, University of Sussex, Falmer
Brighton
United Kingdom
BN19PQ
+44 (0)1273 877889
K.Alford3@bsms.ac.uk

Type(s)

Principal investigator

Contact name

Dr Fiona Cresswell

ORCID ID

<https://orcid.org/0000-0002-5070-532X>

Contact details

Medical School Teaching building, University of Sussex , Falmer
Brighton
United Kingdom
BN1 9XP
+44 (0)1273 877899
f.cresswell@bsms.ac.uk

Additional identifiers

Clinical Trials Information System (CTIS)

Nil known

Integrated Research Application System (IRAS)

323249

ClinicalTrials.gov (NCT)

Nil known

Protocol serial number

PF15151, IRAS 323249, CPMS 56893

Study information

Scientific Title

A non-interventional, mixed-methods, prospective cohort study to characterise the real-world implementation, roll out, safety and patient experience of the long-acting injectable HIV treatment regimen of 2-monthly cabotegravir and rilpivirine

Acronym

CORAL (Cabotegravir and Rilpivirine Real wOrLd experience)

Study objectives

There are likely to be challenges in the implementation of long-acting (LA) cabotegravir+ rilpivirine (CAB+RPV) as part of routine clinical care in real-world settings; characterising these barriers will aid the development of strategies to overcome them. However, high levels of effectiveness and acceptability will be demonstrated in those who do switch to LA CAB+RPV in a real-world setting.

Ethics approval required

Ethics approval required

Ethics approval(s)

approved 27/07/2023, Seasonal REC (2 Redman Place, Stratford, London, E20 1JQ, United Kingdom; +44 (0)2071048129; seasonal.rec@hra.nhs.uk), ref: 23/LO/0534

Study design

Non-interventional prospective cohort study

Primary study design

Observational

Study type(s)

Other

Health condition(s) or problem(s) studied

People living with HIV on injectable antiretroviral treatment (CAB+RPV)

Interventions

Current interventions:

This is a 2-year study (with a 12-month recruitment and a 12-month follow-up period for each participant), two-arm, multi-centre, mixed methods study examining the real-world experiences of people living with HIV and receiving long-acting (LA) injectable cabotegravir and rilpivirine (CAB+RPV).

This is an observational study which includes completing some questionnaires. This study examines the adoption of LA CAB+RPV in different HIV services across the UK. Additionally, it will examine the acceptability, feasibility, fidelity and effectiveness of LA CAB+RPV. Participants are required to complete a health-related quality of life questionnaire (the HIVPROM) and a treatment experience and satisfaction questionnaire at three time points over the 1-year follow-up period (i.e., baseline, 6 months and 12 months (study end)). A sub-sample of participants, purposively selected to represent the population, will also be invited to share their experiences in an in-depth interview with a researcher, from 6 months onwards. Additionally, HIV clinical variables will be recorded from routine blood samples taken at each LA injectable appointment and information on injection schedule completion and reasons for any discontinuations will be captured from patients' medical records. All study activities will take place at the patient's HIV service with the support of a research nurse, however, participant questionnaires will be available to complete online and at home.

An additional sub-cohort called the CORAL-Light cohort will be recruited from those new to the CORAL study or exiting the main CORAL study. For these participants only routinely collected clinical data is collated, there are no procedures after provision of informed consent

Previous interventions as of 08/04/2025:

This is a 2-year study (with a 12-month recruitment and a 12-month follow-up period for each participant), two-arm, multi-centre, mixed methods study examining the real-world experiences of people living with HIV and receiving long-acting (LA) injectable cabotegravir and rilpivirine (CAB+RPV).

This is an observational study which includes completing some questionnaires. This study examines the adoption of LA CAB+RPV in different HIV services across the UK. Additionally, it will examine the acceptability, feasibility, fidelity and effectiveness of LA CAB+RPV. Participants are required to complete a health-related quality of life questionnaire (the HIVPROM) and a treatment experience and satisfaction questionnaire at three time points over the 1-year follow-up period (i.e., baseline, 6 months and 12 months (study end)). A sub-sample of participants, purposively selected to represent the population, will also be invited to share their experiences in an in-depth interview with a researcher, from 6 months onwards. Additionally, HIV clinical variables will be recorded from routine blood samples taken at each LA injectable appointment

and information on injection schedule completion and reasons for any discontinuations will be captured from patients' medical records. All study activities will take place at the patient's HIV service with the support of a research nurse, however, participant questionnaires will be available to complete online and at home.

Intervention Type

Other

Primary outcome(s)

Adoption of LA CAB+RPV measured using data collected from patient medical records at the end of the study (2 years from site opening)

Key secondary outcome(s)

1. Acceptability of LA CAB+RPV will be assessed based on:
 - 1.1. Findings from in-depth qualitative interviews and focus groups with patient participants and healthcare workers (HCWs)
 - 1.2. Comparison of patient-reported outcomes, measured using the patient-reported outcome measure for adults living with HIV (HIV PROM) and the treatment satisfaction and treatment preference questionnaire, at months 0, 6 and 12 post-switch to LA CAB+RPV
2. The feasibility of LA CAB+RPV will be assessed based on:
 - 2.1. Findings from in-depth qualitative interviews and focus groups with patient participants and HCWs
 - 2.2. Patient and HCW questionnaires, measured using the treatment satisfaction and treatment preference questionnaire at months 0, 6 and 12 post-switch to LA CAB+RPV (patient) and the HCW survey collected during the participant recruitment period (HCWs)
3. Fidelity will be assessed based on the below and measured using data collected from participant medical records:
 - 3.1. The proportion of injections delivered within the visit window
 - 3.2. Number of oral bridging courses per patient per year
 - 3.3. Fidelity to 2-monthly HIV viral load monitoring (+/- 2 weeks of target date)
4. Effectiveness assessed based on:
 - 4.1. The proportion of those who begin LA CAB+RPV who remain virologically suppressed at 12 months (by FDA snapshot algorithm and intention to treat approach), and the proportion of those on oral ART who remain virologically suppressed at 12 months after the baseline date measured using data collected from participant medical records
 - 4.2. The proportion of each group who have experienced virological failure at 12 months measured using data collected from participant medical records
 - 4.3 The number of HIV-related medical events at 12 months measured using data collected from participant medical records

Completion date

31/12/2026

Eligibility

Key inclusion criteria

1. Understand the participant information and the study requirements and has the capacity to consent
2. Willing to comply with study procedures
3. Age 16 years or above
4. Is a member of one of the following groups:

4.1. LA group - PLWH who have been recently switched (within the prior 6 months) or are prospectively switched to LA CAB+RPV during the enrolment period. This includes those who have received LA CAB+RPV outside of BHIVA criteria or on compassionate grounds.
4.2. Oral ART group - PLWH who are demographically similar but not eligible for LA CAB+RPV according to BHIVA eligibility criteria and who continue oral ART within the study period (e.g. those who are HBVcoreAb+ or who have an underlying drug resistance mutation that precludes use of LA CAB+RPV). The intervention group to the oral group will be matched 3:1 by calendar period and other key variables where possible.

(added 08/04/2025)

CORAL-Light sub-cohort:

Anyone >16 years old who has received one or more doses of LA CAB+RPV who is not in the main CORAL study cohort or exiting the main CORAL cohort

Participant type(s)

Patient, Health professional

Healthy volunteers allowed

No

Age group

Mixed

Lower age limit

16 years

Sex

All

Key exclusion criteria

1. In the opinion of the investigator is unable or unwilling to comply with the study requirements
2. Aged < 16 years old

Date of first enrolment

12/02/2024

Date of final enrolment

30/06/2026

Locations

Countries of recruitment

United Kingdom

England

Scotland

Wales

Study participating centre

University Hospitals Sussex NHS Foundation Trust

Worthing Hospital

Lyndhurst Road

Worthing

United Kingdom

BN11 2DH

Study participating centre

NHS Lothian

Waverley Gate

2-4 Waterloo Place

Edinburgh

United Kingdom

EH1 3EG

Study participating centre

Cardiff and Vale University Hospitals NHS Foundation Trust

Woodland House, Maes-y-Coed Road

Cardiff

United Kingdom

CF14 4HH

Study participating centre

Central Manchester University Hospitals NHS Foundation Trust

Trust Headquarters, Cobbett House

Manchester Royal Infirmary

Oxford Road

Manchester

United Kingdom

M13 9WL

Study participating centre

Oxford University Hospitals

John Radcliffe Hospital

Headley Way

Headington

Oxford

United Kingdom

OX3 9DU

Study participating centre

Barts Health NHS Trust

The Royal London Hospital

80 Newark Street

London

United Kingdom

E1 2ES

Study participating centre

Guy's and St Thomas' NHS Foundation Trust

St Thomas' Hospital, Westminster Bridge Road

London

United Kingdom

SE1 7EH

Study participating centre

Royal Liverpool University Hospital NHS Trust

Royal Liverpool University Hospital

Prescot Street

Liverpool

United Kingdom

L7 8XP

Study participating centre

North Bristol NHS Trust

Southmead Hospital

Southmead Road

Westbury-on-trym

Bristol

United Kingdom

BS10 5NB

Study participating centre

The Newcastle upon Tyne Hospitals NHS Foundation Trust

Freeman Hospital

Freeman Road

High Heaton

Newcastle upon Tyne

United Kingdom

NE7 7DN

Sponsor information

Organisation

University of Sussex

ROR

<https://ror.org/00ayhx656>

Funder(s)

Funder type

Industry

Funder Name

ViiV Healthcare

Alternative Name(s)

ViiV Healthcare Limited

Funding Body Type

Private sector organisation

Funding Body Subtype

For-profit companies (industry)

Location

United Kingdom

Results and Publications

Individual participant data (IPD) sharing plan

The data-sharing plans for the current study are unknown and will be made available at a later date

IPD sharing plan summary

Data sharing statement to be made available at a later date

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Participant information sheet	Participant information sheet	11/11/2025	11/11/2025	No	Yes
Protocol file	version 2.0	28/06/2023	07/02/2024	No	No
	Study website				

