# Comparing the effectiveness of two different treatment methods in treating pain in facial muscles and joints of the jaw

Submission date	Recruitment status  No longer recruiting	Prospectively registered		
20/02/2019		☐ Protocol		
Registration date	Overall study status	Statistical analysis plan		
21/03/2019	Completed	[X] Results		
Last Edited	Condition category	Individual participant data		
23/11/2020	Musculoskeletal Diseases			

#### Plain English summary of protocol

Background and study aims

Temporomandibular disorders are a series of several different pain symptoms in the face and jaw joints. A common treatment is to manufacture an oral splint to be used when sleeping. This method does not help every patient, so our aim in this trial was to study the effect of a coping method (applied relaxation) compared to the common splint treatment.

#### Who can participate?

Any student of the age from 19 to 35 and studying in the Finnish Universities of Oulu or Lapland with symptoms of temporomandibular disorders could participate in this one-center trial at the Finnish Student Healthcare System in Oulu, Finland. Persons with a rheumatic disease, fibromyalgia, or suffering from severe mental conditions were excluded as those conditions could interfere with the results.

#### What does the study involve?

The voluntary participants were divided to two treatment groups receiving either the oral splint treatment or the applied relaxation treatment. They could retire from the trial at any phase without conflict.

A questionnaire of general health and pain items was filled at baseline and at 12-month follow-up. A clinical examination including pain on palpation of the masticatory muscles, pain on moving the jaw, and noises when moving the jaw was performed at baseline, and 3-, 6, and 12-month follow-ups.

What are the possible benefits and risks of participating?

Neither of the treatments give any side effects, and the participants gained in receiving help to their pain symptoms.

#### Where is the study run from?

The examinations, treatments and analysis of the data was and will be conducted during office hours at the Finnish Student Healthcare System and Universities of Oulu and Eastern Finland by dentist, physiotherapist, and researchers as part of their daily work.

When is the study starting and how long is it expected to run for? December 2011 to December 2013

Who is funding the study? Finnish Student Health Service

Who is the main contact?
Outi Huhtela (outi.huhtela@uef.fi)

# **Contact information**

#### Type(s)

Scientific

#### Contact name

Mrs Outi Huhtela

#### **ORCID ID**

https://orcid.org/0000-0003-1853-3182

#### Contact details

Yliopistonranta 1 C Kuopio Finland 70210 +358407453688 outi.huhtela@uef.fi

#### Type(s)

Scientific

#### Contact name

Prof Kirsi Sipilä

#### **ORCID ID**

https://orcid.org/0000-0001-9734-320X

#### Contact details

Aapistie 5 Oulu Finland 90220 +358504423654 kirsi.sipila@oulu.fi

## Additional identifiers

#### Clinical Trials Information System (CTIS)

Nil known

#### ClinicalTrials.gov (NCT)

Nil known

#### Protocol serial number

186/2011

# Study information

#### Scientific Title

Effectiveness of applied relaxation method vs. splint in treatment of temporomandibular disorders in Finnish students

#### Acronym

**TMD** 

#### Study objectives

Applied relaxation method is as effective as splint treatment in treating temporomandibular disorders of muscular origin

#### Ethics approval required

Old ethics approval format

#### Ethics approval(s)

Approved 03/10/2011, Ethical Committee of the Hospital District of Northern Ostrobothnia, (P. O.Box 8000 FI-90014 University of Oulu, Finland; +358(0)294487001; Janne Kurtakko@oulu.fi), ref: 186/2011

#### Study design

Single-center longitudinal case-control study

#### Primary study design

Interventional

#### Study type(s)

Treatment

#### Health condition(s) or problem(s) studied

Signs and symptoms of temporomandibular disorders

#### Interventions

Applied relaxation method and splint treatment. Patients were randomly assigned by computergenerated random number using SPSS software (version 18.0) into two treatment groups. Applied relaxation is administered by a physiotherapist in six group sessions according to a specified protocol. Splint treatment is applied and checked by a dentist at FSHS. Follow-ups were conducted by a research dentist at 3-, 6- and 12 months from baseline..

#### Intervention Type

Mixed

#### Primary outcome(s)

Symptoms of TMD (pain on palpation; locking of jaws; joint noises) were measured according to the protocol of Diagnostic Criteria for Temporomandibular Disorders (DC/TMD) Axis I at baseline, 3,-6- and 12 month follow-ups.

#### Key secondary outcome(s))

At baseline and at 12-month follow-up:

- 1. Experienced pain measured by visual analog scale (VAS)
- 2. Non-specific pain symptoms measured by RDC/TMD (Research Diagnostic Criteria for TMD) Axis II (Finnish version)
- 3. Depression symptoms measured by RDC/TMD Axis II (Finnish version)

#### Completion date

22/12/2014

## **Eligibility**

#### Key inclusion criteria

- 1. Graduate student at University of Oulu or University of Lapland
- 2. Age 19 35 years
- 3. Attending Finnish Student Health Service's nurse/doctor/physiotherapist/dentist/dental hygienist appointment complaining of symptoms or signs that could have temporomandibular disorder (TMD) origin
- 4. No previous diagnosis of muscle or joint-related pain conditions, like fibromyalgia, rheumatic conditions or joint-related psoriasis, or mental disorder
- 5. Diagnosis of temporomandibular disorder (TMD)

#### Participant type(s)

Patient

#### Healthy volunteers allowed

No

#### Age group

Adult

#### Sex

**Not Specified** 

#### Total final enrolment

96

#### Key exclusion criteria

- 1. No diagnosis of TMD at baseline examination
- 2. Diagnosis of muscle or joint-related pain conditions, such as fibromyalgia, rheumatic conditions or joint-related psoriasis
- 3. Mental disorder

#### Date of first enrolment

09/12/2011

# Date of final enrolment 01/12/2013

### Locations

#### Countries of recruitment

Finland

# Study participating centre University of Oulu

Aapistie 5 Oulu Finland 90220

# Study participating centre Finnish Student Health Service

Yliopistokatu 1 A Oulu Finland 90570

# Sponsor information

#### Organisation

Finnish Student Health Service

# Funder(s)

#### Funder type

Hospital/treatment centre

#### Funder Name

Finnish Student Health Service

# **Results and Publications**

Individual participant data (IPD) sharing plan

The datasets generated during and/or analysed during the current study will be stored in a non-publically available repository

Oulu university, Department of Odontology, https://www.oulu.fi/university/research for 10 years after which it is destroyed

## IPD sharing plan summary

Stored in repository

#### **Study outputs**

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Results article	results	01/02/2020	23/11/2020	Yes	No
Participant information sheet	Participant information sheet	11/11/2025	11/11/2025	No	Yes