

Impact of minimally invasive surgery on surgeon health

Submission date 04/01/2022	Recruitment status No longer recruiting	<input type="checkbox"/> Prospectively registered <input checked="" type="checkbox"/> Protocol
Registration date 04/03/2022	Overall study status Completed	<input type="checkbox"/> Statistical analysis plan <input type="checkbox"/> Results
Last Edited 15/10/2024	Condition category Surgery	<input type="checkbox"/> Individual participant data <input checked="" type="checkbox"/> Record updated in last year

Plain English summary of protocol

Background and study aims

Minimally invasive surgery (MIS) has a significantly shorter recovery and lower complication rate compared to open surgery and is the preferred route for the surgical management of many conditions. However, the impact of MIS on surgeons has been largely forgotten and many are reporting work-related musculoskeletal symptoms (WMS). The concern is that these symptoms (pain, stiffness and fatigue) have the potential to reduce the working life and productivity of surgeons. Optimising surgeons' working conditions is vital for their own health but may also affect patient safety by affecting their surgical performance. The aim of this study is to develop and validate a multi-component assessment tool that can objectively capture the real-time physical and psychological impact performing surgery has on the surgeon.

Who can participate?

Consultant surgeons and gynaecologists at the participating hospital who are performing major abdominal surgery.

What does the study involve?

The assessment tool includes: pre/during/post procedure salivary cortisol; continuous heart rate monitoring and upper-arm/back motion sensor monitoring during the procedure; and pre/during/post procedure questionnaires. The study involves the surgeons wearing light, unobtrusive sensors that monitor motion as well as a heart monitor for the duration of the surgical procedure. Cortisol swabs will be taken before the start of the procedure, at the time of removal of the specimen, and immediately after completing the procedure. The consultants will complete questionnaires before and after the surgical procedure. Patients will be consented for their surgeon to be monitored whilst performing their surgical procedure.

What are the possible benefits and risks of participating?

Participating in the study is not associated with any further risks in addition to the risk associated with performing surgery. The equipment used to monitor the surgeon's movements has been checked by the medical physics department to ensure that it does not interfere with equipment within the operating theatre. All the surgeons will have undergone testing and familiarization with the equipment on a simulator to demonstrate that wearing the equipment does not affect their movements.

Where is the study being conducted?
University Hospitals of Leicester (UK)

When is the study starting and how long is it expected to run for?
November 2021 to August 2024

Who is funding the study?
Intuitive Surgical (USA)

Who is the main contact?
1. Dr Esther Moss, em321@le.ac.uk
2. Dr Anumithra Amirthanayagam, aa1235@leicester.ac.uk

Contact information

Type(s)
Principal Investigator

Contact name
Dr Esther Moss

ORCID ID
<http://orcid.org/0000-0002-2650-0172>

Contact details
Leicester Cancer Research Centre
University of Leicester
Leicester
United Kingdom
LE1 7RH
+44 (0)116 2523170
em321@le.ac.uk

Additional identifiers

EudraCT/CTIS number

IRAS number
300580

ClinicalTrials.gov number
Nil known

Secondary identifying numbers
0823, IRAS 300580, CPMS 49943

Study information

Scientific Title

Impact of minimally invasive surgery on surgeon health: a feasibility study

Acronym

ISSUE

Study objectives

The physical/psychological impact on surgeons is less with robotic-assisted surgery compared with straight-stick laparoscopy and open surgery.

Ethics approval required

Old ethics approval format

Ethics approval(s)

Approved 06/09/2021, East Midlands - Leicester Central Research Ethics Committee (Equinox House, City Link, Nottingham, NG2 4LA, UK; +44 (0)2071048138; leicestercentral.rec@hra.nhs.uk), REC ref: 21/EM/0174

Study design

Non-randomized feasibility study

Primary study design

Observational

Secondary study design

Cohort study

Study setting(s)

Hospital

Study type(s)

Treatment

Participant information sheet

Not available in web format, please use the contact details to request a participant information sheet

Health condition(s) or problem(s) studied

Surgeons performing live surgical procedures (open/laparoscopic/robotic).

Interventions

This study aims to develop and validate a 5-point assessment tool to objectively measure both the physical and psychological impact of complex surgical cases on a surgeon, in order to give a single categorisation of impact: high, intermediate or low. Data will be collected from surgeons performing live surgical procedures: continuous heart rate monitoring; salivary cortisol; continuous movement sensor monitoring; State Trait Anxiety Inventory questionnaire; and musculoskeletal symptoms questionnaire. Patients will be consented for their surgeon to undergo monitoring during their surgical procedure.

Intervention Type

Procedure/Surgery

Primary outcome measure

The proportion of surgical procedures where all five variables of the assessment tool are captured (continuous heart rate [HR] monitoring; salivary cortisol (taken pre-, intra- and post-operatively); continuous movement sensor monitoring; State-Trait Anxiety Inventory (STAI) questionnaire and modified Nordic work-related musculoskeletal symptoms (WMS) questionnaire), taken pre- and post-operatively

Secondary outcome measures

1. A single value of 'impact' (high/intermediate/low) per procedure calculated by combining the five recorded variables will be calculated on completion of participant recruitment to the feasibility cohort
2. Validation of the calculated 'impact' values by comparison of surgeon's subjective assessment of case complexity with objective measures will be calculated on completion of participant recruitment to the validation cohort
3. Analysis of the impact on surgeons of supervising surgical trainees measured using heart rate monitoring and salivary cortisol levels intraoperatively
4. Willingness of recruitment of patients and surgeons and sample size calculations for a future multi-centre study comparing the impact of the route of surgery on the surgeon, measured using recruitment and retention rates on completion of participant recruitment to the feasibility cohort
5. Primary/secondary outcomes for a future definitive multi-centre study comparing the impact of the route of surgery on the surgeon, identified using qualitative interview data on completion of participant recruitment to the feasibility cohort
6. Optimisation and validation of patient data recording measures to capture anaesthetic /operative/clinical events and outcomes using analysis of collected quantitative data on completion of participant recruitment to the feasibility cohort
7. Safety of measurement tools and recording devices in the theatre environment assessed using a Medical Physics assessment before commencing participant/surgeon recruitment
8. Optimisation of surgeon continuous heart rate monitoring during the procedure, quality and completeness of data collection and analysis, assessed using interview and quantitative data on completion of participant recruitment to the feasibility cohort
9. Optimisation of positioning and recording of muscle movement/activity sensors and streamlining of data-analysis using interview and quantitative data at on completion of participant recruitment to the feasibility cohort
10. Optimisation and validation of WMS and State-Trait Anxiety Inventory (STAI) questionnaires and data analysis using interview and quantitative data at on completion of participant recruitment to the feasibility cohort
11. Optimisation of salivary cortisol collection pre-, intra-, and post-operatively and utility of results assessed using interview and quantitative data at on completion of participant recruitment to the feasibility cohort

Overall study start date

30/11/2021

Completion date

31/08/2024

Eligibility

Key inclusion criteria

Surgeons:

1. Consultant Surgeons and Gynaecologists
2. Able to consent
3. Patient consents to their surgeon participating in the study

Patients:

1. All patients
2. Able to consent
3. Undergoing intra-abdominal surgery with a procedure expected to last less than 2 hours in duration
4. Aged >18 years

Participant type(s)

Mixed

Age group

Adult

Lower age limit

18 Years

Sex

Both

Target number of participants

165

Key exclusion criteria

Patients who do not consent for their surgeon to participate

Date of first enrolment

10/01/2022

Date of final enrolment

31/08/2024

Locations**Countries of recruitment**

England

United Kingdom

Study participating centre

University Hospitals of Leicester NHS Trust

Leicester Royal Infirmary

Infirmary Square

Leicester
United Kingdom
LE1 5WW

Sponsor information

Organisation

University of Leicester

Sponsor details

Research Ethics, Governance & Integrity Office
Research & Enterprise Division
Leicester General Hospital
Leicester
England
United Kingdom
LE5 4PW
+44 (0)1162584867
RGOsponsor@le.ac.uk

Sponsor type

University/education

Website

<http://www.le.ac.uk/>

ROR

<https://ror.org/04h699437>

Funder(s)

Funder type

Industry

Funder Name

Intuitive Surgical

Alternative Name(s)

Funding Body Type

Private sector organisation

Funding Body Subtype

For-profit companies (industry)

Location

United States of America

Results and Publications

Publication and dissemination plan

The protocol paper will be submitted for publication very shortly. Any data arising from this study will be published and presented in a peer-review journal, if possible an open-access journal. The manuscript will be deposited with the University of Leicester, according to the University of Leicester's policies (see <http://www2.le.ac.uk/library/downloads/open-access/open-access-policy>) and data sharing policies.

Intention to publish date

01/08/2025

Individual participant data (IPD) sharing plan

The datasets generated during and/or analysed during the current study are not expected to be made available as there is patient data as well as personal information relevant to the participants, including their anthropometry, and this will be stored safely in an anonymised manner on the research drive of the University of Leicester.

IPD sharing plan summary

Not expected to be made available

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
HRA research summary			28/06/2023	No	No
Protocol file	version 5	24/09/2022	05/04/2024	No	No