# A study to help identify depression in patients aged 65 years and older who are registered with a GP in the North of England

<b>Recruitment status</b> No longer recruiting	Prospectively registered		
	∐ Protocol		
Overall study status	Statistical analysis plan		
Completed	[X] Results		
Condition category  Mental and Behavioural Disorders	[] Individual participant data		
	No longer recruiting  Overall study status  Completed		

#### Plain English summary of protocol

Background and study aims

One in four people aged 65 years plus are depressed. Many people do not receive support or help for symptoms of depression. One reason for this is that it can be difficult for healthcare professionals to identify when a patient is depressed. The Geriatric Depression Scale (GDS) is a short questionnaire or 'screening tool' that can be used to identify when someone who is older than 65 years has symptoms of depression. A healthcare professional can use this and then talk to the patient about how they are feeling and decide on a course of action.

Currently there is little evidence about whether screening people who are over 65 years with the GDS is a good way of identifying whether someone has symptoms of depression. The researchers have previously shown that when they used the GDS with older participants and told their GPs when they identified symptoms of depression, when they checked again after 6 months the severity of their depression had reduced. This study aims to find out whether screening participants with the GDS followed by alerting the GP of participants who could have symptoms of depression, improves the GDS score 6 months later.

#### Who can participate?

People who are over the age of 65 years, do not have a diagnosis of depression or are waiting to receive treatment for depression, are living at home (not in a residential care home), are registered with a GP practice in the North of England, and who are happy for the study team to contact their GP about their mental and physical health.

#### What does the study involve?

Potentially eligible patients who live in the North of England and are registered with a participating GP practice will receive an invitation in the post to take part in the study. They will be asked to complete a consent form and questionnaire and send it back to the York Trials Unit, University of York. Researchers will check that the patient is eligible for the study. If eligible, researchers will calculate the participants' GDS score and will write to both the participant and their GP to tell them their score. The participant's GP will review the GDS score and contact the

participant where necessary. After 6 months the participants will be sent another questionnaire to complete and send back to York Trials Unit. Some participants will be asked to take part in an interview about their experiences of being in the study.

What are the possible benefits and risks of participating?

If the GDS identifies that a participant has symptoms of depression and proposes a course of action, these symptoms may be reduced. There may not be many other direct benefits of participating in this study. However, if enough people take part in the study, the results will provide valuable information about screening for depression in patients who are 65 years or more.

The researchers do not think that taking part in the study poses any additional risks for participants. For participants, taking part in the study will involve some time to complete questionnaires and possibly discussions with their GP.

Where is the study run from? University of York (UK)

When is the study starting and how long is it expected to run for? September 2021 to January 2024

Who is funding the study?
The National Institute for Health and Care Research (NIHR) (UK)

Who is the main contact?

- 1. Caroline Fairhurst, caroline.fairhurst@york.ac.uk
- 2. Sarah Cockayne, sarah.cockayne@york.ac.uk
- 3. Laura Clark, laura.clark@york.ac.uk
- 4. Ailish Bryne, ailish.byrne@york.ac.uk

# Contact information

# Type(s)

Scientific

#### Contact name

Ms Caroline Fairhurst

#### **ORCID ID**

https://orcid.org/0000-0003-0547-462X

#### Contact details

York Trials Unit
Department of Health Sciences
Faculty of Sciences
Ground Floor ARRC Building
University of York
Heslington
York
United Kingdom

YO10 5DD +44 (0)1904 321513 caroline.fairhurst@york.ac.uk

# Additional identifiers

#### Clinical Trials Information System (CTIS)

Nil known

#### Integrated Research Application System (IRAS)

305842

#### ClinicalTrials.gov (NCT)

Nil known

#### Protocol serial number

CPMS 53084, IRAS 305842

# Study information

#### Scientific Title

Case finding for depression in primary care: a regression discontinuity design CASCADE study

#### Acronym

**CASCADE** 

## Study objectives

Screening for depression in patients aged 65 years and older, who are living in the community and registered with a GP in the North of England, using the Geriatric Depression Scale (GDS) and informing the patient and their GP if the GDS score indicates symptoms of low mood or depression will reduce symptom severity six months later.

# Ethics approval required

Old ethics approval format

# Ethics approval(s)

Approved 12/08/2022, Yorkshire and The Humber - Leeds West Research Ethics Committee (NHSBT Newcastle Blood Donor Centre, Holland Drive, Newcastle upon Tyne, NE2 4NQ, UK; +44 (0)207 972 2504, +44 (0)207 104 8134; leedswest.rec@hra.nhs.uk), ref: 22/YH/0119

# Study design

Non-randomized; Interventional; Design type: Treatment, Screening, Diagnosis, Other

# Primary study design

Interventional

#### Study type(s)

Treatment

# Health condition(s) or problem(s) studied

#### Depression

#### **Interventions**

Participants will complete the GDS at baseline and post the questionnaire back to the York Trials Unit (YTU), University of York. Members of the research team at YTU will score the GDS and if the score is suggestive of mild to moderate depression (score of 5 or more), then YTU will write to the participant and their GP to inform them. The GP will read the letter and decide on an appropriate course of action/treatment for the participant. For participants whose score does not indicate mild or moderate depression, a letter will be sent to their GP to inform them that their patient is taking part in the study and that the GDS score did not indicate that the patient was experiencing depressive symptoms. At 6 months, YTU will only notify GPs about new scores of 5 and over (i.e if the participant previous reported a GDS of 0-4 inclusive at baseline).

#### Intervention Type

Other

#### Primary outcome(s)

Symptoms of low mood and depression measured using the Geriatric Depression Scale (GDS) at baseline and 6 months

#### Key secondary outcome(s))

- 1. Health-related quality of life measured by the EQ-5D-5L at baseline and 6 months
- 2. Health service resource use with a specific focus on mental health services, including NHS and private care, use of medications, and self-care at 6 months
- 3. Acceptability of the intervention to patients and care providers, and if and how screening could be incorporated in practice, assessed using interviews during the recruitment and follow-up stages of the study

#### Completion date

31/01/2024

# **Eligibility**

#### Key inclusion criteria

- 1. Aged 65 years and over
- 2. Community-dwelling
- 3. Based in the North of England
- 4. Willing and able to provide consent

#### Participant type(s)

Patient

#### Healthy volunteers allowed

No

#### Age group

Senior

#### Lower age limit

65 years

#### Sex

All

#### Total final enrolment

1020

#### Key exclusion criteria

- 1. Currently have a diagnosis of depression
- 2. Currently receiving or waiting for treatment for depression
- 3. Do not consent to their GP being contracted by the research team about physical or mental health concerns

#### Date of first enrolment

22/09/2022

#### Date of final enrolment

31/07/2023

# Locations

#### Countries of recruitment

United Kingdom

England

# Study participating centre

#### York Trials Unit

Department of Health Sciences
Faculty of Sciences
Ground Floor ARRC Building
University of York
Heslington
York
United Kingdom
YO10 5DD

# Study participating centre Field House Surgery

18 Victoria Rd Bridlington United Kingdom YO15 2AT

#### Study participating centre

#### The Haven

Burnhope United Kingdom DH7 0BD

# Study participating centre Ashton Medical Group

Glebe Street Ashton-under-Lyne United Kingdom OL6 6HD

# Study participating centre The Sides Medical Centre

Moorside Rd Swinton Manchester United Kingdom M27 0EW

# Study participating centre St Johns Group Practice

Greenfield Lane Balby Doncaster United Kingdom DN4 OTH

## Study participating centre Clifton Medical Centre

239 Doncaster Gate Rotherham United Kingdom S65 1DA

# Study participating centre Heeley Green Surgery 302 Gleadless Road

Heeley

Sheffield United Kingdom S2 3AJ

# Study participating centre Mayford House Surgery

Boroughbridge Road Northallerton United Kingdom DL7 8AW

# Study participating centre Posterngate Surgery

Portholme Road Selby United Kingdom YO8 4QH

# Study participating centre James Alexander Family Practice

Bransholme South Health Centre 49 Goodhart Road Hull United Kingdom HU7 4DW

## Study participating centre Kirkburton Health Centre

Kirkburton Huddersfield United Kingdom HD8 0SJ

# Study participating centre Dunelm Medical Practice

Bearpark Medical Centre Bearpark Durham United Kingdom DH7 7DG

# Study participating centre Ecclesfield Group Practice Sheffield United Kingdom S35 9XQ

Study participating centre King Street Medical Centre 168 King Street Cottingham United Kingdom HU16 5QJ

Study participating centre
Market Weighton Group Practice
Market Weighton
York
United Kingdom
YO43 3FF

# Sponsor information

#### Organisation

Tees, Esk and Wear Valleys NHS Foundation Trust

#### **ROR**

https://ror.org/04s03zf45

# Funder(s)

#### Funder type

Government

#### **Funder Name**

NIHR Research for Patient Benefit; Grant Codes: NIHR203506

# **Results and Publications**

# Individual participant data (IPD) sharing plan

The datasets analysed during the current study will be available upon request from the Chief Investigator, Caroline Fairhurst (caroline.fairhurst@york.ac.uk), in an anonymised format following the publication of the main study results. Reasonable requests by researchers for data to conduct secondary analyses will be considered by the Study Management Group.

## IPD sharing plan summary

Available on request

#### **Study outputs**

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Results article			04/02/2025	Yes	No
HRA research summary			28/06/2023		No
Participant information sheet	Participant information sheet	11/11/2025	11/11/2025	No	Yes
Study website	Study website	11/11/2025	11/11/2025	No	Yes