# GreenME Nature-based therapy evaluation, Parc Sanitari Sant Joan de Déu

Submission date	Recruitment status Recruiting  Overall study status Ongoing  Condition category	Prospectively registered		
27/03/2025		∐ Protocol		
Registration date		Statistical analysis plan		
16/05/2025		☐ Results		
Last Edited		Individual participant data		
16/05/2025	Mental and Behavioural Disorders	[X] Record updated in last year		

# Plain English summary of protocol

Background and study aims

The increasing prevalence of mental health disorders, such as anxiety and depression, has become a significant global health concern (WHO, 2022). Traditional mental health treatments, while effective, often come with limitations, including high costs, side effects, and limited accessibility (WHO, 2021; The Lancet Global Health, 2020). Meanwhile, spending time in nature has been shown to reduce stress, improve mood, and enhance cognitive function (Yang et al, 2021; Yang et al, 2023; Triguero-Mas et al, 2017), among other health benefits. Therapeutic interventions in nature (which we call here "nature-based therapies", or NBT), led by trained professionals can further enhance these benefits (Busk et al, 2022). Professional guidance can help individuals develop coping strategies, build resilience, and foster a deeper connection with nature (Sempik & Bragg, 2016). But, these types of therapies face some challenges such as cost and lacking support from the medical community.

This study aims to improve the scientific evidence on whether and how NBTs work for improving mental health and wellbeing and for whether they are relatively low cost compared to other types of treatments. Focusing on people who experience significant stress in their daily life, this study aims to explore if nature-based therapies are more effective than other types of treatment in improving participant's mental health. This study will also evaluate whether NBTs can be a less expensive way to treat mental health conditions.

# Who can participate?

Anyone can participate in this study if they meet the following criteria:

- Between the ages of 18 75 years
- Are willing and able to participate in the forest bathing program
- Stress interferes with their daily life (as assessed by the screening questionnaire)
- Either: 1) frequently experiences of discrimination or prejudices in daily life OR 2) experiences poor sleep quality/poor mood/low energy levels/sadness/fatigue/anxiety (as assessed by the screening questionnaire)
- They have not participated in a similar nature-based therapy program in the past month

# What does the study involve?

Participating in the study involves: 1) Completing a set of questionnaires about your health, well-

being, experiences and personal characteristics before the study starts. 2) participating in a 12-week forest therapy program twice a week for 120 minutes (2 hours) each session or a grief therapy program meeting every week for 90 minutes for 12 weeks. You would be randomly assigned to participate in either the forest therapy or the alternative program (note: those not receiving the forest therapy program would still be able to participate in this program later, after the study is over) And 2) completing questionnaires about your experiences during the study, and your health and well-being just after the program ends and again 1 month after the program ends and finally 3 months after the program ends.

What are the possible risks and benefits of participating?

The benefits of participating include that your participation may help contribute to future knowledge about the benefits of nature-based therapies. Other people in the future may benefit from improved or more availability of nature-based therapies due to your participation. In addition, you may benefit from the nature-based therapy itself or from the alternative program that you participate in as part of the study.

We do not foresee any serious risks from participating in the study. However, it is possible that you experience physical discomfort (although we have tried to make the program accessible to everyone regardless of physical abilities). You may also feel uncomfortable answering sensitive questions on the questionnaires. You are not required to answer any questions if you do not want to.

Where is the study run from?

The study is run from the Fundació Sant Joan de Déu - Parc Sanitari Sant Joan de Déu, Xarxa de Salut Mental.

When is the study starting and how long is it expected to run for?

The study will start in April 2025. Each participant will be in the study for approximately 4 months, including participating in the questionnaires and the 12-week intervention. Enrollment for the study will end by July 2026.

Who is funding the study?

The funding for the study comes from Horizon Europe.

Who is the main contact?

The main contact is Dr Margarita-Triguero Mas, mtrigueroma@uoc.edu

# Contact information

# Type(s)

Public, Scientific, Principal investigator

#### Contact name

Dr Margarita Triguero-Mas

#### **ORCID ID**

https://orcid.org/0000-0002-1580-2693

#### Contact details

Universitat Oberta de Catalunya (UOC) Rambla del Poblenou, 156 - Edifici O Barcelona Spain 08018 +34 93 326 36 00 mtrigueroma@uoc.edu

# Additional identifiers

Clinical Trials Information System (CTIS)

Nil known

ClinicalTrials.gov (NCT)

Nil known

Protocol serial number

Horizon Europe Grant Agreement 101084198

# Study information

#### Scientific Title

Advancing Greencare in Europe: an integrated multi-scalar approach for the expansion of nature-based therapies to improve Mental health Equity (GreenME). Nature-based therapy evaluation, PSStJoanDéu.

#### **Acronym**

GreenME-PSSJD

# Study objectives

Primary:

Nature-based therapies tested in GreenME are superior to Usual Care in decreasing participants' perceived stress when comparing baseline to just after exposure measurement.

# Secondary:

- 1. Nature-based therapies tested in GreenME are superior to Usual Care in improving participants' quality of life when comparing baseline to just after exposure measurement.
- 2. Nature-based therapies tested in GreenME are a cost-effective intervention compared to Usual Care in terms of quality-adjusted life years (QALYs), healthcare, and societal costs.
- 3. Nature-based therapies tested in GreenME are superior to Usual Care in improving participants' subjective wellbeing when comparing baseline to just after exposure measurement.
- 4. Nature-based therapies tested in GreenME are superior to Usual Care in reducing perceived stigmatisation when comparing baseline to just after exposure measurement.
- 5. Changes to different mental health indicators (perceived stress, quality of life, subjective wellbeing) are maintained over time (1 month, 3 months after exposure ended) for participants that continue exposure to the nature-based therapies tested in GreenME and participants that leave exposure to GreenME tested nature-based therapies after GreenME evaluation.

# Ethics approval required

Ethics approval required

Ethics approval(s)

1. approved 19/12/2024, Research Ethics Committee of the Universitat Oberta de Catalunya (Rambla de Poblenou, 154, Barcelona, 08018, Spain; +34 934505200; comite\_etica@uoc.edu), ref: CE24-PR55

2. notYetSubmitted 27/03/2025, CEIm de la Fundació Sant Joan de Déu (Edifici Docent Sant Joan de Déu, C/ Santa Rosa, 6, 1a planta, Esplugues de Llobregat, 08950, Spain; -; frecerca.ceic@sjd. es), ref: none

# Study design

Interventional non-blinded randomized controlled trial

### Primary study design

Interventional

#### Study type(s)

Quality of life, Treatment

### Health condition(s) or problem(s) studied

Treatment of high stress

#### **Interventions**

- 1. Intervention: This intervention is designed as a recovery-based intervention. It involves direct engagement with nature, specifically forest environments, through activities tailored to participants' needs and preferences. These activities are not formal psychological therapy, but rather therapeutic and health-promoting experiences, as they focus on engaging with nature in a supportive environment facilitated by a guide. It focuses on nature-based activities that promote stress reduction and overall well-being, offering participants valuable tools for managing the challenges they face. The activities within the intervention will be personalized based on each individual's specific needs and challenges. It is important to note that all activities and sharing in the circle are entirely voluntary; while the guide encourages participation, none of the activities is ever mandatory.
- Each session will begin with an introductory activity to foster initial contact among participants
- Followed by a slow-paced walk. During the walk, the guide may suggest activities involving interpersonal interaction or individual exercises. Several stops will be made along the route, during which the guide will offer activities aimed at enhancing proprioception, and engaging the senses of hearing, touch, sight, smell, and taste.
- After completing these sensory activities, the group will engage in a voluntary sharing circle where participants can reflect on and share their experiences.
- The session will continue with activities designed to connect participants to nature through mirror neuron exercises and direct exposure, followed by additional sharing circles.
- At the conclusion of the session, after a final immersive experience, the guide will lead a brief closing reflection and a shared moment of gratitude.
- 2. Usual Care: The "waitlist" participants will participate in a grief therapy group. These therapy groups are slow opening in nature, meaning their composition will evolve as members exit the group either upon completing the therapeutic process (discharge) or due to abandonment. Participants are assigned to groups based on their relationship to the deceased (e.g., loss of a spouse, parent, child, sibling, etc.), in order to foster some degree of homogeneity. However, all groups currently exhibit a level of heterogeneity among participants. This diversity is also reflected in the varying stages of the grieving process that group members are experiencing upon joining. The duration of participation is flexible and is determined by the individual's

progress, in consultation with the clinician. The content of the sessions is not standardized across groups, meaning each group's focus may differ week to week. There is also variability in the sessions led by the four professionals involved. Each therapist tailors their approach to meet the specific needs of their group. The overarching goal of the sessions is to provide participants with strategies and tools to effectively process their grief, ultimately facilitating an appropriate and personalized grief recovery process.

- Weekly sessions, lasting 90 minutes (i.e. shorter duration than the NBT).
- Group sizes ranging from 10 to 12 participants.

A randomization sequence will be computer-generated by a researcher from the Core Research Team not involved with participant recruitment and data collection. This researcher will then print out the sequence, printing one element (intervention or waitlist) of the sequence on a separate page and putting each page in separate envelopes, which will be marked with serial numbers. Each sequential envelope will be opened as participants enrol to determine their group.

#### Intervention Type

Behavioural

#### Primary outcome(s)

- 1. Perceived stress is measured using the Perceived Stress Scale 10 items (PSS-10) at Screening /Baseline, 10 weeks, 14 weeks, and 22 weeks for the intervention group and at Screening /Baseline, 10 weeks, 20 weeks, and 24 weeks for the waitlist group
- 2. Quality of life is measured using EuroQol 5 Dimensions 5 levels (EQ-5D-5L) at Screening /Baseline, 10 weeks, 14 weeks, and 22 weeks for the intervention group and at Screening /Baseline, 10 weeks, 20 weeks, and 24 weeks for the waitlist group
- 3. Wellbeing is measured using ONS-4 at Screening/Baseline, 10 weeks, 14 weeks, and 22 weeks for the intervention group and at Screening/Baseline, 10 weeks, 20 weeks, and 24 weeks for the waitlist group

# Key secondary outcome(s))

- 1. Anxiety is measured using Generalized Anxiety Disorder-7 (GAD-7) at Screening/Baseline, 10 weeks, 14 weeks, and 22 weeks for the intervention group and at Screening/Baseline, 10 weeks, 20 weeks, and 24 weeks for the waitlist group
- 2. Sleep quality is measured using PSQI-2 at Screening/Baseline, 10 weeks, 14 weeks, and 22 weeks for the intervention group and at Screening/Baseline, 10 weeks, 20 weeks, and 24 weeks for the waitlist group
- 3. Emotional regulation is measured using Difficulties in Emotion Regulation Scale (DERS-16) at Screening/Baseline, 10 weeks, 14 weeks, and 22 weeks for the intervention group and at Screening/Baseline, 10 weeks, 20 weeks, and 24 weeks for the waitlist group
- 4. Self-esteem is measured using Rosenberg Self-esteem Questionnaire (RSES) at Screening /Baseline, 10 weeks, 14 weeks, and 22 weeks for the intervention group and at Screening /Baseline, 10 weeks, 20 weeks, and 24 weeks for the waitlist group
- 5. Depression is measured using Patient Health Questionnaire-9 (PHQ-9) at Screening/Baseline, 10 weeks, 14 weeks, and 22 weeks for the intervention group and at Screening/Baseline, 10 weeks, 20 weeks, and 24 weeks for the waitlist group

# Completion date

31/08/2027

# **Eligibility**

#### Key inclusion criteria

- 1. Between the ages of 18 75 years
- 2. Comply with eligibility criteria to access and take part in the evaluated intervention
- 3. Stress interference in daily life being significantly or very significantly (as assessed by the screening questionnaire)
- 4. Either: often or very often experiences of discrimination or prejudices in daily life OR Yes-experiencing persistent poor sleep quality/poor mood/low energy levels/sadness/fatigue/anxiety (as assessed by the screening questionnaire)
- 5. No previous (last year) or current participation in the same type of nature-based therapy we are evaluating

# Participant type(s)

Patient, Population, Service user

#### Healthy volunteers allowed

No

### Age group

Adult

#### Lower age limit

18 years

# Upper age limit

75 years

#### Sex

All

### Key exclusion criteria

- 1. Intellectual disability (ICD-11 6A00)
- 2. Phobias that can highly impact the capacity to benefit from our evaluated interventions, such as social and insect-related phobias (ICD-11 6B02, 6B03, 6B04)
- 3. Dissociative behaviors (ICD-11 6B60, 6B61, 6B62, 6B63, 6B64, 6B65, 6B66, 6E65, 6B6Y, 6B6Z)
- 4. Mental or behavioral symptoms, signs or clinical findings that can highly impact the capacity of the intervention group to benefit from our evaluated interventions or that increases their potential to become difficult cases to handle by guides (ICD-11 MB23.0, MB23.R, MB23.S)

### Date of first enrolment

15/04/2025

#### Date of final enrolment

31/07/2026

# Locations

### Countries of recruitment

Spain

### Study participating centre

Fundació Sant Joan de Déu - Parc Sanitari Sant Joan de Déu, Xarxa de Salut Mental

Carrer Pablo Picasso, 12 Sant Boi de Llobregat Spain 08830

# Sponsor information

#### Organisation

Universitat Autònoma de Barcelona

#### **ROR**

https://ror.org/052g8jq94

# Funder(s)

# Funder type

Government

#### **Funder Name**

HORIZON EUROPE Framework Programme

#### Alternative Name(s)

Horizon Europe, Horizon Europe Programme, Framework Programme, Horizon Europe, EU Framework Programme, Horizon

### **Funding Body Type**

Government organisation

#### Funding Body Subtype

National government

Location

# **Results and Publications**

# Individual participant data (IPD) sharing plan

The anonymized version of the datasets generated during this study will be stored in a publicly available repository (not yet identified), and can be found through information which will be posted on the project website.

**IPD sharing plan summary**Stored in publicly available repository

# Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Participant information sheet	Participant information sheet	11/11/2025	11/11/2025	No	Yes
Study website	Study website	11/11/2025	11/11/2025	No	Yes