Sleep apnea phenotypes among Latin American women

Submission date	Recruitment status	[X] Prospectively registered
01/09/2023	No longer recruiting	☐ Protocol
Registration date	Overall study status	Statistical analysis plan
01/09/2023	Completed	Results
Last Edited	Condition category	Individual participant data
01/09/2023	Nervous System Diseases	Record updated in last year

Plain English summary of protocol

Background and study aims

Obstructive sleep apnea (OSA) occurs when the muscles that support the soft tissues in the throat, such as the tongue and soft palate, temporarily relax and cut off breathing during sleep. This study aims to understand the clinical phenotypes of the Hispanic/Latino community with OSA. In particular, the researchers are trying to identify what aspects of OSA adversely affect the cardiovascular system. In parallel, they will try to understand why recent studies in sleep apnea failed to show the effectiveness of CPAP, the gold standard treatment for OSA, in reducing the risk of major outcomes.

One reason that the impact of OSA on health outcomes remains disputed is that the golden standard metric, such as apnea-hypopnea index (AHI), used to quantify OSA severity, fails to capture the key aspects of OSA (frequent decreases of oxygen in the blood and arousals from sleep) that have negative effects on the cardiovascular system.

The aims of this study are to: 1) provide clinically and physiologically informed metrics to capture the OSA burden among Latin American women, 2) establish their generalizability in this minority group, and 3) supply clinicians with validated predictive models to assess OSA risk in Latin American women. This will enhance patient selection, involve this underrepresented group, and improve quality of life and health outcomes.

Who can participate?

Women over the age of 18 years with suspected OSA (snoring symptoms, apneas observed by bed partner or excessive daytime sleepiness or major cardiovascular illnesses)

What does the study involve?

The aim is to define potential subtypes of patients using symptoms-based, oximetric-based, and clinical-based approaches.

What are the possible benefits and risks of participating?

There will be no immediate direct benefit to those taking part. Participants will receive the usual care.

Where is the study run from? Brigham and Women's Hospital (USA)

When is the study starting, and how long is it expected to run for? September 2022 to October 2024

Who is funding the study?

- 1. The Chest Foundation (USA)
- 2. Universidad de Concepcion (Chile)

Who is the main contact?

Dr Gonzalo Labarca, glabarcat@gmail.com

Contact information

Type(s)

Principal investigator

Contact name

Dr Gonzalo Labarca

ORCID ID

https://orcid.org/0000-0002-0069-3420

Contact details

330 Brookline Ave, KS034 Boston United States of America 02115 +1 (0)6179552145 glabarcat@gmail.com

Type(s)

Principal investigator

Contact name

Dr Gonzalo Labarca

ORCID ID

https://orcid.org/0000-0002-0069-3420

Contact details

330 Brookline Ave, KS034 Boston United States of America 02115 +1 (0)6179552145 glabarca@bwh.harvard.edu

Additional identifiers

Clinical Trials Information System (CTIS)

Nil known

ClinicalTrials.gov (NCT)

Nil known

Protocol serial number

128269

Study information

Scientific Title

Phenotyping Obstructive Sleep Apnea in Latin American women: The Latin American Sleep Network (LATAM Sleep Net)

Acronym

LATAM - OSA in women

Study objectives

The central hypothesis is that sleep apnea-specific hypoxic burden (SASHB) and delta heart rate (Δ HR) can identify an OSA phenotype among Latin American women with an increased risk of CPAP adherence in the short term and different burden of comorbidities. This hypothesis was formulated based on our preliminary solid data, including other communities and most males, in which SASHB was associated with worse health outcomes. In addition, Δ HR predicted increased cardiovascular outcomes and their combination provided more robust findings than the two measures in isolation. This project will examine how SASHB and Δ HR are distributed across women and modify CPAP adherence using prospective data from 16 Latin American sleep clinics.

Ethics approval required

Ethics approval required

Ethics approval(s)

approved 26/09/2022, Mass General Brigham IRB (399 Revolution Drive, Suite 710, Sommerville, 02145, United States of America; +1 (0)857 282 1900; IRB@partners.org), ref: 2022P002262

Study design

Multicenter prospective cross-sectional cohort study

Primary study design

Observational

Study type(s)

Prevention

Health condition(s) or problem(s) studied

Obstructive sleep apnea

Interventions

The researchers will determine the following exposures from the raw signal:

1. Sleep Apnea-Specific Hypoxic Burden (SASHB): This metric encapsulates the frequency of upper airway obstructions during sleep (like the AHI) and the duration and depth of respiratory event-related oxygen desaturations. The SASHB is quantified by summing the area under the

SpO curve associated with individual apneas and hypopneas. The total sum is then divided by the sleep duration, yielding units of minutes of % desaturation per hour of sleep (%·min/h). 2. OSA-Specific Heart Rate Response (Δ HR): The Δ HR is estimated using pulse signals derived from the photoplethysmography used in the pulse oximetry sensor. Consistent with previous studies, Δ HR is defined as the difference between a maximum heart rate during a subject-specific search window and an event-related minimum heart rate (the minimum heart rate during apneas/hypopneas). Finally, individual-level Δ HR is defined as the mean of all event-specific responses.

Intervention Type

Not Specified

Primary outcome(s)

Sleep apnea-specific hypoxic burden (SASHB) and delta heart rate (Δ HR) measured using the raw data from the sleep test at baseline

Key secondary outcome(s))

CPAP compliance measured using CPAP device compliance report at 1 month after CPAP treatment

Completion date

01/10/2024

Eligibility

Key inclusion criteria

Women with suspected obstructive sleep apnea

Participant type(s)

Patient

Healthy volunteers allowed

No

Age group

Adult

Lower age limit

15 years

Upper age limit

100 years

Sex

Female

Key exclusion criteria

- 1. Other sleep disorders such as periodic limb movement, narcolepsy, and parasomnias
- 2. Severe pulmonary disease

Date of first enrolment 01/09/2023

Date of final enrolment 01/06/2024

Locations

Countries of recruitmentArgentina

Bolivia

Chile

Colombia

Costa Rica

Mexico

Peru

Uruguay

Study participating centre
Pontificia Universidad Catolica de Chile
Avda. Libertador Bernando O'Higgins 340
Santiago
Chile
8320000

Study participating centre Hospital Clinico Dra. Eloisa Diaz Avenida Froilán Roa N°6542, La Florida Santiago Chile 8240000

Study participating centre Universidad de Concepcion

Víctor Lamas 1290 Concepcion Chile 4070386

Study participating centre Complejo Asistencial Dr. Victor Rios Ruiz

Avenida Ricardo Vicuna 147 Los Angeles Chile 4451055

Study participating centre Clinica Davila

Av. Recoleta 464, Recoleta Santiago Chile 8431657

Study participating centre Clinica Las Condes

Estoril 450, Las Condes Santiago Chile 7591047

Study participating centre Fundación Neumológica Colombiana

Bogota Colombia 13B 161 85

Study participating centre Hospital Nacional Arzobispo Loayza

Av. Alfonso Ugarte 848 Lima Peru 15082

Study participating centre Centro Privado de Medicina Respiratoria de Parana Petrona Rosende 2394, E3100 Paraná, Entre Ríos

Parana

Study participating centre Hospital Universitario Austral

Av. Pres. Juan Domingo Peron 1500, Pilar Centro Buenos Aires Argentina B1629

Study participating centre Hospital Faro del Mayab/Christus Muguerza

Calle 24 S/N, Temozon Norte, Santa Gertrudis Copo Merida Mexico 97305

Study participating centre Hospital de Clínicas

Dr. Manuel Quintela" Av. Italia s/n . Montevideo Uruguay 11600

Study participating centre Hospital Mexico

San José 267-1005 San Jose Costa Rica 10103

Study participating centre Instituto Neumologico del Oriente

Cl. 53 #31-30, Sotomayor Bucaramanga Colombia 52136

Study participating centre

Clínica Anglo Americana

C. Alfredo Salazar 350, San Isidro Lima Peru 15073

Study participating centre Caja Nacional de Salud

Av. Mariscal Santa CruzEsq. Almirante Grau #123La Paz La Paz Bolivia 4389464

Study participating centre Hospital Presidente Peron

Anatole France 773, Sarandí Buenos Aires Argentina B1872AWK

Study participating centre Hospital Zonal de Trelew

Pellegrini, 28 de Julio &, Trelew Chubut Argentina u9100auo

Sponsor information

Organisation

Brigham and Women's Hospital

ROR

https://ror.org/04b6nzv94

Funder(s)

Funder type

University/education

Funder Name

American College of Chest Physicians

Alternative Name(s)

CHEST, ACCP CHEST

Funding Body Type

Government organisation

Funding Body Subtype

Associations and societies (private and public)

Location

United States of America

Funder Name

Universidad de Concepción

Alternative Name(s)

University of Concepcion, UdeC

Funding Body Type

Private sector organisation

Funding Body Subtype

Universities (academic only)

Location

Chile

Results and Publications

Individual participant data (IPD) sharing plan

The datasets generated and analyzed during the current study during this study will be available on request from Dr Gonzalo Labarca (glabarcat@gmail.com).

Type of data that will be shared: Raw signal, de-identified baseline information after signing a data user agreement (DUA).

Dates of availability: From December 2024

All data was de-identified.

IPD sharing plan summary

Available on request

Study outputs

Output type

Details