Promoting mental health for university students in China through mindfulness

Submission date 31/01/2025	Recruitment status No longer recruiting	[X] Prospectively registered
		Protocol
Registration date	Overall study status	Statistical analysis plan
10/02/2025	Completed	☐ Results
Last Edited	Condition category	Individual participant data
15/07/2025	Mental and Behavioural Disorders	[X] Record updated in last year

Plain English summary of protocol

Background and study aims

Mindfulness-based programs (MBPs), rooted in contemplative practices, have emerged as promising interventions for promoting mental well-being and resilience. Unfortunately, no large-scale study has assessed the efficacy of MBPs for university students in China, a population with a high prevalence of mental health issues. The primary goal of this pilot study is to evaluate the impact of a mindfulness-based program specifically tailored for university students. We will investigate the effects on mental illness symptoms, stress, student inner resources such as mindfulness, emotion regulation skills, other indicators of wellbeing such as sleep quality and and academic performance. Later, in the full-scale RCT (to be implemented later this year), we intend to assess how the impact of the MBP varies when delivered in person or online.

Who can participate?

Undergraduate students with mild to severe symptoms of anxiety and/or depression.

What does the study involve?

Students in the intervention group will participate in an eight-week mindfulness program (inperson). Students in the waitlist control group will receive the intervention after the conclusion of the pilot study.

What are the possible benefits and risk of participating?

Potential benefits are improved physical and mental health. Students will also receive small financial rewards for participating in the study.

Potential risks are unlikely, but may include increased awareness of mental or physical discomfort, as well as time stress due to extra time dedicated to participation.

Where is the study run from?

The two main participating universities in the pilot study in China will be Fudan University and Beijing Normal University. Researchers at Stanford University will work with these partners to implement the project in the pilot.

When is the study starting and how long is it expected to run for? The study will begin recruitment for the pilot study in mid-February 2025. The intervention is planned to begin in late March and last for nine weeks.

Who is funding the study?

Study funders include the Cyrus Tang Foundation, the Enlight Foundation, and Vincent Woo Foundation.

Who is the main contact?

Researchers may contact Dr. Huan Wang (huanw@stanford.edu), Dr. Hui-Qi Tong (htong@stanford.edu), or Cody Abbey (cjabbey@stanford.edu) for more information about this study.

Contact information

Type(s)

Public, Scientific

Contact name

Mr Cody Abbey

Contact details

616 Jane Stanford Way, Stanford University Stanford United States of America 94305 +1 650-724-9254 cjabbey@stanford.edu

Type(s)

Public, Scientific, Principal investigator

Contact name

Dr Huan Wang

Contact details

616 Jane Stanford Way Stanford University Stanford United States of America 94305 +1 650-724-9254 huanw@stanford.edu

Type(s)

Public, Scientific, Principal investigator

Contact name

Dr Hui-Qi Tong

Contact details

91 Campus Drive Li Ka Shing Building Stanford United States of America 94305 +1 650-724-9254 htong@stanford.edu

Type(s)

Public, Scientific

Contact name

Prof Xinshu She

Contact details

91 Campus Drive Li Ka Shing Building Stanford United States of America 94305 +1 650-724-9254 xinshe@stanford.edu

Type(s)

Principal investigator

Contact name

Prof Scott Rozelle

Contact details

616 Jane Stanford Way, Stanford University Stanford United States of America 94305 +1 650-724-9254 rozelle@stanford.edu

Type(s)

Principal investigator

Contact name

Prof Danhua Lin

Contact details

19 Xinwai Ave, Beitaipingzhuang, Hai Dian Qu Beijing China 100875 +86 010 58804075 danhualin@bnu.edu.cn

Type(s)

Principal investigator

Contact name

Prof Lian Tong

Contact details

220 Handan Rd, Yangpu District Shanghai United States of America 200437 +86 21 5423 7499 ltong@fudan.edu.cn

Additional identifiers

Clinical Trials Information System (CTIS)

Nil known

ClinicalTrials.gov (NCT)

Nil known

Protocol serial number

AEARCTR-0015090

Study information

Scientific Title

Promoting mental health for university students in China through mindfulness: a pilot randomized controlled trial

Study objectives

Current study hypothesis as of 09/04/2025:

Participation in the mindfulness-based program will reduce mental health symptoms and stress (perceived and physiological) more than an experimental waitlist control

Previous study hypothesis:

Participation in the mindfulness-based program will reduce mental health symptoms and stress (perceived and physiological) more than an experimental control

Ethics approval required

Ethics approval required

Ethics approval(s)

approved 19/12/2024, Stanford University Institutional Review Board (1705 El Camino Real, Palo Alto, 94306, United States of America; +1 (650) 723-2480; afbailey@stanford.edu), ref: 75117

Study design

Interventional randomized controlled pilot trial

Primary study design

Interventional

Study type(s)

Prevention, Treatment, Efficacy

Health condition(s) or problem(s) studied

Prevention of severe mental disorders in students with mild to moderate mental health symptoms

Interventions

Current interventions as of 09/04/2025:

We will conduct a pilot study with 112 university students recruited online and offline from universities in China. Using the RCT method of impact evaluation, we will be able to ensure that the intervention and control groups have similar characteristics at baseline, which is vital for drawing a causal connection between the intervention and any changes in student outcomes. By assuring the similarity of characteristics (such as sex, baseline mental health, etc.) between the treatment and waitlist control groups at baseline, we can confidently attribute any significant differences in outcomes between the control and intervention group to the program.

For this pilot study, 112 sample students will be randomly allocated into two experimental arms (in-person mindfulness-based program and a pure control). Using STATA 16 software (https://www.stata.com/), with 80% power, and a significance level of 0.05, we determined that a sample size of 51 students per arm was required to detect a difference of 0.5 standard deviations in outcome measures. Our recruitment of 56 students per arm (112 in total) allows for 10% attrition.

In-person mindfulness instruction:

The in-person mindfulness instruction will consist of weekly 90-minute group sessions, held in a university classroom over eight consecutive weeks.

Participants will learn foundational principles related to the role of mindfulness in specific domains such as emotion regulation, stress, social relationships, and gratitude.

Participants will also be taught formal mindfulness practices (e.g., sitting meditation, body scan, qigong, loving-kindness meditation) during the weekly sessions and informal mindfulness practices (e.g., mindful eating, mindful walking, and mindful daily routine activities) during the weekly sessions.

They will be asked to commit to completing assigned mindfulness practice independently throughout the intervention period.

Participants assigned to the control group will receive an educational intervention unrelated to the mindfulness program.

Previous interventions:

We will conduct a pilot study with 112 university students recruited online and offline from universities in China. Using the RCT method of impact evaluation, we will be able to ensure that

the intervention and control groups have similar characteristics at baseline, which is vital for drawing a causal connection between the intervention and any changes in student outcomes. By assuring the similarity of characteristics (such as sex, baseline mental health, etc.) between the treatment and control groups at baseline, we can confidently attribute any significant differences in outcomes between the control and intervention group to the program.

For this pilot study, 112 sample students will be randomly allocated into two experimental arms (in-person mindfulness-based program and a pure control). Using STATA 16 software (https://www.stata.com/), with 80% power, and a significance level of 0.05, we determined that a sample size of 51 students per arm was required to detect a difference of 0.5 standard deviations in outcome measures. Our recruitment of 56 students per arm (112 in total) allows for 10% attrition.

In-person mindfulness instruction:

The in-person mindfulness instruction will consist of weekly 90-minute group sessions, held in a university classroom over eight consecutive weeks.

Participants will learn foundational principles related to the role of mindfulness in specific domains such as emotion regulation, stress, social relationships, and gratitude.

Participants will also be taught formal mindfulness practices (e.g., sitting meditation, body scan, qigong, loving-kindness meditation) during the weekly sessions and informal mindfulness practices (e.g., mindful eating, mindful walking, and mindful daily routine activities) during the weekly sessions.

They will be asked to commit to completing assigned mindfulness practice independently throughout the intervention period.

Participants assigned to the control group will receive an educational intervention unrelated to the mindfulness program.

Intervention Type

Behavioural

Primary outcome(s)

- 1. Anxiety symptoms will be measured using the General Anxiety Disorder Scale (GAD-7) at baseline, weekly during the intervention, and endline
- 2. Depression symptoms will be measured using the Patient Health Questionnaire Scale (PHQ-9) at baseline, weekly during the intervention, and endline
- 3. Stress (physiological) will be measured using cortisol levels. The cortisol levels will be measured starting one week prior to the intervention, for three days in a row, three times per day at consistent times. At the end of the intervention, the cortisol levels will be measured on days 5-7 after participation in the program ends, three times per day (at the same times each day as before the intervention). Stress (physiological) will also be measured using heart rate variability, measured continuously during the intervention via a wearable device
- 4. Perceived stress is measured using the Perceived Stress Scale (PSS), measured at baseline, weekly during the intervention, and endline

Key secondary outcome(s))

- 1. Emotion regulation will be measured using the Emotion Regulation Questionnaire (ERQ) at baseline and endline
- 2. Coping strategies will be measured using the Coping Strategies Scale and the Simplified Coping Styles Questionnaire at baseline and endline
- 3. Adverse Childhood Experiences will be measured using the Adverse Childhood Experiences

International Questionnaire (ACES-IQ) at baseline

4. Mindfulness will be measured using the short-form of the Five Facet Mindfulness Questionnaire (FFMQ-SF) at baseline and endline, and measured weekly during the intervention 5. Loneliness will be measured using the short-form of the 6-item UCLA Loneliness Scale at

baseline and endline

- 6. Parent attachment will be measured using the Inventory of Parent and Peer Attachment (IPPA) at baseline and endline
- 7. Smartphone addiction will be measured using the Smartphone Addiction Scale (SAS) at baseline and endline
- 8. Positive and negative affect will be measured using the Positive and Negative Affect Schedule -short form (PANAS-SF) at baseline and endline, and measured weekly during the intervention
- 9. State mindfulness will be measured using the Multidimensional State Mindfulness Questionnaire (MSMQ) at baseline and endline, and measured weekly during the intervention
- 10. Recent stress will be measured using the Adolescent Self-Rating Life Events Check list (ASLEC) at baseline and endline
- 11. Diet will be measured using the Perceived Healthy Diet Scale at baseline and endline
- 12. Sleep quality will be measured using the Pittsburgh Sleep Quality Index (PSQI) at baseline and endline
- 13. Flourishing will be measured using the Flourishing Scale (FS) at baseline and endline
- 14. Academic performance will be measured using the semester GPA and national English test results at baseline and endline
- 15. Lifestyle behaviors will be measured using items asking about the amount and frequency of behaviors such as screen time, exercise, and sleep, at baseline and endline
- 16. Neuroticism will be measured using the Big Five Personality Inventory (brief version), at baseline and endline
- 17. Face Saving will be measured using the Face Saving Scale at baseline and endline
- 18. Somatic symptoms will be measured using the brief version of the Somatic Symptom Scale (SSS), at baseline and endline
- 19. Procrastination will be measured using the Short General Procrastination Scale, at baseline and endline
- 20. Perceived benefits and adverse effects and helpfulness of the program will be measured with Likert-type items measured weekly during the intervention
- 21. Compliance with mindfulness practice will be measured based on self-report length and frequency of practice, measured weekly during the intervention.
- 22. Acceptability of the intervention will be measured via qualitative interviews and focus groups with students and instructors
- 23. Self-compassion will be measured using the Self-Compassion Scale, measured at baseline and endline, as well as weekly during the intervention
- 24. Sense of purpose will be measured using the Claremont Purpose Scale, measured at baseline and endline

Completion date

06/06/2025

Eligibility

Key inclusion criteria

Current inclusion criteria as of 09/04/2025:

- 1. Undergraduate students enrolled in participating universities in China
- 2. 18+ years of age

- 3. Provide a written consent form
- 4. Can read, write, and speak Mandarin Chinese
- 5. Students reporting mild-severe levels of distress (PHQ-9 \geq 5; GAD-7 \geq 5)

Previous inclusion criteria:

- 1. Undergraduate students enrolled in participating universities in China
- 2. 18+ years of age
- 3. Provide a written consent form
- 4. Chinese citizen
- 5. Can read, write, and speak Mandarin Chinese
- 6. Students reporting mild-moderate levels of distress (PHQ-9 = 5-10; GAD-7 = 5-10)

Participant type(s)

Learner/student

Healthy volunteers allowed

No

Age group

Adult

Lower age limit

18 years

Sex

All

Total final enrolment

111

Key exclusion criteria

Current exclusion criteria as of 09/04/2025:

The research team will screen for the following prior to enrollment in the study among potentially eligible participants:

- 1. Taking psychopharmaceutical medications
- 2. Receiving psychotherapy
- 3. Severe suicidality (severe suicidal ideation, intent and plan, recent suicidal attempts) and/or risk of causing harm to others
- 4. Presenting psychotic symptoms such as hallucinations and delusions*
- 5. Previously received structured mindfulness instruction
- 6. Has a structured meditation practice (practicing once per week or more)

*Students detected to potentially have the above conditions will be further screened by a licensed counselor and then referred out for a counseling/medical evaluation through the established university referral mechanism.

Previous exclusion criteria:

The research team will screen for the following prior to enrollment in the study among potentially eligible participants:

- 1. Taking psychopharmaceutical medications
- 2. Presenting psychotic symptoms such as hallucinations and delusions
- 3. High suicidality (severe suicidal ideation, intent and plan, recent suicidal attempts)
- 4. Cognitive impairment
- 5. Major depressive disorder
- 6. Severe anxiety
- 7. Other conditions that might compromise group attendance such as severe social anxiety and inadequately treated PTSD*
- *Students detected to potentially have the above conditions will be further screened by a licensed counselor and then referred out for a counseling/medical evaluation through the established university referral mechanism.

Date of first enrolment

17/02/2025

Date of final enrolment

15/03/2025

Locations

Countries of recruitment

China

Study participating centre Beijing Normal University

19 Xinwai Ave, Beitaipingzhuang, Haidian District Beijing China 100875

Study participating centre Fudan University

220 Handan Rd, Yang Pu Qu Shanghai China 200437

Sponsor information

Organisation

Stanford University

ROR

https://ror.org/00f54p054

Funder(s)

Funder type

Charity

Funder Name

Cyrus Tang Foundation

Alternative Name(s)

CTF

Funding Body Type

Private sector organisation

Funding Body Subtype

Trusts, charities, foundations (both public and private)

Location

United States of America

Funder Name

Enlight Foundation

Alternative Name(s)

Funding Body Type

Government organisation

Funding Body Subtype

Trusts, charities, foundations (both public and private)

Location

United Kingdom

Funder Name

Vincent Woo Foundation

Results and Publications

Individual participant data (IPD) sharing plan

Databases will be shared for replication studies upon request and reasonable conditions. huanw@stanford.edu

IPD sharing plan summary

Available on request

Study outputs

Output type Details Date created Date added Peer reviewed? Patient-facing?

Participant information sheet Participant information sheet 11/11/2025 11/11/2025 No Yes