Evaluation of the anti-ageing efficacy of Hilow Haenkenium cream in healthy women

Submission date	Recruitment status No longer recruiting	Prospectively registered		
03/06/2019		☐ Protocol		
Registration date	Overall study status Completed	Statistical analysis plan		
04/06/2019		[X] Results		
Last Edited	Condition category	[] Individual participant data		
20/08/2021	Other			

Plain English summary of protocol

Background and study aims

The study aimed to assess the efficacy of Profhilo Haenkenium® in improving the skin condition of subjects showing mild-to-moderate skin ageing signs and skin redness due to cold and wind

Who can participate?

Female subjects (aged between 40 and 65 years old).

What does the study involve?

Participants will use the test product on the face for the duration of the study. Skin condition will be assessed in a clinical assessment at baseline and after 14, 28, 56 and 84 days product use

What are the possible benefits and risks of participating?

Benefits associated with product use and study participation are related to an improvement of skin conditions. During the study is possible that subjects would note a decrease in skin redness and wrinkles depth.

Benefits associated with product use and study participation are related to both subjective and objective adverse events (AEs) (e.g. skin irritation, sensitization, etc.). The occurrence of AEs related to individual susceptibility to specific ingredients in the product could be related to biological phenomenon that are not avoidable and cannot be considered as AEs due to product use. Potential risks are assumed to be from mild to moderate and are not expected to pose a risk to human health. Risks associated with the procedures involved in this study are judged as minor. All the measurements carried out are not invasive and/or minimally invasive and no skin side effects are expected from the measurement process.

Where is the study run from? Complife Italia Srl, San Martino Siccomario, Italy

When is the study starting and how long is it expected to run for? January 2017 for one month

Who is funding the study? IBSA Farmaceutici Italia S.r.l., Italy

Who is the main contact?
Dr Vincenzo Nobile,
vincenzo.nobile@complifegroup.com

Contact information

Type(s)

Scientific

Contact name

Dr Vincenzo Nobile

ORCID ID

https://orcid.org/0000-0001-9147-302X

Contact details

Via Monsignor Angelini, 21 San Martino Siccomario Italy 27028 +39 0382 25504 vincenzo.nobile@complifegroup.com

Additional identifiers

Clinical Trials Information System (CTIS)

Nil known

ClinicalTrials.gov (NCT)

Nil known

Protocol serial number

E.HU.016-0050.01.005L 2017/3939

Study information

Scientific Title

Evaluation of the anti-ageing efficacy of Hilow Haenkenium cream in healthy women

Acronym

HILOW

Study objectives

The aim of the study is to evaluate the anti-ageing efficacy of Hilow Haenkenium cream in healthy women

Ethics approval required

Old ethics approval format

Ethics approval(s)

None required

Study design

Single-centre open label

Primary study design

Interventional

Study type(s)

Other

Health condition(s) or problem(s) studied

Mild-to-moderate ageing skin signs and skin redness due to cold and wind

Interventions

Participants attended clinic visits at screening, baseline and after 14, 28, 56 and 84 days product use (Profhilo Haenkenium®). During the screening visit subjects were informed on study procedures, risks and benefits. Only subjects giving their informed consent were enrolled in the study. Information on the medical history of the subjects were taken only after informed consent signature and subject's eligibility to participate in the study was checked by a board-certified dermatologist. At each visit skin elasticity, wrinkle depth and skin redness are measured using non-invasive bioengineering techniques; while skin strippings (trough the stratum corneum, superficial layer of the skin) were taken using minimally invasive adhesive foils. The total duration of each visit was 30 minutes. The total study duration was 84 days.

Intervention Type

Other

Primary outcome(s)

Antiageing efficacy is measured by means of wrinkle depth and total skin antioxidant capacity using Ferric Reducing Antioxidant Power (FRAP) assay at baseline, and after 14, 28, 56 and 84 days of product use.

Key secondary outcome(s))

Skin redness and skin elasticity/compactness assessed using clinical assessment carried out by the dermatologist and the self-assessment carried out by the subjects participating in the study at baseline, and after 14, 28, 56 and 84 days of product use.

Completion date

31/05/2017

Eligibility

Key inclusion criteria

- 1. Healthy female subject
- 2. Caucasian ethnicity
- 3. Age between 40 and 65 years old
- 4. Subjects showing mild to moderate ageing skin signs and skin redness due to cold and wind
- 5. Subjects who have not been recently involved in any other similar study

- 6. Willingness to use during all the study period only the product to be tested
- 7. Willingness to not vary the normal daily routine

Participant type(s)

Healthy volunteer

Healthy volunteers allowed

No

Age group

Adult

Sex

Female

Total final enrolment

50

Key exclusion criteria

- 1. Subject does not meet the inclusion criteria
- 2. Positive history for atopy or hypersensitive skin
- 3. Past history of allergy or sensitivity to cosmetics, toiletries, to solar and/or topical medications
- 4. Any skin condition that the principal investigator deems inappropriate for participation
- 5. Pregnancy or nursing women

Date of first enrolment

09/01/2017

Date of final enrolment

31/01/2017

Locations

Countries of recruitment

Italy

Study participating centre

Complife Italia Srl

Via Monsignor Angelini, 21 San Martino Siccomario Italy 27028

Sponsor information

Organisation

IBSA Farmaceutici Italia S.r.l.

ROR

https://ror.org/02cf8gj49

Funder(s)

Funder type

Industry

Funder Name

IBSA Farmaceutici Italia S.r.l

Results and Publications

Individual participant data (IPD) sharing plan

All data generated or analysed during this study will be included in the subsequent results publication

IPD sharing plan summary

Other

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Results article	Pages 25-33	12/03/2020	20/08/2021	Yes	No
Participant information sheet	Participant information sheet	11/11/2025	11/11/2025	No	Yes