

Validation study of the immunomodulatory effects of ResistAid™

Submission date 05/04/2011	Recruitment status No longer recruiting	<input type="checkbox"/> Prospectively registered
		<input type="checkbox"/> Protocol
Registration date 15/04/2011	Overall study status Completed	<input type="checkbox"/> Statistical analysis plan
		<input type="checkbox"/> Results
Last Edited 06/09/2011	Condition category Haematological Disorders	<input type="checkbox"/> Individual participant data
		<input type="checkbox"/> Record updated in last year

Plain English summary of protocol
Not provided at time of registration

Contact information

Type(s)
Scientific

Contact name
Dr Jay Udani

Contact details
18250 Roscoe Blvd.
Suite 240
Northridge
United States of America
91325

Additional identifiers

EudraCT/CTIS number

IRAS number

ClinicalTrials.gov number

Secondary identifying numbers
LONZ1400

Study information

Scientific Title

Validation study of the immunomodulatory effects of ResistAid™: a randomised, double-blind, placebo-controlled, dose-finding study

Acronym

LONZ1400

Study objectives

ResistAid™ will enhance the immune response to a standardised antigenic challenge (Tetanus vaccine and Influenza vaccine) in a dose dependent manner compared with placebo.

Ethics approval required

Old ethics approval format

Ethics approval(s)

Copernicus Group IRB (Cary, NC) approved on 10th February 2010

Study design

Randomised double-blind parallel group clinical controlled trial

Primary study design

Interventional

Secondary study design

Randomised controlled trial

Study setting(s)

Other

Study type(s)

Treatment

Participant information sheet

Not available in web format, please contact, Studies@staywellresearch.com to request a patient information sheet

Health condition(s) or problem(s) studied

Immunomodulation

Interventions

There are 3 arms to the study. Based on the randomisation, subjects will be assigned to ResistAid™1.5g, ResistAid™4.5g, Placebo (Maltodextrin)

Intervention Type

Drug

Phase

Not Applicable

Drug/device/biological/vaccine name(s)

ResistAid™

Primary outcome measure

Immune responses will be measured by Tetanus IgG

These serum markers will be measured upon screening, and again 15 days and 30 days after the vaccines have been administered.

Secondary outcome measures

Immune responses will be measured by:

Influenza A IgM

Influenza A IgG

Influenza B IgM

Influenza B IgG

These serum markers will be measured upon screening, and again 15 days and 30 days after the vaccines have been administered.

Overall study start date

28/05/2010

Completion date

09/12/2010

Eligibility**Key inclusion criteria**

1. Subjects must be between 18-65 years of age
2. Subject is willing to maintain his habitual food and beverage intake (other than substitution of study food for similar products) and physical activity patterns throughout the study period
3. Body mass index (BMI) between 18 and 30 kg/m²
4. Judged by the Investigator to be in general good health on the basis of medical history
5. Subject understands the study procedures and signs forms providing informed consent to participate in the study and authorisation for release of relevant protected health information to the study investigator
6. Females must agree to use approved birth control methods during the study
7. Subjects must not have had the Influenza vaccine for the 2009-2010 flu season
8. Subjects must not have had the Tetanus vaccine within the last 5 years

Participant type(s)

Patient

Age group

Adult

Lower age limit

18 Years

Upper age limit

65 Years

Sex

Both

Target number of participants

75

Key exclusion criteria

1. Subjects with any history of immune system disorder or auto-immune disorder including but not limited to the following:

Acquired immune deficiency syndrome (AIDS), human immunodeficiency virus (HIV), ankylosing spondylitis, chronic fatigue syndrome, CREST syndrome, crohns disease, dermatomyositis, fibromyalgia, graves disease, hashimotos thyroiditis, lupus, multiple sclerosis, myasthenia gravis, pernicious anaemia, polyarteritis nodosa, primary biliary cirrhosis, psoriasis, reynauds syndrome, rheumatoid arthritis, sarcoidosis, scleroderma, sjogrens syndrome, temporal arthritis, ulcerative colitis and vitiligo

2. Known allergy or sensitivity to any ingredients in the study products

3. Subjects with history of using diabetic medications during the last 4 weeks to start of study

4. Subjects with history of using insulin during the last 12 weeks to start of study

5. Any active infection, or infection in the last month requiring antibiotics, anti-viral medication or hospitalisation

6. Subjects with active eating disorder including anorexia nervosa, bulimia and/or obsessive compulsive eating disorders

7. Subjects with untreated significant depression or other psychiatric disease noted during the initial screening. Subjects with stable depression who are receiving medication and/or therapy may be included

8. Subjects with unstable coronary artery disease, unstable congestive heart failure, stroke, unstable arrhythmia, or uncontrolled hypertension

9. Subjects who are pregnant or breast-feeding

10. Subjects with history of seizure

11. Subjects on anticoagulation therapy

12. Recent history of (within 12 months) or strong potential for alcohol or substance abuse

13. Subjects with inflammatory bowel disease (ulcerative colitis or crohns disease)

14. Subjects with a history of perforation of the stomach or intestines

15. Subjects with brain and/or spinal cord injury

16. Untreated or unstable hypothyroidism

17. History or presence of cancer in the last 5 years, except for non-melanoma skin cancer

18. Use of any immunosuppressive drugs in the last 5 years

19. Steroids, biologics, etc

20. Any physical trauma in the last 4 months (including but not limited to motor vehicle accident or any physical injury)

21. Surgery within the last 6 months

22. Any clinically significant burn within the last 6 months

23. Current use of Insulin or use of Insulin in the past 3 years

24. Weight loss of more than or equal to 20 pounds in the last 3 months

25. Oestrogens are allowed as long as there has been no change in the dose or frequency in the last 6 months

26. Subjects with a history of symptomatic hypoglycemia in the past 1 month

27. Abnormal physical examination

28. Participation in a clinical study with exposure to any non-registered drug product within 30 days prior

29. Individual has a condition the Investigator believes would interfere with his or her ability to provide informed consent, comply with the study protocol, which might confound the interpretation of the study results or put the person at undue risk

30. Subjects unable to understand or follow the study protocol

Date of first enrolment

28/05/2010

Date of final enrolment

09/12/2010

Locations

Countries of recruitment

United States of America

Study participating centre

18250 Roscoe Blvd.

Northridge

United States of America

91325

Sponsor information

Organisation

Lonza (USA)

Sponsor details

90 Boroline Road

Allendale

United States of America

07401

Sponsor type

Industry

ROR

<https://ror.org/04g4p0a45>

Funder(s)

Funder type

Industry

Funder Name

Lonza (USA)

Results and Publications

Publication and dissemination plan

Not provided at time of registration

Intention to publish date

Individual participant data (IPD) sharing plan

IPD sharing plan summary

Not provided at time of registration