

The study of bone cells specifically in osteoarthritis and factors affecting progression

Submission date 02/06/2015	Recruitment status No longer recruiting	<input type="checkbox"/> Prospectively registered
		<input type="checkbox"/> Protocol
Registration date 15/06/2015	Overall study status Completed	<input type="checkbox"/> Statistical analysis plan
		<input type="checkbox"/> Results
Last Edited 15/06/2015	Condition category Musculoskeletal Diseases	<input type="checkbox"/> Individual participant data
		<input type="checkbox"/> Record updated in last year

Plain English summary of protocol

Background and study aims

Sclerostin is a small protein made by osteocytes (bone cells). It is thought that higher levels of sclerostin may indicate a more progressive osteoarthritis. Here, we want to investigate whether there are any differences in the sclerostin levels in blood and joints of patients undergoing knee replacement surgery (knee arthroplasty) and record other clinical parameters such as pain, function and histological grading of the osteoarthritis. The aim of this study is to investigate the role of the osteocytes in bone disease such as osteoarthritis and to understand the mechanisms that can occur that sometimes contribute to bone loosening around a prosthesis.

Who can participate?

Adults scheduled to have a knee replacement due to osteoarthritis.

What does the study involve?

A small sample of bone that would otherwise be removed and discarded is taken from each participant at the time of their knee replacement surgery. A blood sample is taken at the same time. Both samples are then taken for analysis.

What are the possible benefits and risks of participating?

The bone will only be used for research and the results will not have any effect on health or treatment.

Where is the study run from?

Calvary Wakefield Hospital (Australia)

When is the study starting and how long is it expected to run for?

May 2013 to July 2017

Who is funding the study?

The Australian Orthopaedic Association and Adelaide University (Australia)

Who is the main contact?

Dr Christine Schutz

Contact information

Type(s)

Scientific

Contact name

Dr Christine Schutz

ORCID ID

<http://orcid.org/0000-0001-5829-4513>

Contact details

270 Wakefield St
Adelaide
Australia
5000

Additional identifiers

EudraCT/CTIS number

IRAS number

ClinicalTrials.gov number

Secondary identifying numbers

ECE006

Study information

Scientific Title

Research into sclerostin serum and synovial levels and other factors in osteoarthritis of the knee. An observational study.

Study objectives

Sclerostin is produced almost exclusively by osteocytes that regulate bone mass. It is hypothesized that higher levels of sclerostin may indicate a more progressive osteoarthritis.. This study aims to observe if there are any differences in serum sclerostin and synovial sclerostin in patients undergoing knee arthroplasty and record other clinical parameters such as pain and function and histological grading of osteoarthritis (OA).

Ethics approval required

Old ethics approval format

Ethics approval(s)

Calvary Ethics committee. , 29/05/2013, ref: 13 CHTECR006

Study design

Observational single centre study.

Primary study design

Observational

Secondary study design

Cohort study

Study setting(s)

Hospital

Study type(s)

Diagnostic

Participant information sheet

Not available on this website.

Health condition(s) or problem(s) studied

Osteoarthritis of the knee and its progression.

Interventions

All patients will have diagnosis of Grade 4 OA and consent to bone and blood samples being taken at time of primary knee arthroplasty. The observations are done pre surgery and serum and synovial fluid analysis is at time of surgery.

Intervention Type

Procedure/Surgery

Primary outcome measure

1. Whether another joint required replacement due to OA 12 months after surgery. Number of days recorded between surgeries if < 12months
2. Are serum sclerostin or synovial sclerostin levels higher in those with progressive OA defined by additional surgery < 12 months from initial surgery. High sclerostin levels in serum and synovial fluid indicate a progressive form of OA

Secondary outcome measures

To identify if any other factors such as Vit D levels and obesity contribute to variable sclerostin levels.

Vitamin D levels evaluated pre surgery and 12month postoperatively.

Overall study start date

29/05/2013

Completion date

30/07/2015

Eligibility**Key inclusion criteria**

1. Diagnosis of OA KL Grade 4
2. Primary knee arthroplasty scheduled.

Participant type(s)

Patient

Age group

Adult

Sex

Both

Target number of participants

40

Key exclusion criteria

1. Rheumatoid arthritis
2. Previous joint surgery for OA

Date of first enrolment

24/07/2013

Date of final enrolment

23/07/2015

Locations**Countries of recruitment**

Australia

Study participating centre

Calvary Wakefield Hospital

Adelaide

Australia

5000

Sponsor information**Organisation**

Calvary Wakefield Hospital

Sponsor details

300 Wakefield Street

Adelaide

Australia

5000

Sponsor type

Hospital/treatment centre

Website

www.calvarycare.org.au

ROR

<https://ror.org/02gt91x70>

Funder(s)

Funder type

Hospital/treatment centre

Funder Name

Adelaide University (Australia)

Funder Name

Australian Orthopaedic Association

Alternative Name(s)

AOA

Funding Body Type

Private sector organisation

Funding Body Subtype

Associations and societies (private and public)

Location

Australia

Results and Publications

Publication and dissemination plan

To be confirmed at a later date

Intention to publish date

01/02/2016

Individual participant data (IPD) sharing plan

IPD sharing plan summary

Not provided at time of registration