

Extended follow-up of participants in the DROPLET randomised controlled trial

Submission date	Recruitment status	<input type="checkbox"/> Prospectively registered
13/03/2019	No longer recruiting	<input type="checkbox"/> Protocol
Registration date	Overall study status	<input type="checkbox"/> Statistical analysis plan
18/04/2019	Completed	<input checked="" type="checkbox"/> Results
Last Edited	Condition category	<input type="checkbox"/> Individual participant data
01/10/2021	Nutritional, Metabolic, Endocrine	

Plain English summary of protocol

Background and study aims

Around 1 in 4 people in the UK are seriously overweight (obese). Being obese makes it more likely that a person will develop diabetes, heart disease and some types of cancer. Extra body weight also puts a strain on muscles and joints, making it difficult and sometimes painful to move around. The aim of the DROPLET study, conducted in 2015-2017 was to investigate whether a GP referral of patients who are obese to a commercial low-energy total diet replacement (TDR) programme, could help these people to lose more weight than a weight loss programme provided by the practice nurse. 278 participants were recruited from GP practices across Oxfordshire CCG. The participants who were assigned to the TDR programme lost on average 10.7 kg after one year, compared with those assigned to the nurse advice who lost on average 3.1 kg, which resulted in an average difference between the groups of 7.2 kg in favour of the TDR group. These results clearly demonstrate that TDR is clinically effective at 1 year, and the health benefits are largely commensurate with the weight losses observed. However, there are concerns that a rapid weight may be followed with rapid regain, which could negate some of the health benefits. A better understanding of the longer-term effects on weight and health outcomes will help to determine whether the treatment is a cost-effective option in the longer term. The aim of this study is to contact the original participants in the DROPLET trial to invite them to enrol in this study and to attend a new appointment about 3 years from their original randomisation visit to measure body weight and collect other information on their health and weight control efforts.

Who can participate?

Adults who participated in the original DROPLET study

What does the study involve?

Participants are seen by a nurse or a member of the research team to collect measures of weight, body fat, waist circumference and a fasting blood sample to assess change in blood markers, such as cholesterol and insulin. This is to assess participants' risk of developing heart disease or diabetes. Participants are also asked to complete questionnaires about weight control strategies. These measures collected at 3 years are compared with the same measures that were collected at the beginning of and during the main trial.

What are the possible benefits and risks of participating?

The risks of taking part are minimal, some people feel faint and have a small bruise where the blood sample has been collected.

Where is the study run from?

Oxfordshire Clinical Commissioning Group (UK)

When is the study starting and how long is it expected to run for?

March 2019 to September 2019

Who is funding the study?

1. Cambridge Weight Plan Ltd (UK)

2. National Institutes of Health Research Collaboration for Leadership in Health Research and Care (UK)

Who is the main contact?

Dr N Astbury

nerys.astbury@phc.ox.ac.uk

Contact information

Type(s)

Public

Contact name

Dr Nerys Astbury

ORCID ID

<https://orcid.org/0000-0001-9301-7458>

Contact details

University Of Oxford

The Radcliffe Observatory Quarter Woodstock Road

Nuffield Department of Primary Care Health Sciences

Oxford

United Kingdom

OX2 6GG

+44 (0)1856617871

nerys.astbury@phc.ox.ac.uk

Additional identifiers

Clinical Trials Information System (CTIS)

Nil known

ClinicalTrials.gov (NCT)

Nil known

Protocol serial number

13987

Study information

Scientific Title

Participants enrolled in the DROPLET randomised controlled trial which compared referral to a commercial total diet replacement (TDR) weight loss programme with usual care weight management on weight at 3 years

Study objectives

The aim of the Extended follow up of the Doctor Referral of Overweight People to a Low-Energy Treatment (DROPLET) trial (<https://www.isrctn.com/ISRCTN75092026>) is to determine the clinical effectiveness, of referral to a low-energy total diet replacement programme compared with usual weight management interventions for long term weight management.

Ethics approval required

Old ethics approval format

Ethics approval(s)

South Central Oxford B Research Ethics Committee, Whitefriars, Level 3, Block B, Lewin's Mead, Bristol, BS1 2NT Tel: +44 (0)207 1048058, Email: nrescommittee.southcentral-oxfordb@nhs.net, ref: 19/SC/0012

Study design

Observational follow-up study

Primary study design

Observational

Study type(s)

Treatment

Health condition(s) or problem(s) studied

Obesity

Interventions

This is an extended follow-up of the participants who were enrolled in the DROPLET randomised controlled trial (<https://www.isrctn.com/ISRCTN75092026>). Eligible participants have already taken part in the Doctor Referral of Overweight People to Low-Energy treatment (DROPLET) study whereby they were randomly assigned to either a TDR programme or usual care for weight loss, and were followed up at 1 year after randomisation. This study will invite those participants to attend an extended follow-up at 3 years after randomisation. There will be no further randomisation or additional intervention; this is an observational follow-up only. The participants attend a new appointment approximately 3 years from their original randomisation visit to measure body weight and collect other information on their health and weight control efforts.

Intervention Type

Behavioural

Primary outcome(s)

Weight change from baseline to 3 years

Key secondary outcome(s)

Proportion of participants in each group achieving 5% weight loss at 3 years
Proportion of participants in each group achieving 10% weight loss at 3 years
Change in fat mass between baseline and 3 years
Change in LDL cholesterol between baseline and 3 years
Change in HbA1c between baseline and 3 years
Change in systolic and diastolic blood pressure between baseline and 3 years
Change in QRISK2 between baseline and 3 years

Completion date

30/09/2019

Eligibility

Key inclusion criteria

Participant in the original DROPLET randomised controlled trial and consented to re-contact

Participant type(s)

Other

Healthy volunteers allowed

No

Age group

Adult

Sex

All

Total final enrolment

179

Key exclusion criteria

Does not meet inclusion criteria

Date of first enrolment

01/03/2019

Date of final enrolment

30/09/2019

Locations

Countries of recruitment

United Kingdom

England

Study participating centre
University of Oxford
The Radcliffe Observatory Quarter
Woodstock Road
Oxford
United Kingdom
OX2 6GG

Sponsor information

Organisation
University of Oxford

ROR
<https://ror.org/052gg0110>

Funder(s)

Funder type
Industry

Funder Name
Cambridge Weight Plan UK Ltd

Funder Name
NIHR CLAHRC Oxford

Results and Publications

Individual participant data (IPD) sharing plan

The current IPD data sharing plans for the current study are unknown and will be made available at a later date.

IPD sharing plan summary

Data sharing statement to be made available at a later date

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Results article	results	23/07/2021	01/10/2021	Yes	No

