# Preventing stress-related ill health among new registered nurses

Submission date	Recruitment status	Prospectively registered
26/01/2017	No longer recruiting	∐ Protocol
Registration date	Overall study status	Statistical analysis plan
31/01/2017	Completed	Results
Last Edited	Condition category	Individual participant data
19/07/2018	Mental and Behavioural Disorders	<ul><li>Record updated in last year</li></ul>

## Plain English summary of protocol

Background and study aims:

In a nationally representative sample in Sweden, one in five new nurses had experienced high levels of stress-related ill health at some point during the first three years in the profession. There is evidence to suggest that this may be because many engage in behaviours that only deal with short-term stress rather than lowering overall stress levels, which would reduce stress in the long-run. Evidence of the effects of treatments for stress-related ill health is limited. Yet, analyses of stress-management programs have shown that person-directed programs that are developed based on the principles of cognitive behavior therapy (a type of talking therapy that helps people to change the way they think and behave) are effective for reducing stress-related ill health among experienced nurses. These programs typically support the development of behaviors that help people to better manage stressful situations and thereby reduce the experience of stress over time. This study aims to investigate the effect of a behavior change program which has been developed to prevent stress-related ill health among new registered nurses.

## Who can participate?

Newly graduated nurses working within their first months of the professional career, and participating in a transition-to-practice program for new registered nurses.

## What does the study involve?

Participants are randomly allocated to one of two groups. Those in the first group take part in the behaviour change program. This consists of three sessions, each lasting for three hours, in groups of 10-15 participants. The sessions are given every other week and are lead by a psychologist. The work in the program is based on a set of behavior change techniques that are used to prevent stress-related ill health among new registered nurses. The sessions include education, group discussions, individual exercises, and homework exercises. Those in the second group participate in activities of the transition-to-practice program as they had originally planned to do. This involves simulator skills training, lectures on specific subjects such as pain and how to manage the patient records. At the start of the study and then one and seven weeks after the programs have ended, participants in both groups complete a range of questionnaires to assess their stress and general wellbeing levels.

What are the possible benefits and risks of participating? Participants may benefit from a reduction of stress-related ill health. There are no notable risks associated with participating in this study.

Where is the study run from? Akademiska sjukhuset (Sweden)

When is study starting and how long is it expected to run for? February 2016 to August 2017

Who is funding the study? AFA Insurance (Sweden)

Who is the main contact?

1. Professor Petter Gustavsson (scientific) petter.gustavsson@ki.se

2. Ms Elin Frögéli (public) elin.frogeli@ki.se

## Contact information

## Type(s)

Scientific

#### Contact name

**Prof Petter Gustavsson** 

#### Contact details

Karolinska Institutet Nobels väg 9 Solna Sweden 17165

## Type(s)

Public

#### Contact name

Ms Elin Frögeli

#### Contact details

Karolinska Institutet Nobels väg 9 Solna Sweden 17165 +46 7 371 216 63 elin.frogeli@ki.se

## Additional identifiers

## Protocol serial number

N/A

# Study information

#### Scientific Title

A behavior change intervention for preventing stress-related ill health among new registered nurses: a randomized controlled trial

## Study objectives

Participants in the intervention will report lower levels of stress at post-intervention as compared to controls.

## Ethics approval required

Old ethics approval format

## Ethics approval(s)

Regionala Etikprövningsnämnden Stockholm (Regional Ethical Review Board, Stockholm), 09/10/2014, ref: 2014/1531-31/5

## Study design

Interventional randomized controlled trial

## Primary study design

Interventional

## Study type(s)

Prevention

## Health condition(s) or problem(s) studied

Stress-related ill health

#### **Interventions**

Participants are randomly assigned to one of the two conditions using simple randomization. In cases where there are more than one nurse from the same clinical ward participating in the study adjustments will be made so that the nurses will be evenly allocated to both the experimental and the control arm to ensure that the ward is not left short of staff on the days of the intervention.

Experimental arm: Participants take part in a group behaviour change intervention of 3x3hours lead by a licensed psychologist. The primary behaviour change techniques included in the intervention are systematic exposure, action planning, and reinforcing approach behaviour, with the aim of increasing engagement in proactive behaviours. All sessions include didactics, group discussions, individual assignments, and homework assignments. The total time of 9 hours for the intervention is implemented during a period of 4 weeks (session 1 – session 2 two weeks later – session 3 two more weeks later).

Control arm: While the experimental group participates in the sessions of the intervention at trial, the control group participates in activities as part of a transition-to-practice program for new registered nurses. The exact content of these activities will vary for different participants

depending on the schedule of the transition-to-practice program, but the active time will be the same as for the experimental group. Examples of the control activities are simulator skills training, lectures on specific subjects such as pain and how to manage the patient records.

Participants in both groups are followed up 1 and 7 weeks post-intervention. However, betweengroups comparisons will only be made at 1 week post-intervention as the subjects randomized to the control group will participate in the intervention starting two weeks following the last session of the subject randomized to the experimental group.

#### Intervention Type

Behavioural

## Primary outcome(s)

Stress and energy is measured using a self-report measurement with 12 items responded to on a 6 point Likert scale at baseline, 1 and 7 weeks post-intervention.

## Key secondary outcome(s))

- 1. Role clarity is measured using a self-report measurement with three items responded to on a 5 point Likert scale at baseline, 1 and 7 weeks post-intervention
- 2. Task mastery is measured using a self-report measurement with two items responded to on a 5 point Likert scale at baseline, 1 and 7 weeks post-intervention
- 3. Social acceptance is measured using a self-report measurement with two items responded to on a 5 point Likert scale at baseline, 1 and 7 weeks post-intervention
- 4. Proactivity is measured using a self-report measurement with six items responded to on a 5 point Likert scale at baseline, 1 and 7 weeks post-intervention

## Completion date

01/08/2017

# **Eligibility**

## Key inclusion criteria

- 1. Aged 18 years and over
- 2. Licensed nurse
- 3. Participant in transition-to-practice program for newly licenced nurses

## Participant type(s)

Health professional

## Healthy volunteers allowed

No

## Age group

Adult

## Lower age limit

18 years

#### Sex

All

### Key exclusion criteria

Not newly registered nurse participating in the transition-to-practice program

#### Date of first enrolment

29/02/2016

### Date of final enrolment

22/02/2017

## Locations

## Countries of recruitment

Sweden

## Study participating centre Akademiska sjukhuset

Sjukhusvägen 10 Uppsala Sweden 751 85

# Sponsor information

## Organisation

Karolinska Institutet

#### ROR

https://ror.org/04hmgwg30

# Funder(s)

## Funder type

Industry

#### Funder Name

AFA Försäkring

## Alternative Name(s)

AFA Insurance, AFA Insurance (Sweden)

## **Funding Body Type**

Private sector organisation

## **Funding Body Subtype**

For-profit companies (industry)

## Location

Sweden

## **Results and Publications**

## Individual participant data (IPD) sharing plan

The current data sharing plans for the current study are unknown and will be made available at a later date.

## IPD sharing plan summary

Data sharing statement to be made available at a later date

## **Study outputs**

Output type Details Date created Date added Peer reviewed? Patient-facing?

Participant information sheet Participant information sheet 11/11/2025 11/11/2025 No Yes