

Stimulation of the Tibial nerve – A Randomised Trial for Urinary problems associated with Parkinson's disease (STARTUP)

Submission date 15/06/2018	Recruitment status No longer recruiting	<input checked="" type="checkbox"/> Prospectively registered <input checked="" type="checkbox"/> Protocol
Registration date 22/07/2018	Overall study status Completed	<input type="checkbox"/> Statistical analysis plan <input type="checkbox"/> Results
Last Edited 23/08/2023	Condition category Nervous System Diseases	<input type="checkbox"/> Individual participant data <input type="checkbox"/> Record updated in last year

Plain English summary of protocol

Background and study aims

Parkinson's disease (PD) is a combination of movement complaints (such as slow and restricted walking, tremor or shaking), and problems with the bladder, such as having to get to the toilet quickly, or getting up often at night to go to the toilet. These bladder symptoms are a major cause of distress and have a large impact on health-related costs and quality of life.

Previous studies have shown that using a mild electrical stimulation (similar to a TENS machine) to a nerve in the lower ankle can improve bladder problems in some people and thus improve their quality of life. However, we do not know if using such a device will help the bladder symptoms in patients with Parkinson's disease. The STARTUP trial aims to find out if using the device will reduce bladder symptoms in patients with Parkinson's. The device works by placing electrodes (patches) near the ankle to stimulate a nerve that has connections with the bladder.

Who can participate?

Adults patients, both male and female, who have been diagnosed with Parkinson's disease and who also have bladder problems.

What does the study involve?

208 participants will be asked to join this study. Participants will be asked some questions to make sure they are suitable and if they are and they want to take part then they will be randomly allocated to one of two groups (an active treatment group and a dummy treatment group). At their local clinic the participants will be shown how to use the device, but they will not know if they are getting the stimulation in the right way, or not.

Following this clinic visit the participant will be given a pack to take home with them containing a 3-day frequency bladder diary (with simple instructions) and a questionnaire booklet. The participant is asked to complete the frequency bladder diary during the next 3 days (starting with the first morning urination), before starting to use the stimulation. During these 3 days at home, the research office will telephone the participant to make sure they are completing the bladder diary and completes the these are posted to the research office. The participants then starts to use the device.

What are the possible benefits and risks of participating?

There are no risks of taking part in the trial. The possible benefits are that those in the active group may see an improvement in their bladder symptoms, and we will have confirmation of an effective treatment for people with Parkinson's who have bladder issues.

When is the study starting and how long is it expected to run for?

May 2018 to April 2021

Who is funding the study?

The Dunhill Medical Trust and Parkinson's UK.

Who is the main contact?

1. Professor Doreen McClurg (scientific)

Doreen.mcclurg@gcu.ac.uk

2. Susan Stratton, STARTUP Trial Manager (public)

susan.stratton@gcu.ac.uk

Contact information

Type(s)

Scientific

Contact name

Prof Doreen McClurg

Contact details

6th Floor, Govan Mbeki Building

Glasgow Caledonian University

Cowcaddens Road

Glasgow

United Kingdom

G4 0BA

0141 331 8105

Doreen.mcclurg@gcu.ac.uk

Type(s)

Public

Contact name

Ms Susan Stratton

Contact details

6th Floor, Govan Mbeki Building

Glasgow Caledonian University

Cowcaddens Road

Glasgow

United Kingdom

G4 0BA

0141 331 3504

susan.stratton@gcu.ac.uk

Type(s)

Public

Contact name

Mrs Jaclyn McArthur

Contact details

6th Floor, Govan Mbeki Building
Glasgow Caledonian University
Cowcaddens Road
Glasgow
United Kingdom
G4 0BA
0141 331 8832
jaclyn.mcarthur@gcu.ac.uk

Additional identifiers**Protocol serial number**

18/ES/0042

Study information**Scientific Title**

A multicentre randomised trial of the effectiveness of transcutaneous tibial nerve stimulation (TTNS) to reduce lower urinary tract symptoms in people with Parkinson's

Acronym

STARTUP

Study objectives

Will transcutaneous (i.e. using a surface electrode) tibial nerve stimulation (TTNS) reduce lower urinary tract (LUT) symptoms in people with Parkinson's (PwP) significantly more than placebo stimulation?

Ethics approval required

Old ethics approval format

Ethics approval(s)

NHS East of Scotland Research Ethics Service, 11/12/2017, ref: 18/ES/0042
Grant application RPGF1711\16

Study design

Double-blind placebo-controlled randomised trial

Primary study design

Interventional

Study type(s)

Treatment

Health condition(s) or problem(s) studied

Parkinson's disease with lower urinary tract symptoms

Interventions

Current intervention as of 27/03/2019:

The settings of the device will be pre-set and locked by the clinician. The participant will be shown how to apply the two adhesive electrodes to the lower leg and how to connect to the device and set to the appropriate intensity. All participants will use the stimulator for two sessions a week for 6 weeks, each session is 30 minutes in length. It is preferable to have 2-4 days between stimulation sessions. When the device is returned compliance of use will be downloaded.

Previous intervention:

The previous intervention text has been removed on the request of the investigator.

Intervention Type

Device

Phase

Not Specified

Drug/device/biological/vaccine name(s)

Not provided at time of registration

Primary outcome(s)

1. Urinary leakage assessed using ICIQ-UI Short Form questionnaire. The ICIQ-UI SF provides a brief and robust measure to assess the impact of symptoms of urinary incontinence (UI) on quality of life and outcome of treatment. It is validated in both males and females with 4 questions measuring frequency of UI, amount of leakage, overall impact of UI and a self-diagnostic item. Overall Grade A validity, reliability and responsiveness established with rigour on one data set. Scores range from 0-21 overall score with greater values indicating increased severity.

2. Bladder overactivity assessed using International Prostate Symptoms Score (IPSS). The IPSS is based on the answers to seven questions concerning urinary symptoms and has been validated for use in men and women. The questions refer to the following urinary symptoms:

2.1. Incomplete emptying

2.2. Frequency

2.3. Intermittency

2.4. Urgency

2.5. Weak stream

2.6. Straining

2.7. Nocturia

2.8. Patient's perceived quality of life. Each question is assigned points from 0 to 5 indicating increasing severity of the particular symptom. The total score can therefore range from 0 to 35 (asymptomatic to very symptomatic). Although there are presently no standard recommendations into grading patients with mild, moderate or severe symptoms, patients can be tentatively classified as follows: 0-7 = mildly symptomatic; 8-19 = moderately symptomatic; 20-35 = severely symptomatic.

The outcome measures are applied at baseline, at 6 weeks (following intervention period) and at 12 weeks.

Key secondary outcome(s)

1. Urinary symptom-related quality of life assessed using Qualiveen, an 8-item self-administered questionnaire validated in patients with neurological disorders at baseline, at 6 weeks (following intervention period) and at 12 weeks
2. Parkinson's disease-specific quality of life assessed using PDQ-8 questionnaire at baseline, at 6 weeks (following intervention period) and at 12 weeks
3. Frequency of micturition, leakage episodes and urgency assessed using a 72-hour bladder diary recorded during the week post-randomisation before commencing the use of the device at home (Week 0), week 7 and week 11. Participants will be advised to start the diary in the morning (first void of that day) following their clinic visit
4. Compliance: Locked compliance within the stimulation unit will record how often and for how long the participant has used the unit during the 6 weeks of intervention and will be downloaded on at clinic on receipt of the unit
5. Concomitant medication assessed using a form completed at the weekly telephone interview and at week 12. All medications that are taken by the patients are considered as concomitant medications in clinical trials and they are critical for proper monitoring of patient safety and well-being
6. Resource use (including visits to the doctor/nurse/hospital, medications bought/prescribed or not prescribed, purchases such as incontinence pads) assessed using a questionnaire completed at 6 and 12 weeks
7. Participation experience and protocol fidelity assessed at 6 weeks using a brief self-completion questionnaire

Completion date

22/04/2021

Eligibility

Key inclusion criteria

1. Diagnosis of Parkinson's disease with self-reported problematic LUT symptoms
2. Capacity to consent/complete self-report outcome measures
3. Ability to apply TTNS (or placebo) independently or has carer who can apply for duration
4. Stable Parkinson's medication, treatment naïve, treatment failed or continuing treatment with anti-muscarinic medication (group allocation will be minimised to account for these groups).

Participant type(s)

Patient

Healthy volunteers allowed

No

Age group

Adult

Sex

All

Key exclusion criteria

1. Pacemaker or implanted electrical device
2. Ulceration or broken skin in area of pad placement

3. History of gynaecological, urological cancer, prostate cancer
4. History of peripheral vascular disease, epilepsy or current urinary tract infection (as per dip stick analysis)
5. Pace-maker, sacral nerve stimulator, receipt of Botox or PTNS within the last year
6. Severe prostatic enlargement as determined by treating clinician

Date of first enrolment

01/08/2018

Date of final enrolment

12/02/2020

Locations

Countries of recruitment

United Kingdom

England

Scotland

Study participating centre

The National Hospital for Neurology

Dr Jalesh Panicker

Consultant Neurologist and Honorary Senior Lecturer

Dept of Uro-neurology

Internal Box 71

Queens Square

University College London

London

United Kingdom

WC1N 3BG

Study participating centre

North Tyneside General Hospital

Dr Richard Walker

Consultant Physician/Honorary Professor of Ageing

North Tyneside General Hospital

Northumbria Healthcare

Rake Lane North Shields

Tyne and Wear

North Shields

United Kingdom

NE29 8NH

Study participating centre

Glasgow Royal Infirmary

Dr Anne-Louise Cunnington
Consultant Physician and Geriatrician
Dept for Care of the Elderly
Glasgow Royal Infirmary
84 Castle St
Glasgow
Glasgow
United Kingdom
G4 0SF

Study participating centre

St Thomas' Hospital

Dr Danielle Harari
Consultant Physician in Geriatric and GIM and Continence
Dept of Ageing and Health
Guy's and St Thomas' NHS Foundation Trust
St Thomas' Hospital
9th Floor
North Wing London
London
United Kingdom
SE1 7EH

Study participating centre

University of East Anglia

Dr Katherine Deane
Senior Lecturer in Research
School of Health Sciences
University of East Anglia
Norwich Research Park
Norwich
Norwich
United Kingdom
NR4 7TJ

Study participating centre

Musgrove Park Hospital

Dr Vikky Morris
Care of Older People
Musgrove Park Hospital
Taunton

Taunton
United Kingdom
TA1 5DA

Study participating centre

Royal Preston Hospital

Janice Birt
Research Sister
Neurosciences and Dementia
Lancashire Clinical Research Facility,
Avondale Unit
Royal Preston Hospital
Sharoe Green Land
Fulwood
Preston
Lancashire
Preston
United Kingdom
PR2 9HT

Study participating centre

Leeds Community Healthcare NHS Trust

Karen Lamb
R and D Development Manager
Research and Development Department
Leeds Community Healthcare NHS Trust
2nd Floor, Stockdale House
Victoria Road
Headingley
Leeds.
Leeds
United Kingdom
LS6 1PF

Sponsor information

Organisation

Glasgow Caledonian University

ROR

<https://ror.org/03dvm1235>

Funder(s)

Funder type

Not defined

Funder Name

The Dunhill Medical Trust

Funder Name

Parkinson's UK

Alternative Name(s)

Parkinson's Disease Society

Funding Body Type

Private sector organisation

Funding Body Subtype

Associations and societies (private and public)

Location

United Kingdom

Results and Publications

Individual participant data (IPD) sharing plan

The data sharing plans for the current study are unknown and will be made available at a later date.

IPD sharing plan summary

Not expected to be made available

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Protocol article	Participant information sheet	17/02/2020	23/08/2023	Yes	No
HRA research summary			28/06/2023	No	No
Participant information sheet		11/11/2025	11/11/2025	No	Yes
Study website	Study website	11/11/2025	11/11/2025	No	Yes