

# Carbon monoxide alarm use by Emergency Department patients

<b>Submission date</b> 27/11/2021	<b>Recruitment status</b> No longer recruiting	<input type="checkbox"/> Prospectively registered <input checked="" type="checkbox"/> Protocol
<b>Registration date</b> 06/05/2022	<b>Overall study status</b> Completed	<input type="checkbox"/> Statistical analysis plan <input checked="" type="checkbox"/> Results
<b>Last Edited</b> 03/03/2025	<b>Condition category</b> Other	<input type="checkbox"/> Individual participant data

## Plain English summary of protocol

### Background and study aims

Carbon monoxide is a colourless odourless gas that can cause symptoms such as headache, muscle aches and flu-like symptoms. Carbon monoxide exposure leads to 4000 attendances to Emergency departments each year and can cause long-term health problems. Having a carbon monoxide alarm installed in homes can help with the early detection of carbon monoxide and reduce the risk of exposure. Not everyone has a carbon monoxide alarm in their homes and the aim of this study is to find out if there are differences in those who have alarms compared to those that do not so they can provide tailored information on carbon monoxide alarm use to those that need it

### Who can participate?

Patients or carers attending the Emergency Department aged 16 years or over.

### What does the study involve?

The study involves answering a survey on the internet either on the patients' mobile phone or a study tablet device. The survey includes 21 questions asking about the presence and location of carbon monoxide alarms and will also include questions about the type of home, household income and ethnicity

### What are the possible benefits and risks of participating?

There will be no direct benefits related to participation. Indirect benefits include contributing to a better understanding of the use of carbon monoxide in the home. The results will be used to target future public health information to those who do not have alarms installed in their homes.

### Where is the study run from?

St George's University Hospitals NHS Foundation Trust (UK)

### When is the study starting and how long is it expected to run for?

June 2021 to March 2023

### Who is funding the study?

Carbon Monoxide Research Trust (UK)

Who is the main contact?  
Prof. Heather Jarman  
Heather.jarman@stgeorges.nhs.uk

## Contact information

**Type(s)**  
Scientific

**Contact name**  
Prof Heather Jarman

**ORCID ID**  
<https://orcid.org/0000-0002-4820-3291>

**Contact details**  
Emergency Department Clinical Research Unit  
Emergency Department  
St George's University Hospitals NHS Foundation Trust  
Blackshaw Road  
London  
United Kingdom  
SW17 0QT  
+44 (0)208 725 4849  
heather.jarman@stgeorges.nhs.uk

**Type(s)**  
Public

**Contact name**  
Prof Heather Jarman

**Contact details**  
Emergency Department Clinical Research Unit  
Emergency Department  
St George's University Hospitals NHS Foundation Trust  
Blackshaw Road  
London  
United Kingdom  
SW17 0QT  
+44 (0)208 725 4849  
heather.jarman@stgeorges.nhs.uk

## Additional identifiers

**Clinical Trials Information System (CTIS)**  
Nil known

**Integrated Research Application System (IRAS)**  
306275

**ClinicalTrials.gov (NCT)**

Nil known

**Protocol serial number**

IRAS 306275, CPMS 51448

## Study information

**Scientific Title**

A survey of carbon monoxide alarm use in patients attending the Emergency Department (EDCO-M)

**Acronym**

EDCO-M

**Study objectives**

What is the prevalence of carbon monoxide alarms?

**Ethics approval required**

Old ethics approval format

**Ethics approval(s)**

Approved 21/12/2021, HRA Proportionate Review Sub-Committee (London - Westminster Research Ethics Committee, Equinox House, City Link, Nottingham, NG2 4LA, UK; +44 (0)20 7104 8066; westminster.rec@hra.nhs.uk), REC ref: 21/PR/1657

**Study design**

Multicentre prospective cross-sectional observational survey

**Primary study design**

Observational

**Study type(s)**

Prevention

**Health condition(s) or problem(s) studied**

Carbon monoxide alarm use

**Interventions**

The study involves answering a survey on the internet either on the patients' mobile phone or a study tablet device. The survey includes 21 questions asking about the presence and location of carbon monoxide alarms and will also include questions about the type of home, household income and ethnicity.

**Intervention Type**

Other

**Primary outcome(s)**

Prevalence of fitted carbon monoxide alarms in patients' homes measured by asking if households they have a carbon monoxide alarm at a single timepoint (survey completion)

**Key secondary outcome(s)**

There are no secondary outcome measures

**Completion date**

09/03/2023

## **Eligibility**

**Key inclusion criteria**

1. Patient or carer aged 16 years or over
2. Parent or carer of a child under 16 years
3. Participant is willing and able to give informed consent for participation in the study
4. Participant currently resides in the UK

**Participant type(s)**

Patient

**Healthy volunteers allowed**

No

**Age group**

Adult

**Sex**

All

**Total final enrolment**

6043

**Key exclusion criteria**

1. Unable to read and understand the study information or consent process due to injury/illness or language barrier
2. Treating clinician (doctor or nurse) feels that it is not appropriate to approach the patient to participate

**Date of first enrolment**

01/01/2022

**Date of final enrolment**

09/03/2023

## **Locations**

**Countries of recruitment**

United Kingdom

England

**Study participating centre**

**St George's Hospital**

St George's University Hospitals NHS Foundation Trust  
Blackshaw Road  
London  
United Kingdom  
SW17 0QT

**Study participating centre**

**St Helier Hospital**

Epsom and St Helier University Hospitals NHS Trust  
Wrythe Lane  
Carshalton  
London  
United Kingdom  
SM5 1AA

## **Sponsor information**

**Organisation**

St George's, University of London

**ROR**

<https://ror.org/040f08y74>

## **Funder(s)**

**Funder type**

Charity

**Funder Name**

Carbon Monoxide Research Trust

## **Results and Publications**

Individual participant data (IPD) sharing plan

Participant-level data will not be available as ethics approval to share the data has not been given

## IPD sharing plan summary

Not expected to be made available

## Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
<a href="#">Protocol article</a>		16/11/2022	18/11/2022	Yes	No
<a href="#">Basic results</a>			03/03/2025	No	No
<a href="#">HRA research summary</a>			28/06/2023	No	No
<a href="#">Participant information sheet</a>	Participant information sheet	11/11/2025	11/11/2025	No	Yes
<a href="#">Study website</a>	Study website	11/11/2025	11/11/2025	No	Yes